7. Electrical Parts List

7-1 CW28C75VS8XXEC

Level	Loc. No.	Code No.	Description ; Specification	Remark

ASSY PCB MAIN(OPT)

	1		AA94-05624B	ASSY PCB MAIN(OPT);CW28C7DH,KS3A/H,TH,IN
	2	C815	2401-003602	C-AL;220uF,20%,160V,GP,BK,22x25mm,1
	2	CN501	3711-002641	CONNECTOR-HEADER;BOX,10P,1R,2.54mm,STRAI
⚠	2	CX801S	2306-000321	C-FILM,MPPF;470NF,5%,275V,TP,-,22.5
	2	IC301	HA96-50406B	ASSY-H/S;ASSY-H/S;-,AA62-30180B,LA7845
	3		1204-000517	IC-VERTICAL DEF.;LA7845,SIP,7P,-,PLASTIC
	3		AA62-30180B	HEAT SINK-ES;-,A6063 EXTR.,2,WHT,70MM,-,
	3		6003-000333	SCREW-TAPTITE;RH,+,2S,M3,L10,ZPC(YEL),SW
	3		0205-000129	GREASE-SILICON;SC102,JAPAN
⚠	2	IC401	1202-000103	IC-VOLTAGE COMP.;393,DIP,8P,300MIL,DUAL,
⚠	2	IC801S	HA96-50371C	ASSY H/S;-,-,AA62-30181H,KA3A1265R,-
	3		AA13-00101A	IC HYBRID;KA3S1265RD,CN5039,5PIN,-50TO12
	3		AA61-10386A	BRACKET-IC;-,SECC 100,T1.0,-,-,-,KA2S068
	3		AA62-30197D	HEAT SINK-ES;DP,-,-,-,AA62-30181H,-,-,-
	3		6003-000333	SCREW-TAPTITE;RH,+,2S,M3,L10,ZPC(YEL),SW
	3		HA68-02189A	LABEL-WARNING;,33MM,18MM,WHITE
	3		0205-000129	GREASE-SILICON;SC102,JAPAN
	2	JA701	3722-000195	JACK-SCART;42P,-,SN,BLK,NO
⚠	2	NT802S	1404-001045	THERMISTOR-NTC;4.7ohm,15%,2900K,35.0mW,T
⚠	2	PC801S	0604-001038	PHOTO-COUPLER;TR,130-260%,200mW,DIP-4,ST
⚠	2	PT801S	1404-000002	THERMISTOR-PTC;9ohm,20%,-,-,TR,RECT,-
⚠	2	RL801S	3501-001040	RELAY-POWER;12VDC,500mW,10A,1FormA,15mS,
	2	HC801	HA96-00274B	ASSY-H/S;-,COMPLEX,AA62-00066B,FMLG12S
	3		6003-000334	SCREW-TAPTITE;RH,+,2S,M3,L6,ZPC(YEL),SWR
	3		AA62-00066B	HEAT SINK;D2,D3,AL ,T1.0,89,70,-,AA62-00
⚠	3	D802	0402-001230	DIODE-RECTIFIER;FMG-G2CS,1000V,3A,TO-220
⚠	3	D805	0402-000233	DIODE-RECTIFIER;FML-G12S,200V,5A,-,-
⚠	3	D806	0402-000233	DIODE-RECTIFIER;FML-G12S,200V,5A,-,-
⚠	3	D807	0402-000233	DIODE-RECTIFIER;FML-G12S,200V,5A,-,-
⚠	3	IC805	1203-001006	IC-VOLTAGE REGULATOR;78R05,TO-220F,4P,-,
	3		0205-000129	GREASE-SILICON;SC102,JAPAN
	2	HC401	HA96-00275D	ASSY-H/S;-,COMPLEX,AA62-00051B,2SC5446
	3		AA62-00067B	HEAT SINK-PS;-,DP,-,-,-,-,AA62-00051B,-
⚠	3	D414	0402-001296	DIODE-RECTIFIER;FMP-3FU,1.5KV,5A,TO-3PF,
	3	Q401	0502-001175	TR-POWER;2SC5446,NPN,200000mW,TO-3PL,BK
	3		6003-000333	SCREW-TAPTITE;RH,+,2S,M3,L10,ZPC(YEL),SW
	3		AA60-30001A	WASHER-PLATE;M3,ID3.5,15X8.5,T1.0,SBHG
	3		AA62-00092A	HEAT SINK;STB,A6063 EXTR.,T1.3,28*28,H12
	3	Q401	AA02-00007A	SUB ETC-MICA;,MICA,22X30X0.1MM
	3		6003-000334	SCREW-TAPTITE;RH,+,2S,M3,L6,ZPC(YEL),SWR
	3		0205-000129	GREASE-SILICON;SC102,JAPAN
⚠	2	D801S	0402-001399	DIODE-BRIDGE;GSIB660,600V,6A,SIP-4,BK
	2	IC602	HA96-50369B	ASSY-H/S;-,-,AA62-30181F,TDA7297,-
	3		1201-001064	IC-POWER AMP;7297,ZIP,15P,-,DUAL,32dB,PL
	3		AA62-30181F	HEAT SINK-ES;-,AL6063 EXTR.,2,WHT,50MM,-
	3		6003-000333	SCREW-TAPTITE;RH,+,2S,M3,L10,ZPC(YEL),SW
	3		0205-000129	GREASE-SILICON;SC102,JAPAN
	2	IC902	1103-001171	IC-EEPROM;L51DC,16KBit,DIP,8P,300MIL,10m
	2	C105	2301-000383	C-FILM,PEF;10nF,5%,50V,TP,6x7x3.2mm,5mm
	2	C103	2301-000383	C-FILM,PEF;10nF,5%,50V,TP,6x7x3.2mm,5mm
	2	C101	2301-000383	C-FILM,PEF;10nF,5%,50V,TP,6x7x3.2mm,5mm
	2	C416	2301-000383	C-FILM,PEF;10nF,5%,50V,TP,6x7x3.2mm,5mm
	2	C909	2301-000383	C-FILM,PEF;10nF,5%,50V,TP,6x7x3.2mm,5mm
	2	C228	2301-000356	C-FILM,PEF;47nF,5%,50V,TP,7.5x4.0x6.5,5m
	2	C230	2301-000356	C-FILM,PEF;47nF,5%,50V,TP,7.5x4.0x6.5,5m
	2	C809	2301-000356	C-FILM,PEF;47nF,5%,50V,TP,7.5x4.0x6.5,5m
	2	C810	2301-000356	C-FILM,PEF;47nF,5%,50V,TP,7.5x4.0x6.5,5m
	2	C811	2301-000356	C-FILM,PEF;47nF,5%,50V,TP,7.5x4.0x6.5,5m
	2	C202	2401-002235	C-AL;10uF,20%,16V,GP,TP,5x11mm,5mm
	2	C205	2401-002235	C-AL;10uF,20%,16V,GP,TP,5x11mm,5mm
	2	C920	2401-002235	C-AL;10uF,20%,16V,GP,TP,5x11mm,5mm
	2	C231	2401-002235	C-AL;10uF,20%,16V,GP,TP,5x11mm,5mm
	2	C215	2401-002235	C-AL;10uF,20%,16V,GP,TP,5x11mm,5mm
	2	C630	2401-002235	C-AL;10uF,20%,16V,GP,TP,5x11mm,5mm
	2	C631	2401-002235	C-AL;10uF,20%,16V,GP,TP,5x11mm,5mm
	2	C645	2401-002235	C-AL;10uF,20%,16V,GP,TP,5x11mm,5mm
	2	C652	2401-002235	C-AL;10uF,20%,16V,GP,TP,5x11mm,5mm
	2	C603	2401-002235	C-AL;10uF,20%,16V,GP,TP,5x11mm,5mm
	2	C207	2401-002235	C-AL;10uF,20%,16V,GP,TP,5x11mm,5mm
	2	C708	2401-002235	C-AL;10uF,20%,16V,GP,TP,5x11mm,5mm
	2	C239	2401-002235	C-AL;10uF,20%,16V,GP,TP,5x11mm,5mm
	2	C214	2305-000665	C-FILM,MPEF;100nF,5%,63V,TP,7.5x4.0x5.0m
	2	C605	2305-000665	C-FILM,MPEF;100nF,5%,63V,TP,7.5x4.0x5.0m
	2	C620	2305-000665	C-FILM,MPEF;100nF,5%,63V,TP,7.5x4.0x5.0m
	2	C635	2305-000665	C-FILM,MPEF;100nF,5%,63V,TP,7.5x4.0x5.0m
	2	C646	2305-000665	C-FILM,MPEF;100nF,5%,63V,TP,7.5x4.0x5.0m
	2	C829	2305-000665	C-FILM,MPEF;100nF,5%,63V,TP,7.5x4.0x5.0m
	2	C837	2305-000665	C-FILM,MPEF;100nF,5%,63V,TP,7.5x4.0x5.0m
	2	C839	2305-000665	C-FILM,MPEF;100nF,5%,63V,TP,7.5x4.0x5.0m
	2	C916	2305-000665	C-FILM,MPEF;100nF,5%,63V,TP,7.5x4.0x5.0m
	2	C914	2305-000665	C-FILM,MPEF;100nF,5%,63V,TP,7.5x4.0x5.0m
	2	C831	2305-000665	C-FILM,MPEF;100nF,5%,63V,TP,7.5x4.0x5.0m
	2	C825	2305-000665	C-FILM,MPEF;100nF,5%,63V,TP,7.5x4.0x5.0m
	2	C240	2305-000665	C-FILM,MPEF;100nF,5%,63V,TP,7.5x4.0x5.0m
	2	C208	2401-001026	C-AL;3.3UF,20%,50V,GP,TP,5X11,5
	2	C636	2401-001026	C-AL;3.3UF,20%,50V,GP,TP,5X11,5
	2	C905	2202-000796	C-CERAMIC,MLC-AXIAL;1NF,10%,50V,Y5P,TP,3
	2	C607	2202-000796	C-CERAMIC,MLC-AXIAL;1NF,10%,50V,Y5P,TP,3
	2	C608	2202-000796	C-CERAMIC,MLC-AXIAL;1NF,10%,50V,Y5P,TP,3
	2	C211	2202-000796	C-CERAMIC,MLC-AXIAL;1NF,10%,50V,Y5P,TP,3
	2	C212	2301-000224	C-FILM,PEF;22nF,5%,50V,TP,7.4x3.9x13mm,5
	2	C213	2301-000247	C-FILM,PEF;33nF,5%,50V,TP,8.1x4.5x13mm,5
	2	C218	2202-000632	C-CERAMIC,MLC-AXIAL;100nF,20%,50V,Z5U,TP
	2	C219	2202-000632	C-CERAMIC,MLC-AXIAL;100nF,20%,50V,Z5U,TP
	2	C220	2202-000632	C-CERAMIC,MLC-AXIAL;100nF,20%,50V,Z5U,TP
	2	C901	2202-000632	C-CERAMIC,MLC-AXIAL;100nF,20%,50V,Z5U,TP
	2	C921	2202-000632	C-CERAMIC,MLC-AXIAL;100nF,20%,50V,Z5U,TP
	2	C922	2202-000632	C-CERAMIC,MLC-AXIAL;100nF,20%,50V,Z5U,TP
	2	C919	2202-000632	C-CERAMIC,MLC-AXIAL;100nF,20%,50V,Z5U,TP
	2	C924	2202-000632	C-CERAMIC,MLC-AXIAL;100nF,20%,50V,Z5U,TP
	2	C907	2305-000412	C-FILM,MPEF;470nF,5%,63V,TP,-,5mm
	2	C308	2305-000412	C-FILM,MPEF;470nF,5%,63V,TP,-,5mm
	2	C237	2401-000914	C-AL;22uF,20%,16V,GP,TP,5x11,5
	2	C604	2401-000603	C-AL;1uF,20%,50V,GP,TP,5x11,5
	2	C201	2401-000603	C-AL;1uF,20%,50V,GP,TP,5x11,5
	2	C841	2401-000603	C-AL;1uF,20%,50V,GP,TP,5x11,5
	2	C304	2305-000285	C-FILM,MPEF;220NF,5%,100V,TP,10.5X5.5X15
	2	C305	2305-000149	C-FILM,MPEF;100nF,5%,100V,TP,12x12.5x6.5
	2	C821	2301-000192	C-FILM,PEF;1nF,5%,50V,TP,5.3x10mm,5mm
	2	C902	2301-000192	C-FILM,PEF;1nF,5%,50V,TP,5.3x10mm,5mm
	2	C307	2401-000360	C-AL;100uF,20%,50V,GP,TP,8x11.5,5
	2	C302	2401-000360	C-AL;100uF,20%,50V,GP,TP,8x11.5,5
	2	C401	2201-000556	C-CERAMIC,DISC;0.47nF,10%,500V,Y5P,TP,5.
	2	C403	2201-000556	C-CERAMIC,DISC;0.47nF,10%,500V,Y5P,TP,5.
	2	C421	2201-000556	C-CERAMIC,DISC;0.47nF,10%,500V,Y5P,TP,5.
	2	C402	2401-001397	C-AL;470uF,20%,25V,GP,TP,10x16,5
	2	C404	2401-001397	C-AL;470uF,20%,25V,GP,TP,10x16,5
	2	C408	2305-000382	C-FILM,MPEF;4.7nF,5%,400V,TP,-,5mm
	2	C414	2401-002597	C-AL;220uF,20%,35V,GP,TP,10x12.5,5
	2	C418	2401-002597	C-AL;220uF,20%,35V,GP,TP,10x12.5,5
	2	C422	2401-001527	C-AL;47uF,20%,250V,HR,TP,13x25mm,5m
	2	C424	2201-000132	C-CERAMIC,DISC;0.1NF,10%,500V,Y5P,TP,6.5
	2	C601	2201-000558	C-CERAMIC,DISC;0.47nF,10%,50V,Y5P,TP,5x3
	2	C610	2301-000445	C-FILM,PEF;4.7nF,5%,50V,TP,5.5x7x3mm,5mm
	2	C611	2301-000445	C-FILM,PEF;4.7nF,5%,50V,TP,5.5x7x3mm,5mm
	2	C612	2401-001914	C-AL;1uF,20%,50V,BP,TP,5x11,5
	2	C613	2401-001914	C-AL;1uF,20%,50V,BP,TP,5x11,5
	2	C209	2401-001914	C-AL;1uF,20%,50V,BP,TP,5x11,5
	2	C617	2401-000493	C-AL;10uF,20%,50V,LZ,TP,5x11mm,5mm
	2	C917	2401-000493	C-AL;10uF,20%,50V,LZ,TP,5x11mm,5mm
	2	C413	2401-000493	C-AL;10uF,20%,50V,LZ,TP,5x11mm,5mm

Level	Loc. No.	Code No.	Description ; Specification	Remark
2	C623	2202-000231	C-CERAMIC,MLC-AXIAL;330pF,10%,50V,Y5P,TP	
2	C624	2202-000231	C-CERAMIC,MLC-AXIAL;330pF,10%,50V,Y5P,TP	
2	C627	2202-000231	C-CERAMIC,MLC-AXIAL;330pF,10%,50V,Y5P,TP	
2	C629	2202-000231	C-CERAMIC,MLC-AXIAL;330pF,10%,50V,Y5P,TP	
2	C642	2202-000231	C-CERAMIC,MLC-AXIAL;330pF,10%,50V,Y5P,TP	
2	C644	2202-000231	C-CERAMIC,MLC-AXIAL;330pF,10%,50V,Y5P,TP	
2	C638	2202-000231	C-CERAMIC,MLC-AXIAL;330pF,10%,50V,Y5P,TP	
2	C639	2202-000231	C-CERAMIC,MLC-AXIAL;330pF,10%,50V,Y5P,TP	
2	C249	2202-000231	C-CERAMIC,MLC-AXIAL;330pF,10%,50V,Y5P,TP	
2	C632	2202-000806	C-CERAMIC,MLC-AXIAL;220pF,10%,50V,Y5P,TP	
2	C634	2401-001840	C-AL;100uF,20%,16V,GP,TP,6.3x11,5	
2	C832	2401-001840	C-AL;100uF,20%,16V,GP,TP,6.3x11,5	
2	C838	2401-001840	C-AL;100uF,20%,16V,GP,TP,6.3x11,5	
2	C826	2401-001840	C-AL;100uF,20%,16V,GP,TP,6.3x11,5	
2	C637	2401-000027	C-AL;4.7uF,20%,50V,GP,TP,5x11,5	
2	C640	2401-000027	C-AL;4.7uF,20%,50V,GP,TP,5x11,5	
2	C641	2401-000027	C-AL;4.7uF,20%,50V,GP,TP,5x11,5	
2	C643	2401-000027	C-AL;4.7uF,20%,50V,GP,TP,5x11,5	
2	C647	2202-000286	C-CERAMIC,MLC-AXIAL;56pF,5%,50V,SL,TP,1.	
2	C649	2301-000108	C-FILM,PEF;1.5nF,5%,50V,TP,6.5x3.0x5.5mm	
2	C804	2201-000332	C-CERAMIC,DISC;2.2NF,20%,250V,Y5U,TP,9X4	
2	C805	2201-000332	C-CERAMIC,DISC;2.2NF,20%,250V,Y5U,TP,9X4	
2	C807	2301-001397	C-FILM,PPF;2.2nF,5%,1.2KV,TP,15x8.5x13.5	
2	C814	2201-000406	C-CERAMIC,DISC;0.27NF,10%,2KV,Y5P,TP,6.3	
2	C817	2201-000599	C-CERAMIC,DISC;0.56nF,10%,500V,Y5P,TP,5.	
2	C819	2201-000599	C-CERAMIC,DISC;0.56nF,10%,500V,Y5P,TP,5.	
2	C822	2201-000599	C-CERAMIC,DISC;0.56nF,10%,500V,Y5P,TP,5.	
2	C818	2401-000722	C-AL;2200uF,20%,25V,WT,TP,16x25,7.5	
2	C910	2201-000980	C-CERAMIC,DISC;0.03NF,5%,50V,C0G,TP,5X3M	
2	C911	2201-000980	C-CERAMIC,DISC;0.03NF,5%,50V,C0G,TP,5X3M	
2	D201	0401-000005	DIODE-SWITCHING;1N4148,100V,200mA,DO-35,	
2	D202	0401-000005	DIODE-SWITCHING;1N4148,100V,200mA,DO-35,	
2	D207	0401-000005	DIODE-SWITCHING;1N4148,100V,200mA,DO-35,	
2	D208	0401-000005	DIODE-SWITCHING;1N4148,100V,200mA,DO-35,	
2	D209	0401-000005	DIODE-SWITCHING;1N4148,100V,200mA,DO-35,	
2	D210	0401-000005	DIODE-SWITCHING;1N4148,100V,200mA,DO-35,	
2	D211	0401-000005	DIODE-SWITCHING;1N4148,100V,200mA,DO-35,	
2	D602	0401-000005	DIODE-SWITCHING;1N4148,100V,200mA,DO-35,	
⚠ 2	D804	0401-000005	DIODE-SWITCHING;1N4148,100V,200mA,DO-35,	
2	DZ402	0401-000005	DIODE-SWITCHING;1N4148,100V,200mA,DO-35,	
2	D906	0401-000005	DIODE-SWITCHING;1N4148,100V,200mA,DO-35,	
2	D405	0401-000005	DIODE-SWITCHING;1N4148,100V,200mA,DO-35,	
2	D604	0401-000005	DIODE-SWITCHING;1N4148,100V,200mA,DO-35,	
⚠ 2	D401	0402-000540	DIODE-RECTIFIER;RU20A,600V,1.5A,-,TP	
⚠ 2	D402	0402-000534	DIODE-RECTIFIER;RG10V,400V,1.2A,DO-201,T	
⚠ 2	D404	0402-000534	DIODE-RECTIFIER;RG10V,400V,1.2A,DO-201,T	
⚠ 2	D411	0402-000534	DIODE-RECTIFIER;RG10V,400V,1.2A,DO-201,T	
⚠ 2	D406	0402-000132	DIODE-RECTIFIER;1N4004,400V,1A,DO-41,TP	
⚠ 2	D808	0402-000132	DIODE-RECTIFIER;1N4004,400V,1A,DO-41,TP	
⚠ 2	D810	0402-000132	DIODE-RECTIFIER;1N4004,400V,1A,DO-41,TP	
⚠ 2	D811	0402-000132	DIODE-RECTIFIER;1N4004,400V,1A,DO-41,TP	
2	D907	0402-000132	DIODE-RECTIFIER;1N4004,400V,1A,DO-41,TP	
⚠ 2	D403	0402-000132	DIODE-RECTIFIER;1N4004,400V,1A,DO-41,TP	
⚠ 2	D801	0402-001111	DIODE-RECTIFIER;1N5397GP,600V,1.5A,DO-20	
2	DZ201	0403-000508	DIODE-ZENER;MTZJ5.6B,5.6V,5.45-5.73V,500	
2	DZ202	0403-000508	DIODE-ZENER;MTZJ5.6B,5.6V,5.45-5.73V,500	
2	DZ802	0403-000508	DIODE-ZENER;MTZJ5.6B,5.6V,5.45-5.73V,500	
2	DZ902	0403-000508	DIODE-ZENER;MTZJ5.6B,5.6V,5.45-5.73V,500	
2	DZ601	0403-000508	DIODE-ZENER;MTZJ5.6B,5.6V,5.45-5.73V,500	
2	DZ603	0403-000508	DIODE-ZENER;MTZJ5.6B,5.6V,5.45-5.73V,500	
2	DZ806	0403-000508	DIODE-ZENER;MTZJ5.6B,5.6V,5.45-5.73V,500	
2	DZ903	0403-000508	DIODE-ZENER;MTZJ5.6B,5.6V,5.45-5.73V,500	
2	DZ904	0403-000508	DIODE-ZENER;MTZJ5.6B,5.6V,5.45-5.73V,500	
2	DZ905	0403-000508	DIODE-ZENER;MTZJ5.6B,5.6V,5.45-5.73V,500	
2	DZ906	0403-000508	DIODE-ZENER;MTZJ5.6B,5.6V,5.45-5.73V,500	
2	DZ907	0403-000508	DIODE-ZENER;MTZJ5.6B,5.6V,5.45-5.73V,500	
2	DZ908	0403-000508	DIODE-ZENER;MTZJ5.6B,5.6V,5.45-5.73V,500	
2	DZ909	0403-000508	DIODE-ZENER;MTZJ5.6B,5.6V,5.45-5.73V,500	
2	DZ910	0403-000508	DIODE-ZENER;MTZJ5.6B,5.6V,5.45-5.73V,500	
2	DZ604	0403-000508	DIODE-ZENER;MTZJ5.6B,5.6V,5.45-5.73V,500	
2	DZ605	0403-000508	DIODE-ZENER;MTZJ5.6B,5.6V,5.45-5.73V,500	
2	DZ203	0403-001321	DIODE-ZENER;MTZJ6.8C,6.66-7.01V,500mW,DO	
2	DZ302	0403-001329	DIODE-ZENER;MTZJ24B,22.61-23.77V,500mW,D	
2	DZ303	0403-001329	DIODE-ZENER;MTZJ24B,22.61-23.77V,500mW,D	
2	DZ304	0403-001329	DIODE-ZENER;MTZJ24B,22.61-23.77V,500mW,D	
2	DZ305	0403-001221	DIODE-ZENER;UZ39BSB,35.36-37.19V,500MW,D	
2	DZ306	0403-000700	DIODE-ZENER;TZP33A,33V,31-35V,1W,DO-41,T	
2	DZ804	0403-000700	DIODE-ZENER;TZP33A,33V,31-35V,1W,DO-41,T	
2	DZ401	0403-001325	DIODE-ZENER;MTZJ15C,14.35-15.09V,500mW,D	
2	DZ801	0403-001322	DIODE-ZENER;MTZJ8.2B,7.78-8.19V,500mW,DO	
2	DZ808	0403-001322	DIODE-ZENER;MTZJ8.2B,7.78-8.19V,500mW,DO	
2	DZ204	0403-001322	DIODE-ZENER;MTZJ8.2B,7.78-8.19V,500mW,DO	
2	DZ205	0403-001322	DIODE-ZENER;MTZJ8.2B,7.78-8.19V,500mW,DO	
2	DZ805	1203-001217	IC-POSI.ADJUST REG.;431,TO-92,3P,4.58MIL	
2	GT101	AA60-40014A	PIN-GT,ASSY;AUTO	
2	GT102	AA60-40014A	PIN-GT,ASSY;AUTO	
2	GT301	AA60-40014A	PIN-GT,ASSY;AUTO	
2	GT302	AA60-40014A	PIN-GT,ASSY;AUTO	
2	GT401	AA60-40014A	PIN-GT,ASSY;AUTO	
2	GT402	AA60-40014A	PIN-GT,ASSY;AUTO	
2	GT801	AA60-40014A	PIN-GT,ASSY;AUTO	
2	GT802	AA60-40014A	PIN-GT,ASSY;AUTO	
2	GT803	AA60-40014A	PIN-GT,ASSY;AUTO	
2	GT804	AA60-40014A	PIN-GT,ASSY;AUTO	
2	GT805	AA60-40014A	PIN-GT,ASSY;AUTO	
2	GT806	AA60-40014A	PIN-GT,ASSY;AUTO	
2	GT409	AA60-40014A	PIN-GT,ASSY;AUTO	
2	GT103	AA60-40014A	PIN-GT,ASSY;AUTO	
2	J102	3812-000219	WIRE-NO SHEATH CU;TCWA,300V,52mm(TAPING)	
2	J103	3812-000219	WIRE-NO SHEATH CU;TCWA,300V,52mm(TAPING)	
2	J105	3812-000219	WIRE-NO SHEATH CU;TCWA,300V,52mm(TAPING)	
2	J111	3812-000219	WIRE-NO SHEATH CU;TCWA,300V,52mm(TAPING)	
2	J112	3812-000219	WIRE-NO SHEATH CU;TCWA,300V,52mm(TAPING)	
2	J114	3812-000219	WIRE-NO SHEATH CU;TCWA,300V,52mm(TAPING)	
2	J115	3812-000219	WIRE-NO SHEATH CU;TCWA,300V,52mm(TAPING)	
2	J116	3812-000219	WIRE-NO SHEATH CU;TCWA,300V,52mm(TAPING)	
2	J117	3812-000219	WIRE-NO SHEATH CU;TCWA,300V,52mm(TAPING)	
2	J119	3812-000219	WIRE-NO SHEATH CU;TCWA,300V,52mm(TAPING)	
2	J122	3812-000219	WIRE-NO SHEATH CU;TCWA,300V,52mm(TAPING)	
2	J123	3812-000219	WIRE-NO SHEATH CU;TCWA,300V,52mm(TAPING)	
2	J124	3812-000219	WIRE-NO SHEATH CU;TCWA,300V,52mm(TAPING)	
2	J203	3812-000219	WIRE-NO SHEATH CU;TCWA,300V,52mm(TAPING)	
2	J205	3812-000219	WIRE-NO SHEATH CU;TCWA,300V,52mm(TAPING)	
2	J206	3812-000219	WIRE-NO SHEATH CU;TCWA,300V,52mm(TAPING)	
2	J207	3812-000219	WIRE-NO SHEATH CU;TCWA,300V,52mm(TAPING)	
2	J208	3812-000219	WIRE-NO SHEATH CU;TCWA,300V,52mm(TAPING)	
2	J209	3812-000219	WIRE-NO SHEATH CU;TCWA,300V,52mm(TAPING)	
2	J210	3812-000219	WIRE-NO SHEATH CU;TCWA,300V,52mm(TAPING)	
2	J211	3812-000219	WIRE-NO SHEATH CU;TCWA,300V,52mm(TAPING)	
2	J212	3812-000219	WIRE-NO SHEATH CU;TCWA,300V,52mm(TAPING)	
2	J213	3812-000219	WIRE-NO SHEATH CU;TCWA,300V,52mm(TAPING)	
2	J214	3812-000219	WIRE-NO SHEATH CU;TCWA,300V,52mm(TAPING)	
2	J215	3812-000219	WIRE-NO SHEATH CU;TCWA,300V,52mm(TAPING)	
2	J216	3812-000219	WIRE-NO SHEATH CU;TCWA,300V,52mm(TAPING)	
2	J217	3812-000219	WIRE-NO SHEATH CU;TCWA,300V,52mm(TAPING)	
2	J218	3812-000219	WIRE-NO SHEATH CU;TCWA,300V,52mm(TAPING)	
2	J219	3812-000219	WIRE-NO SHEATH CU;TCWA,300V,52mm(TAPING)	
2	J222	3812-000219	WIRE-NO SHEATH CU;TCWA,300V,52mm(TAPING)	
2	J223	3812-000219	WIRE-NO SHEATH CU;TCWA,300V,52mm(TAPING)	
2	J224	3812-000219	WIRE-NO SHEATH CU;TCWA,300V,52mm(TAPING)	
2	J225	3812-000219	WIRE-NO SHEATH CU;TCWA,300V,52mm(TAPING)	
2	J227	3812-000219	WIRE-NO SHEATH CU;TCWA,300V,52mm(TAPING)	
2	J228	3812-000219	WIRE-NO SHEATH CU;TCWA,300V,52mm(TAPING)	
2	J229	3812-000219	WIRE-NO SHEATH CU;TCWA,300V,52mm(TAPING)	
2	J230	3812-000219	WIRE-NO SHEATH CU;TCWA,300V,52mm(TAPING)	
2	J232	3812-000219	WIRE-NO SHEATH CU;TCWA,300V,52mm(TAPING)	
2	J234	3812-000219	WIRE-NO SHEATH CU;TCWA,300V,52mm(TAPING)	
2	J236	3812-000219	WIRE-NO SHEATH CU;TCWA,300V,52mm(TAPING)	
2	J237	3812-000219	WIRE-NO SHEATH CU;TCWA,300V,52mm(TAPING)	
2	J238	3812-000219	WIRE-NO SHEATH CU;TCWA,300V,52mm(TAPING)	
2	J239	3812-000219	WIRE-NO SHEATH CU;TCWA,300V,52mm(TAPING)	
2	J241	3812-000219	WIRE-NO SHEATH CU;TCWA,300V,52mm(TAPING)	
2	J244	3812-000219	WIRE-NO SHEATH CU;TCWA,300V,52mm(TAPING)	
2	J246	3812-000219	WIRE-NO SHEATH CU;TCWA,300V,52mm(TAPING)	
2	J247	3812-000219	WIRE-NO SHEATH CU;TCWA,300V,52mm(TAPING)	
2	J248	3812-000219	WIRE-NO SHEATH CU;TCWA,300V,52mm(TAPING)	
2	J401	3812-000219	WIRE-NO SHEATH CU;TCWA,300V,52mm(TAPING)	
2	J402	3812-000219	WIRE-NO SHEATH CU;TCWA,300V,52mm(TAPING)	
2	J404	3812-000219	WIRE-NO SHEATH CU;TCWA,300V,52mm(TAPING)	
2	J409	3812-000219	WIRE-NO SHEATH CU;TCWA,300V,52mm(TAPING)	
2	J416	3812-000219	WIRE-NO SHEATH CU;TCWA,300V,52mm(TAPING)	
2	J421	3812-000219	WIRE-NO SHEATH CU;TCWA,300V,52mm(TAPING)	

Level	Loc. No.	Code No.	Description ; Specification	Remark
2	J422	3812-000219	WIRE-NO SHEATH CU;TCWA,300V,52mm(TAPING)	
2	J424	3812-000219	WIRE-NO SHEATH CU;TCWA,300V,52mm(TAPING)	
2	J428	3812-000219	WIRE-NO SHEATH CU;TCWA,300V,52mm(TAPING)	
2	J601	3812-000219	WIRE-NO SHEATH CU;TCWA,300V,52mm(TAPING)	
2	J602	3812-000219	WIRE-NO SHEATH CU;TCWA,300V,52mm(TAPING)	
2	J603	3812-000219	WIRE-NO SHEATH CU;TCWA,300V,52mm(TAPING)	
2	J604	3812-000219	WIRE-NO SHEATH CU;TCWA,300V,52mm(TAPING)	
2	J606	3812-000219	WIRE-NO SHEATH CU;TCWA,300V,52mm(TAPING)	
2	J607	3812-000219	WIRE-NO SHEATH CU;TCWA,300V,52mm(TAPING)	
2	J611	3812-000219	WIRE-NO SHEATH CU;TCWA,300V,52mm(TAPING)	
2	J614	3812-000219	WIRE-NO SHEATH CU;TCWA,300V,52mm(TAPING)	
2	J615	3812-000219	WIRE-NO SHEATH CU;TCWA,300V,52mm(TAPING)	
2	J616	3812-000219	WIRE-NO SHEATH CU;TCWA,300V,52mm(TAPING)	
2	J617	3812-000219	WIRE-NO SHEATH CU;TCWA,300V,52mm(TAPING)	
2	J618	3812-000219	WIRE-NO SHEATH CU;TCWA,300V,52mm(TAPING)	
2	J619	3812-000219	WIRE-NO SHEATH CU;TCWA,300V,52mm(TAPING)	
2	J620	3812-000219	WIRE-NO SHEATH CU;TCWA,300V,52mm(TAPING)	
2	J621	3812-000219	WIRE-NO SHEATH CU;TCWA,300V,52mm(TAPING)	
2	J622	3812-000219	WIRE-NO SHEATH CU;TCWA,300V,52mm(TAPING)	
2	J623	3812-000219	WIRE-NO SHEATH CU;TCWA,300V,52mm(TAPING)	
2	J624	3812-000219	WIRE-NO SHEATH CU;TCWA,300V,52mm(TAPING)	
2	J627	3812-000219	WIRE-NO SHEATH CU;TCWA,300V,52mm(TAPING)	
2	J629	3812-000219	WIRE-NO SHEATH CU;TCWA,300V,52mm(TAPING)	
2	J631	3812-000219	WIRE-NO SHEATH CU;TCWA,300V,52mm(TAPING)	
2	J632	3812-000219	WIRE-NO SHEATH CU;TCWA,300V,52mm(TAPING)	
2	J703	3812-000219	WIRE-NO SHEATH CU;TCWA,300V,52mm(TAPING)	
2	J704	3812-000219	WIRE-NO SHEATH CU;TCWA,300V,52mm(TAPING)	
2	J708	3812-000219	WIRE-NO SHEATH CU;TCWA,300V,52mm(TAPING)	
2	J715	3812-000219	WIRE-NO SHEATH CU;TCWA,300V,52mm(TAPING)	
2	J716	3812-000219	WIRE-NO SHEATH CU;TCWA,300V,52mm(TAPING)	
2	J717	3812-000219	WIRE-NO SHEATH CU;TCWA,300V,52mm(TAPING)	
2	J801	3812-000219	WIRE-NO SHEATH CU;TCWA,300V,52mm(TAPING)	
2	J802	3812-000219	WIRE-NO SHEATH CU;TCWA,300V,52mm(TAPING)	
2	J803	3812-000219	WIRE-NO SHEATH CU;TCWA,300V,52mm(TAPING)	
2	J804	3812-000219	WIRE-NO SHEATH CU;TCWA,300V,52mm(TAPING)	
2	J805	3812-000219	WIRE-NO SHEATH CU;TCWA,300V,52mm(TAPING)	
2	J806	3812-000219	WIRE-NO SHEATH CU;TCWA,300V,52mm(TAPING)	
2	J807	3812-000219	WIRE-NO SHEATH CU;TCWA,300V,52mm(TAPING)	
2	J810	3812-000219	WIRE-NO SHEATH CU;TCWA,300V,52mm(TAPING)	
2	J811	3812-000219	WIRE-NO SHEATH CU;TCWA,300V,52mm(TAPING)	
2	J816	3812-000219	WIRE-NO SHEATH CU;TCWA,300V,52mm(TAPING)	
2	J819	3812-000219	WIRE-NO SHEATH CU;TCWA,300V,52mm(TAPING)	
2	J820	3812-000219	WIRE-NO SHEATH CU;TCWA,300V,52mm(TAPING)	
2	J821	3812-000219	WIRE-NO SHEATH CU;TCWA,300V,52mm(TAPING)	
2	J824	3812-000219	WIRE-NO SHEATH CU;TCWA,300V,52mm(TAPING)	
2	J826	3812-000219	WIRE-NO SHEATH CU;TCWA,300V,52mm(TAPING)	
2	J829	3812-000219	WIRE-NO SHEATH CU;TCWA,300V,52mm(TAPING)	
2	J830	3812-000219	WIRE-NO SHEATH CU;TCWA,300V,52mm(TAPING)	
2	J831	3812-000219	WIRE-NO SHEATH CU;TCWA,300V,52mm(TAPING)	
2	J832	3812-000219	WIRE-NO SHEATH CU;TCWA,300V,52mm(TAPING)	
2	J833	3812-000219	WIRE-NO SHEATH CU;TCWA,300V,52mm(TAPING)	
2	J909	3812-000219	WIRE-NO SHEATH CU;TCWA,300V,52mm(TAPING)	
2	J911	3812-000219	WIRE-NO SHEATH CU;TCWA,300V,52mm(TAPING)	
2	J912	3812-000219	WIRE-NO SHEATH CU;TCWA,300V,52mm(TAPING)	
2	J913	3812-000219	WIRE-NO SHEATH CU;TCWA,300V,52mm(TAPING)	
2	J915	3812-000219	WIRE-NO SHEATH CU;TCWA,300V,52mm(TAPING)	
2	J916	3812-000219	WIRE-NO SHEATH CU;TCWA,300V,52mm(TAPING)	
2	J924	3812-000219	WIRE-NO SHEATH CU;TCWA,300V,52mm(TAPING)	
2	J925	3812-000219	WIRE-NO SHEATH CU;TCWA,300V,52mm(TAPING)	
2	J926	3812-000219	WIRE-NO SHEATH CU;TCWA,300V,52mm(TAPING)	
2	J927	3812-000219	WIRE-NO SHEATH CU;TCWA,300V,52mm(TAPING)	
2	J928	3812-000219	WIRE-NO SHEATH CU;TCWA,300V,52mm(TAPING)	
2	J931	3812-000219	WIRE-NO SHEATH CU;TCWA,300V,52mm(TAPING)	
2	J932	3812-000219	WIRE-NO SHEATH CU;TCWA,300V,52mm(TAPING)	
2	J933	3812-000219	WIRE-NO SHEATH CU;TCWA,300V,52mm(TAPING)	
2	J934	3812-000219	WIRE-NO SHEATH CU;TCWA,300V,52mm(TAPING)	
2	J936	3812-000219	WIRE-NO SHEATH CU;TCWA,300V,52mm(TAPING)	
2	J941	3812-000219	WIRE-NO SHEATH CU;TCWA,300V,52mm(TAPING)	
2	J942	3812-000219	WIRE-NO SHEATH CU;TCWA,300V,52mm(TAPING)	
2	R939	3812-000219	WIRE-NO SHEATH CU;TCWA,300V,52mm(TAPING)	
2	J714	3812-000219	WIRE-NO SHEATH CU;TCWA,300V,52mm(TAPING)	
2	J249	3812-000219	WIRE-NO SHEATH CU;TCWA,300V,52mm(TAPING)	
2	D908	3812-000219	WIRE-NO SHEATH CU;TCWA,300V,52mm(TAPING)	
2	J835	3812-000219	WIRE-NO SHEATH CU;TCWA,300V,52mm(TAPING)	
2	J425	3812-000219	WIRE-NO SHEATH CU;TCWA,300V,52mm(TAPING)	
2	J633	3812-000219	WIRE-NO SHEATH CU;TCWA,300V,52mm(TAPING)	
2	J818	3812-000219	WIRE-NO SHEATH CU;TCWA,300V,52mm(TAPING)	
2	J612	3812-000219	WIRE-NO SHEATH CU;TCWA,300V,52mm(TAPING)	
2	L610	3812-000219	WIRE-NO SHEATH CU;TCWA,300V,52mm(TAPING)	
2	J937	3812-000219	WIRE-NO SHEATH CU;TCWA,300V,52mm(TAPING)	
2	J918	3812-000219	WIRE-NO SHEATH CU;TCWA,300V,52mm(TAPING)	
2	J907	3812-000219	WIRE-NO SHEATH CU;TCWA,300V,52mm(TAPING)	
2	J626	3812-000219	WIRE-NO SHEATH CU;TCWA,300V,52mm(TAPING)	
2	J121	3812-000219	WIRE-NO SHEATH CU;TCWA,300V,52mm(TAPING)	
2	J118	3812-000219	WIRE-NO SHEATH CU;TCWA,300V,52mm(TAPING)	
2	J101	3812-000219	WIRE-NO SHEATH CU;TCWA,300V,52mm(TAPING)	
2	J253	3812-000219	WIRE-NO SHEATH CU;TCWA,300V,52mm(TAPING)	
2	J943	3812-000219	WIRE-NO SHEATH CU;TCWA,300V,52mm(TAPING)	
2	J944	3812-000219	WIRE-NO SHEATH CU;TCWA,300V,52mm(TAPING)	
2	J705	3812-000219	WIRE-NO SHEATH CU;TCWA,300V,52mm(TAPING)	
2	J707	3812-000219	WIRE-NO SHEATH CU;TCWA,300V,52mm(TAPING)	
2	J407	3812-000219	WIRE-NO SHEATH CU;TCWA,300V,52mm(TAPING)	
2	J605	3812-000219	WIRE-NO SHEATH CU;TCWA,300V,52mm(TAPING)	
2	J608	3812-000219	WIRE-NO SHEATH CU;TCWA,300V,52mm(TAPING)	
2	J609	3812-000219	WIRE-NO SHEATH CU;TCWA,300V,52mm(TAPING)	
2	J419	3812-000219	WIRE-NO SHEATH CU;TCWA,300V,52mm(TAPING)	
2	J420	3812-000219	WIRE-NO SHEATH CU;TCWA,300V,52mm(TAPING)	
2	J126	3812-000219	WIRE-NO SHEATH CU;TCWA,300V,52mm(TAPING)	
2	J108	3812-000219	WIRE-NO SHEATH CU;TCWA,300V,52mm(TAPING)	
2	J127	3812-000219	WIRE-NO SHEATH CU;TCWA,300V,52mm(TAPING)	
2	L107	3812-000219	WIRE-NO SHEATH CU;TCWA,300V,52mm(TAPING)	
2	R223	3812-000219	WIRE-NO SHEATH CU;TCWA,300V,52mm(TAPING)	
2	R234	3812-000219	WIRE-NO SHEATH CU;TCWA,300V,52mm(TAPING)	
2	J254	3812-000219	WIRE-NO SHEATH CU;TCWA,300V,52mm(TAPING)	
2	J914	3812-000219	WIRE-NO SHEATH CU;TCWA,300V,52mm(TAPING)	
2	J411	3812-000219	WIRE-NO SHEATH CU;TCWA,300V,52mm(TAPING)	
2	L410	3812-000219	WIRE-NO SHEATH CU;TCWA,300V,52mm(TAPING)	
2	J412	3812-000219	WIRE-NO SHEATH CU;TCWA,300V,52mm(TAPING)	
2	C232	3812-000219	WIRE-NO SHEATH CU;TCWA,300V,52mm(TAPING)	
2	C221	3812-000219	WIRE-NO SHEATH CU;TCWA,300V,52mm(TAPING)	
2	C222	3812-000219	WIRE-NO SHEATH CU;TCWA,300V,52mm(TAPING)	
2	C223	3812-000219	WIRE-NO SHEATH CU;TCWA,300V,52mm(TAPING)	
2	L204	3812-000219	WIRE-NO SHEATH CU;TCWA,300V,52mm(TAPING)	
2	L211	3812-000219	WIRE-NO SHEATH CU;TCWA,300V,52mm(TAPING)	
2	L804	3812-000219	WIRE-NO SHEATH CU;TCWA,300V,52mm(TAPING)	
2	J204	3812-000219	WIRE-NO SHEATH CU;TCWA,300V,52mm(TAPING)	
2	J701	3812-000219	WIRE-NO SHEATH CU;TCWA,300V,52mm(TAPING)	
2	J817	3812-000219	WIRE-NO SHEATH CU;TCWA,300V,52mm(TAPING)	
2	L413	3812-000219	WIRE-NO SHEATH CU;TCWA,300V,52mm(TAPING)	
2	R926	3812-000219	WIRE-NO SHEATH CU;TCWA,300V,52mm(TAPING)	
2	J902	3812-000219	WIRE-NO SHEATH CU;TCWA,300V,52mm(TAPING)	
2	J940	3812-000219	WIRE-NO SHEATH CU;TCWA,300V,52mm(TAPING)	
2	EY301	AA60-40011A	K EYELET;ID2.0,OD2.8,BST	
2	EY302	AA60-40011A	K EYELET;ID2.0,OD2.8,BST	
2	EY303	AA60-40011A	K EYELET;ID2.0,OD2.8,BST	
2	EY304	AA60-40011A	K EYELET;ID2.0,OD2.8,BST	
2	EY401	AA60-40011A	K EYELET;ID2.0,OD2.8,BST	
2	EY402	AA60-40011A	K EYELET;ID2.0,OD2.8,BST	
2	EY403	AA60-40011A	K EYELET;ID2.0,OD2.8,BST	
2	EY404	AA60-40011A	K EYELET;ID2.0,OD2.8,BST	
2	EY405	AA60-40011A	K EYELET;ID2.0,OD2.8,BST	
2	EY406	AA60-40011A	K EYELET;ID2.0,OD2.8,BST	
2	EY407	AA60-40011A	K EYELET;ID2.0,OD2.8,BST	
2	EY408	AA60-40011A	K EYELET;ID2.0,OD2.8,BST	
2	EY409	AA60-40011A	K EYELET;ID2.0,OD2.8,BST	
2	EY410	AA60-40011A	K EYELET;ID2.0,OD2.8,BST	
2	EY411	AA60-40011A	K EYELET;ID2.0,OD2.8,BST	
2	EY412	AA60-40011A	K EYELET;ID2.0,OD2.8,BST	
2	EY413	AA60-40011A	K EYELET;ID2.0,OD2.8,BST	
2	EY414	AA60-40011A	K EYELET;ID2.0,OD2.8,BST	
2	EY415	AA60-40011A	K EYELET;ID2.0,OD2.8,BST	
2	EY416	AA60-40011A	K EYELET;ID2.0,OD2.8,BST	
2	EY417	AA60-40011A	K EYELET;ID2.0,OD2.8,BST	
2	EY418	AA60-40011A	K EYELET;ID2.0,OD2.8,BST	
2	EY419	AA60-40011A	K EYELET;ID2.0,OD2.8,BST	
2	EY420	AA60-40011A	K EYELET;ID2.0,OD2.8,BST	
2	EY421	AA60-40011A	K EYELET;ID2.0,OD2.8,BST	
2	EY422	AA60-40011A	K EYELET;ID2.0,OD2.8,BST	
2	EY423	AA60-40011A	K EYELET;ID2.0,OD2.8,BST	
2	EY424	AA60-40011A	K EYELET;ID2.0,OD2.8,BST	
2	EY425	AA60-40011A	K EYELET;ID2.0,OD2.8,BST	
2	EY426	AA60-40011A	K EYELET;ID2.0,OD2.8,BST	
2	EY427	AA60-40011A	K EYELET;ID2.0,OD2.8,BST	
2	EY428	AA60-40011A	K EYELET;ID2.0,OD2.8,BST	

Level	Loc. No.	Code No.	Description ; Specification	Remark
2	EY429	AA60-40011A	K EYELET;ID2.0,OD2.8,BST	
2	EY430	AA60-40011A	K EYELET;ID2.0,OD2.8,BST	
2	EY431	AA60-40011A	K EYELET;ID2.0,OD2.8,BST	
2	EY432	AA60-40011A	K EYELET;ID2.0,OD2.8,BST	
2	EY433	AA60-40011A	K EYELET;ID2.0,OD2.8,BST	
2	EY434	AA60-40011A	K EYELET;ID2.0,OD2.8,BST	
2	EY435	AA60-40011A	K EYELET;ID2.0,OD2.8,BST	
2	EY436	AA60-40011A	K EYELET;ID2.0,OD2.8,BST	
2	EY437	AA60-40011A	K EYELET;ID2.0,OD2.8,BST	
2	EY438	AA60-40011A	K EYELET;ID2.0,OD2.8,BST	
2	EY439	AA60-40011A	K EYELET;ID2.0,OD2.8,BST	
2	EY440	AA60-40011A	K EYELET;ID2.0,OD2.8,BST	
2	EY441	AA60-40011A	K EYELET;ID2.0,OD2.8,BST	
2	EY442	AA60-40011A	K EYELET;ID2.0,OD2.8,BST	
2	EY443	AA60-40011A	K EYELET;ID2.0,OD2.8,BST	
2	EY444	AA60-40011A	K EYELET;ID2.0,OD2.8,BST	
2	EY445	AA60-40011A	K EYELET;ID2.0,OD2.8,BST	
2	EY446	AA60-40011A	K EYELET;ID2.0,OD2.8,BST	
2	EY447	AA60-40011A	K EYELET;ID2.0,OD2.8,BST	
2	EY448	AA60-40011A	K EYELET;ID2.0,OD2.8,BST	
2	EY449	AA60-40011A	K EYELET;ID2.0,OD2.8,BST	
2	EY450	AA60-40011A	K EYELET;ID2.0,OD2.8,BST	
2	EY451	AA60-40011A	K EYELET;ID2.0,OD2.8,BST	
2	EY452	AA60-40011A	K EYELET;ID2.0,OD2.8,BST	
2	EY453	AA60-40011A	K EYELET;ID2.0,OD2.8,BST	
2	EY454	AA60-40011A	K EYELET;ID2.0,OD2.8,BST	
2	EY455	AA60-40011A	K EYELET;ID2.0,OD2.8,BST	
2	EY456	AA60-40011A	K EYELET;ID2.0,OD2.8,BST	
2	EY457	AA60-40011A	K EYELET;ID2.0,OD2.8,BST	
2	EY458	AA60-40011A	K EYELET;ID2.0,OD2.8,BST	
2	EY601	AA60-40011A	K EYELET;ID2.0,OD2.8,BST	
2	EY602	AA60-40011A	K EYELET;ID2.0,OD2.8,BST	
2	EY603	AA60-40011A	K EYELET;ID2.0,OD2.8,BST	
2	EY604	AA60-40011A	K EYELET;ID2.0,OD2.8,BST	
2	EY701	AA60-40011A	K EYELET;ID2.0,OD2.8,BST	
2	EY702	AA60-40011A	K EYELET;ID2.0,OD2.8,BST	
2	EY703	AA60-40011A	K EYELET;ID2.0,OD2.8,BST	
2	EY704	AA60-40011A	K EYELET;ID2.0,OD2.8,BST	
2	EY801	AA60-40011A	K EYELET;ID2.0,OD2.8,BST	
2	EY802	AA60-40011A	K EYELET;ID2.0,OD2.8,BST	
2	EY803	AA60-40011A	K EYELET;ID2.0,OD2.8,BST	
2	EY804	AA60-40011A	K EYELET;ID2.0,OD2.8,BST	
2	EY805	AA60-40011A	K EYELET;ID2.0,OD2.8,BST	
2	EY806	AA60-40011A	K EYELET;ID2.0,OD2.8,BST	
2	EY807	AA60-40011A	K EYELET;ID2.0,OD2.8,BST	
2	EY808	AA60-40011A	K EYELET;ID2.0,OD2.8,BST	
2	EY809	AA60-40011A	K EYELET;ID2.0,OD2.8,BST	
2	EY810	AA60-40011A	K EYELET;ID2.0,OD2.8,BST	
2	EY811	AA60-40011A	K EYELET;ID2.0,OD2.8,BST	
2	EY812	AA60-40011A	K EYELET;ID2.0,OD2.8,BST	
2	EY813	AA60-40011A	K EYELET;ID2.0,OD2.8,BST	
2	EY814	AA60-40011A	K EYELET;ID2.0,OD2.8,BST	
2	EY815	AA60-40011A	K EYELET;ID2.0,OD2.8,BST	
2	EY816	AA60-40011A	K EYELET;ID2.0,OD2.8,BST	
2	EY817	AA60-40011A	K EYELET;ID2.0,OD2.8,BST	
2	EY818	AA60-40011A	K EYELET;ID2.0,OD2.8,BST	
2	EY819	AA60-40011A	K EYELET;ID2.0,OD2.8,BST	
2	EY820	AA60-40011A	K EYELET;ID2.0,OD2.8,BST	
2	EY822	AA60-40011A	K EYELET;ID2.0,OD2.8,BST	
2	EY823	AA60-40011A	K EYELET;ID2.0,OD2.8,BST	
2	EY824	AA60-40011A	K EYELET;ID2.0,OD2.8,BST	
2	EY825	AA60-40011A	K EYELET;ID2.0,OD2.8,BST	
2	EY826	AA60-40011A	K EYELET;ID2.0,OD2.8,BST	
2	EY827	AA60-40011A	K EYELET;ID2.0,OD2.8,BST	
2	EY828	AA60-40011A	K EYELET;ID2.0,OD2.8,BST	
2	EY829	AA60-40011A	K EYELET;ID2.0,OD2.8,BST	
2	EY830	AA60-40011A	K EYELET;ID2.0,OD2.8,BST	
2	EY831	AA60-40011A	K EYELET;ID2.0,OD2.8,BST	
2	EY832	AA60-40011A	K EYELET;ID2.0,OD2.8,BST	
2	EY833	AA60-40011A	K EYELET;ID2.0,OD2.8,BST	
2	EY834	AA60-40011A	K EYELET;ID2.0,OD2.8,BST	
2	EY835	AA60-40011A	K EYELET;ID2.0,OD2.8,BST	
2	EY836	AA60-40011A	K EYELET;ID2.0,OD2.8,BST	
2	EY837	AA60-40011A	K EYELET;ID2.0,OD2.8,BST	
2	EY838	AA60-40011A	K EYELET;ID2.0,OD2.8,BST	
2	EY839	AA60-40011A	K EYELET;ID2.0,OD2.8,BST	
2	EY840	AA60-40011A	K EYELET;ID2.0,OD2.8,BST	
2	EY841	AA60-40011A	K EYELET;ID2.0,OD2.8,BST	
2	EY842	AA60-40011A	K EYELET;ID2.0,OD2.8,BST	
2	EY844	AA60-40011A	K EYELET;ID2.0,OD2.8,BST	
2	EY845	AA60-40011A	K EYELET;ID2.0,OD2.8,BST	
2	EY846	AA60-40011A	K EYELET;ID2.0,OD2.8,BST	
2	EY847	AA60-40011A	K EYELET;ID2.0,OD2.8,BST	
2	EY848	AA60-40011A	K EYELET;ID2.0,OD2.8,BST	
2	EY849	AA60-40011A	K EYELET;ID2.0,OD2.8,BST	
2	EY850	AA60-40011A	K EYELET;ID2.0,OD2.8,BST	
2	EY851	AA60-40011A	K EYELET;ID2.0,OD2.8,BST	
2	EY852	AA60-40011A	K EYELET;ID2.0,OD2.8,BST	
2	EY853	AA60-40011A	K EYELET;ID2.0,OD2.8,BST	
2	EY854	AA60-40011A	K EYELET;ID2.0,OD2.8,BST	
2	EY855	AA60-40011A	K EYELET;ID2.0,OD2.8,BST	
2	EY856	AA60-40011A	K EYELET;ID2.0,OD2.8,BST	
2	EY857	AA60-40011A	K EYELET;ID2.0,OD2.8,BST	
2	EY858	AA60-40011A	K EYELET;ID2.0,OD2.8,BST	
2	EY859	AA60-40011A	K EYELET;ID2.0,OD2.8,BST	
2	EY860	AA60-40011A	K EYELET;ID2.0,OD2.8,BST	
2	EY861	AA60-40011A	K EYELET;ID2.0,OD2.8,BST	
2	TOP1	AA60-40011A	K EYELET;ID2.0,OD2.8,BST	
2	TOP2	AA60-40011A	K EYELET;ID2.0,OD2.8,BST	
2	EL401	AA60-40011B	K EYELET;ID2.2,OD3.2,BSP	
2	EL402	AA60-40011B	K EYELET;ID2.2,OD3.2,BSP	
2	EL403	AA60-40011B	K EYELET;ID2.2,OD3.2,BSP	
2	EL404	AA60-40011B	K EYELET;ID2.2,OD3.2,BSP	
2	EL405	AA60-40011B	K EYELET;ID2.2,OD3.2,BSP	
2	EL406	AA60-40011B	K EYELET;ID2.2,OD3.2,BSP	
2	EL407	AA60-40011B	K EYELET;ID2.2,OD3.2,BSP	
2	EL408	AA60-40011B	K EYELET;ID2.2,OD3.2,BSP	
2	EL802	AA60-40011B	K EYELET;ID2.2,OD3.2,BSP	
2	EL803	AA60-40011B	K EYELET;ID2.2,OD3.2,BSP	
2	EL805	AA60-40011B	K EYELET;ID2.2,OD3.2,BSP	
2	EL806	AA60-40011B	K EYELET;ID2.2,OD3.2,BSP	
2	EL807	AA60-40011B	K EYELET;ID2.2,OD3.2,BSP	
2	EL808	AA60-40011B	K EYELET;ID2.2,OD3.2,BSP	
2	EL809	AA60-40011B	K EYELET;ID2.2,OD3.2,BSP	
2	EL810	AA60-40011B	K EYELET;ID2.2,OD3.2,BSP	
2	EL811	AA60-40011B	K EYELET;ID2.2,OD3.2,BSP	
2	R236	2001-000515	R-CARBON;220OHM,5%,1/8W,AA,TP,1.8X3.2MM	
2	R237	2001-000515	R-CARBON;220OHM,5%,1/8W,AA,TP,1.8X3.2MM	
2	R238	2001-000515	R-CARBON;220OHM,5%,1/8W,AA,TP,1.8X3.2MM	
2	R247	2001-000515	R-CARBON;220OHM,5%,1/8W,AA,TP,1.8X3.2MM	
2	R235	2001-000515	R-CARBON;220OHM,5%,1/8W,AA,TP,1.8X3.2MM	
2	R622	2001-000577	R-CARBON;2KOHM,5%,1/8W,AA,TP,1.8X3.2MM	
2	R621	2001-000577	R-CARBON;2KOHM,5%,1/8W,AA,TP,1.8X3.2MM	
2	R935	2001-000290	R-CARBON;10KOHM,5%,1/8W,AA,TP,1.8X3.2MM	
2	R202	2001-000290	R-CARBON;10KOHM,5%,1/8W,AA,TP,1.8X3.2MM	
2	R205	2001-000290	R-CARBON;10KOHM,5%,1/8W,AA,TP,1.8X3.2MM	
2	R243	2001-000290	R-CARBON;10KOHM,5%,1/8W,AA,TP,1.8X3.2MM	
2	R245	2001-000290	R-CARBON;10KOHM,5%,1/8W,AA,TP,1.8X3.2MM	
2	R246	2001-000290	R-CARBON;10KOHM,5%,1/8W,AA,TP,1.8X3.2MM	
2	R310	2001-000290	R-CARBON;10KOHM,5%,1/8W,AA,TP,1.8X3.2MM	
2	R716	2001-000290	R-CARBON;10KOHM,5%,1/8W,AA,TP,1.8X3.2MM	
2	R715	2001-000290	R-CARBON;10KOHM,5%,1/8W,AA,TP,1.8X3.2MM	
2	R606	2001-000290	R-CARBON;10KOHM,5%,1/8W,AA,TP,1.8X3.2MM	
2	R620	2001-000290	R-CARBON;10KOHM,5%,1/8W,AA,TP,1.8X3.2MM	
2	R629	2001-000290	R-CARBON;10KOHM,5%,1/8W,AA,TP,1.8X3.2MM	
2	R309	2001-000290	R-CARBON;10KOHM,5%,1/8W,AA,TP,1.8X3.2MM	
2	R206	2001-000290	R-CARBON;10KOHM,5%,1/8W,AA,TP,1.8X3.2MM	
2	R609	2001-000290	R-CARBON;10KOHM,5%,1/8W,AA,TP,1.8X3.2MM	
2	R211	2001-000290	R-CARBON;10KOHM,5%,1/8W,AA,TP,1.8X3.2MM	
2	R912	2001-000290	R-CARBON;10KOHM,5%,1/8W,AA,TP,1.8X3.2MM	
2	R952	2001-000290	R-CARBON;10KOHM,5%,1/8W,AA,TP,1.8X3.2MM	
2	R940	2001-000281	R-CARBON;100OHM,5%,1/8W,AA,TP,1.8X3.2MM	
2	R941	2001-000281	R-CARBON;100OHM,5%,1/8W,AA,TP,1.8X3.2MM	
2	R942	2001-000281	R-CARBON;100OHM,5%,1/8W,AA,TP,1.8X3.2MM	
2	R947	2001-000281	R-CARBON;100OHM,5%,1/8W,AA,TP,1.8X3.2MM	
2	R948	2001-000281	R-CARBON;100OHM,5%,1/8W,AA,TP,1.8X3.2MM	
2	R102	2001-000281	R-CARBON;100OHM,5%,1/8W,AA,TP,1.8X3.2MM	
2	R103	2001-000281	R-CARBON;100OHM,5%,1/8W,AA,TP,1.8X3.2MM	
2	R203	2001-000281	R-CARBON;100OHM,5%,1/8W,AA,TP,1.8X3.2MM	
2	R204	2001-000281	R-CARBON;100OHM,5%,1/8W,AA,TP,1.8X3.2MM	
2	R231	2001-000281	R-CARBON;100OHM,5%,1/8W,AA,TP,1.8X3.2MM	
2	R232	2001-000281	R-CARBON;100OHM,5%,1/8W,AA,TP,1.8X3.2MM	

Level	Loc. No.	Code No.	Description ; Specification	Remark
2	R604	2001-000281	R-CARBON;100OHM,5%,1/8W,AA,TP,1.8X3.2MM	
2	R605	2001-000281	R-CARBON;100OHM,5%,1/8W,AA,TP,1.8X3.2MM	
2	R610	2001-000281	R-CARBON;100OHM,5%,1/8W,AA,TP,1.8X3.2MM	
2	R611	2001-000281	R-CARBON;100OHM,5%,1/8W,AA,TP,1.8X3.2MM	
2	R612	2001-000281	R-CARBON;100OHM,5%,1/8W,AA,TP,1.8X3.2MM	
2	R613	2001-000281	R-CARBON;100OHM,5%,1/8W,AA,TP,1.8X3.2MM	
2	R628	2001-000281	R-CARBON;100OHM,5%,1/8W,AA,TP,1.8X3.2MM	
2	R627	2001-000281	R-CARBON;100OHM,5%,1/8W,AA,TP,1.8X3.2MM	
2	R723	2001-000281	R-CARBON;100OHM,5%,1/8W,AA,TP,1.8X3.2MM	
2	R909	2001-000281	R-CARBON;100OHM,5%,1/8W,AA,TP,1.8X3.2MM	
2	R907	2001-000281	R-CARBON;100OHM,5%,1/8W,AA,TP,1.8X3.2MM	
2	J904	2001-000281	R-CARBON;100OHM,5%,1/8W,AA,TP,1.8X3.2MM	
2	R925	2001-000281	R-CARBON;100OHM,5%,1/8W,AA,TP,1.8X3.2MM	
2	J920	2001-000281	R-CARBON;100OHM,5%,1/8W,AA,TP,1.8X3.2MM	
2	R955	2001-000281	R-CARBON;100OHM,5%,1/8W,AA,TP,1.8X3.2MM	
⚠ 2	RY801S	2002-001011	R-COMPOSITION;3.3Mohm,5%,1/2W,AA,TP,3.7x	
⚠ 2	RY802S	2002-001013	R-COMPOSITION;4.7Mohm,5%,1/2W,AA,TP,3.7x	
⚠ 2	VP801S	1405-000187	VARISTOR;750V,1250A,12.5x7mm,TP	
⚠ 2	VX801S	1405-000187	VARISTOR;750V,1250A,12.5x7mm,TP	
2	X901	2801-003728	CRYSTAL-UNIT;6MHz,30ppm,28-AAM,20pF,40oh	
2	L103	2701-000115	INDUCTOR-AXIAL;10uH,10%,3x7mm	
2		0203-001123	TAPE-PAPER;#53131,T0.15,W6.0,L200000,YEL	
2	C707	2401-000939	C-AL;22uF,20%,25V,GP,TP,5x11,5	
2	L202	2701-000114	INDUCTOR-AXIAL;10uH,10%,2.5x3.4mm	
2	L301	2701-000114	INDUCTOR-AXIAL;10uH,10%,2.5x3.4mm	
2	L406	2701-000114	INDUCTOR-AXIAL;10uH,10%,2.5x3.4mm	
2	L907	2701-000114	INDUCTOR-AXIAL;10uH,10%,2.5x3.4mm	
2	L711	2701-000114	INDUCTOR-AXIAL;10uH,10%,2.5x3.4mm	
2	L108	2701-000114	INDUCTOR-AXIAL;10uH,10%,2.5x3.4mm	
2	L109	2701-000114	INDUCTOR-AXIAL;10uH,10%,2.5x3.4mm	
2	R706	2701-000114	INDUCTOR-AXIAL;10uH,10%,2.5x3.4mm	
2	R707	2701-000114	INDUCTOR-AXIAL;10uH,10%,2.5x3.4mm	
2	R708	2701-000114	INDUCTOR-AXIAL;10uH,10%,2.5x3.4mm	
2	L302	3301-000287	CORE-FERRITE BEAD;AA,3.5x1.0x6.0mm,1500,	
2	L802	3301-000287	CORE-FERRITE BEAD;AA,3.5x1.0x6.0mm,1500,	
2	L803	3301-000287	CORE-FERRITE BEAD;AA,3.5x1.0x6.0mm,1500,	
2	L809	3301-000287	CORE-FERRITE BEAD;AA,3.5x1.0x6.0mm,1500,	
2	J901	3301-000287	CORE-FERRITE BEAD;AA,3.5x1.0x6.0mm,1500,	
2	L303	3301-000287	CORE-FERRITE BEAD;AA,3.5x1.0x6.0mm,1500,	
2	L207	3301-000287	CORE-FERRITE BEAD;AA,3.5x1.0x6.0mm,1500,	
2	J406	3301-000287	CORE-FERRITE BEAD;AA,3.5x1.0x6.0mm,1500,	
2	L412	3301-000287	CORE-FERRITE BEAD;AA,3.5x1.0x6.0mm,1500,	
2	L407	2901-000297	FILTER-EMI ON BOARD;-,3A,-,-,3.5x5,TP,-	
2	L807	2901-000297	FILTER-EMI ON BOARD;-,3A,-,-,3.5x5,TP,-	
2	L601	2901-000297	FILTER-EMI ON BOARD;-,3A,-,-,3.5x5,TP,-	
2	L609	2901-000297	FILTER-EMI ON BOARD;-,3A,-,-,3.5x5,TP,-	
2	R233	2901-000297	FILTER-EMI ON BOARD;-,3A,-,-,3.5x5,TP,-	
2	L201	2901-000297	FILTER-EMI ON BOARD;-,3A,-,-,3.5x5,TP,-	
2	C233	2901-000297	FILTER-EMI ON BOARD;-,3A,-,-,3.5x5,TP,-	
2	C234	2901-000297	FILTER-EMI ON BOARD;-,3A,-,-,3.5x5,TP,-	
2	C235	2901-000297	FILTER-EMI ON BOARD;-,3A,-,-,3.5x5,TP,-	
2	C236	2901-000297	FILTER-EMI ON BOARD;-,3A,-,-,3.5x5,TP,-	
2	L604	2701-000169	INDUCTOR-AXIAL;3.9uH,10%,2.5x3.4mm	
2	Q201	0501-000389	TR-SMALL SIGNAL;KSC815,NPN,400mW,TO-92,T	
2	Q202	0501-000389	TR-SMALL SIGNAL;KSC815,NPN,400mW,TO-92,T	
2	Q203	0501-000389	TR-SMALL SIGNAL;KSC815,NPN,400mW,TO-92,T	
2	Q901	0501-000389	TR-SMALL SIGNAL;KSC815,NPN,400mW,TO-92,T	
2	Q906	0501-000389	TR-SMALL SIGNAL;KSC815,NPN,400mW,TO-92,T	
2	Q908	0501-000389	TR-SMALL SIGNAL;KSC815,NPN,400mW,TO-92,T	
2	Q701	0501-000389	TR-SMALL SIGNAL;KSC815,NPN,400mW,TO-92,T	
2	Q204	0501-000389	TR-SMALL SIGNAL;KSC815,NPN,400mW,TO-92,T	
2	Q601	0501-000389	TR-SMALL SIGNAL;KSC815,NPN,400mW,TO-92,T	
2	Q907	0501-000389	TR-SMALL SIGNAL;KSC815,NPN,400mW,TO-92,T	
2	R244	2001-000786	R-CARBON;47KOHM,5%,1/8W,AA,TP,1.8X3.2MM	
2	R954	2001-000786	R-CARBON;47KOHM,5%,1/8W,AA,TP,1.8X3.2MM	
2	R215	2001-000522	R-CARBON;22KOHM,5%,1/8W,AA,TP,1.8X3.2MM	
2	R823	2001-000522	R-CARBON;22KOHM,5%,1/8W,AA,TP,1.8X3.2MM	
2	R910	2001-000522	R-CARBON;22KOHM,5%,1/8W,AA,TP,1.8X3.2MM	
2	R216	2001-000429	R-CARBON;1KOHM,5%,1/8W,AA,TP,1.8X3.2MM	
2	R603	2001-000429	R-CARBON;1KOHM,5%,1/8W,AA,TP,1.8X3.2MM	
2	R817	2001-000429	R-CARBON;1KOHM,5%,1/8W,AA,TP,1.8X3.2MM	
2	R924	2001-000429	R-CARBON;1KOHM,5%,1/8W,AA,TP,1.8X3.2MM	
2	R914	2001-000429	R-CARBON;1KOHM,5%,1/8W,AA,TP,1.8X3.2MM	
2	R936	2001-000429	R-CARBON;1KOHM,5%,1/8W,AA,TP,1.8X3.2MM	
2	R252	2001-000429	R-CARBON;1KOHM,5%,1/8W,AA,TP,1.8X3.2MM	
2	R726	2001-000429	R-CARBON;1KOHM,5%,1/8W,AA,TP,1.8X3.2MM	
2	R209	2001-000429	R-CARBON;1KOHM,5%,1/8W,AA,TP,1.8X3.2MM	
2	R254	2001-000429	R-CARBON;1KOHM,5%,1/8W,AA,TP,1.8X3.2MM	
2	R601	2001-000429	R-CARBON;1KOHM,5%,1/8W,AA,TP,1.8X3.2MM	
2	R602	2001-000429	R-CARBON;1KOHM,5%,1/8W,AA,TP,1.8X3.2MM	
2	R902	2001-000429	R-CARBON;1KOHM,5%,1/8W,AA,TP,1.8X3.2MM	
2	R816	2001-000429	R-CARBON;1KOHM,5%,1/8W,AA,TP,1.8X3.2MM	
2	R228	2001-000117	R-CARBON(S);680HM,5%,1/2W,AA,TP,2.4X6.4M	
2	R303	2001-000016	R-CARBON(S);10HM,5%,1/2W,AA,TP,2.4X6.4MM	
2	R404	2001-000016	R-CARBON(S);10HM,5%,1/2W,AA,TP,2.4X6.4MM	
2	R828	2008-000266	R-FUSIBLE(S);1ohm,5%,2W,AF,TP,3.9x10mm	
2	R314	2004-001984	R-METAL(S);26.7Kohm,1%,1/2W,AA,TP,2.4x6.	
2	R411	2001-000028	R-CARBON(S);100OHM,5%,1/2W,AA,TP,2.4X6.4	
2	R412	2001-000020	R-CARBON(S);22OHM,5%,1/2W,AA,TP,2.4X6.4M	
2	R422	2001-000020	R-CARBON(S);22OHM,5%,1/2W,AA,TP,2.4X6.4M	
2	R421	2001-001093	R-CARBON(S);2.2KOHM,5%,1/2W,AA,TP,2.4X6.	
2	R415	2001-001093	R-CARBON(S);2.2KOHM,5%,1/2W,AA,TP,2.4X6.	
2	R913	2001-000947	R-CARBON;7.5KOHM,5%,1/8W,AA,TP,1.8X3.2M	
2	R426	2003-000540	R-METAL OXIDE(S);1Kohm,5%,2W,AF,TP,4x12m	
2	R614	2001-000780	R-CARBON;470OHM,5%,1/8W,AA,TP,1.8X3.2MM	
2	R615	2001-000780	R-CARBON;470OHM,5%,1/8W,AA,TP,1.8X3.2MM	
2	R616	2001-000780	R-CARBON;470OHM,5%,1/8W,AA,TP,1.8X3.2MM	
2	R617	2001-000780	R-CARBON;470OHM,5%,1/8W,AA,TP,1.8X3.2MM	
2	R920	2001-000780	R-CARBON;470OHM,5%,1/8W,AA,TP,1.8X3.2MM	
2	R226	2001-000780	R-CARBON;470OHM,5%,1/8W,AA,TP,1.8X3.2MM	
2	R224	2001-000780	R-CARBON;470OHM,5%,1/8W,AA,TP,1.8X3.2MM	
2	R225	2001-000780	R-CARBON;470OHM,5%,1/8W,AA,TP,1.8X3.2MM	
2	R812	2001-000780	R-CARBON;470OHM,5%,1/8W,AA,TP,1.8X3.2MM	
2	R831	2001-000780	R-CARBON;470OHM,5%,1/8W,AA,TP,1.8X3.2MM	
2	R931	2001-000780	R-CARBON;470OHM,5%,1/8W,AA,TP,1.8X3.2MM	
2	R956	2001-000780	R-CARBON;470OHM,5%,1/8W,AA,TP,1.8X3.2MM	
2	R919	2001-000780	R-CARBON;470OHM,5%,1/8W,AA,TP,1.8X3.2MM	
2	R214	2001-000411	R-CARBON;18KOHM,5%,1/8W,AA,TP,1.8X3.2MM	
2	R704	2001-000969	R-CARBON;75OHM,5%,1/8W,AA,TP,1.8X3.2MM	
2	R242	2001-000969	R-CARBON;75OHM,5%,1/8W,AA,TP,1.8X3.2MM	
2	R802	2003-001025	R-METAL OXIDE(S);15Kohm,5%,2W,AF,TP,3.9x	
2	R803	2003-001025	R-METAL OXIDE(S);15Kohm,5%,2W,AF,TP,3.9x	
2	R804	2003-001025	R-METAL OXIDE(S);15Kohm,5%,2W,AF,TP,3.9x	
2	R805	2001-001150	R-CARBON(S);470KOHM,5%,1/2W,AA,TP,2.4X6.	
2	R806	2001-001150	R-CARBON(S);470KOHM,5%,1/2W,AA,TP,2.4X6.	
2	R813	2001-001153	R-CARBON(S);47OHM,5%,1/2W,AA,TP,2.4X6.4M	
2	R832	2001-001153	R-CARBON(S);47OHM,5%,1/2W,AA,TP,2.4X6.4M	
2	R810	2001-001178	R-CARBON(S);680OHM,5%,1/2W,AA,TP,2.4X6.4	
2	R418	2001-001178	R-CARBON(S);680OHM,5%,1/2W,AA,TP,2.4X6.4	
2	R819	2004-001983	R-METAL(S);2.49Kohm,1%,1/2W,AA,TP,2.4x6.	
2	R820	2001-001096	R-CARBON(S);2.2OHM,5%,1/2W,AA,TP,2.4X6.4	
2	R822	2001-000273	R-CARBON;100KOHM,5%,1/8W,AA,TP,1.8X3.2M	
2	R824	2001-000273	R-CARBON;100KOHM,5%,1/8W,AA,TP,1.8X3.2M	
2	R825	2001-000066	R-CARBON(S);10KOHM,5%,1/2W,AA,TP,2.4X6.4	
2	R901	2001-000734	R-CARBON;4.7KOHM,5%,1/8W,AA,TP,1.8X3.2M	
2	R903	2001-000734	R-CARBON;4.7KOHM,5%,1/8W,AA,TP,1.8X3.2M	
2	R904	2001-000734	R-CARBON;4.7KOHM,5%,1/8W,AA,TP,1.8X3.2M	
2	R905	2001-000734	R-CARBON;4.7KOHM,5%,1/8W,AA,TP,1.8X3.2M	
2	R906	2001-000734	R-CARBON;4.7KOHM,5%,1/8W,AA,TP,1.8X3.2M	
2	R908	2001-000734	R-CARBON;4.7KOHM,5%,1/8W,AA,TP,1.8X3.2M	
2	R921	2001-000734	R-CARBON;4.7KOHM,5%,1/8W,AA,TP,1.8X3.2M	
2	R927	2001-000734	R-CARBON;4.7KOHM,5%,1/8W,AA,TP,1.8X3.2M	
2	R928	2001-000734	R-CARBON;4.7KOHM,5%,1/8W,AA,TP,1.8X3.2M	
2	R937	2001-000734	R-CARBON;4.7KOHM,5%,1/8W,AA,TP,1.8X3.2M	
2	R833	2001-000734	R-CARBON;4.7KOHM,5%,1/8W,AA,TP,1.8X3.2M	
2	R724	2001-000734	R-CARBON;4.7KOHM,5%,1/8W,AA,TP,1.8X3.2M	
2	R725	2001-000734	R-CARBON;4.7KOHM,5%,1/8W,AA,TP,1.8X3.2M	
2	R253	2001-000734	R-CARBON;4.7KOHM,5%,1/8W,AA,TP,1.8X3.2M	
2	R248	2001-000003	R-CARBON;330ohm,5%,1/8W,AA,TP,1.8x3.2mm	
2	R249	2001-000003	R-CARBON;330ohm,5%,1/8W,AA,TP,1.8x3.2mm	
2	R250	2001-000003	R-CARBON;330ohm,5%,1/8W,AA,TP,1.8x3.2mm	
2	R911	2001-000003	R-CARBON;330ohm,5%,1/8W,AA,TP,1.8x3.2mm	
2	R922	2001-000924	R-CARBON;680OHM,5%,1/8W,AA,TP,1.8X3.2MM	
2	R923	2001-000924	R-CARBON;680OHM,5%,1/8W,AA,TP,1.8X3.2MM	
2	C833	2401-002619	C-AL;47uF,20%,25V,GP,TP,5x11,5	
2	C229	2401-002619	C-AL;47uF,20%,25V,GP,TP,5x11,5	
2	CN602	3711-002644	CONNECTOR-HEADER;BOX,5P,1R,2.5mm,STRAIGH	
2	CN901	3711-002644	CONNECTOR-HEADER;BOX,5P,1R,2.5mm,STRAIGH	
2	CN903	3711-002642	CONNECTOR-HEADER;BOX,3P,1R,2.5mm,STRAIGH	
2	CW901	2503-000156	C-NETWORK;100pFx4,20%,50V	
2	D203	0404-000156	DIODE-SCHOTTKY;RB441Q,10V,100mA,DO-34,TP	
2	D204	0404-000156	DIODE-SCHOTTKY;RB441Q,10V,100mA,DO-34,TP	
2	D205	0404-000156	DIODE-SCHOTTKY;RB441Q,10V,100mA,DO-34,TP	
2	D206	0404-000156	DIODE-SCHOTTKY;RB441Q,10V,100mA,DO-34,TP	

Level	Loc. No.	Code No.	Description ; Specification	Remark
2	D901	0404-000156	DIODE-SCHOTTKY;RB441Q,10V,100mA,DO-34,TP	
2	D902	0404-000156	DIODE-SCHOTTKY;RB441Q,10V,100mA,DO-34,TP	
2	D903	0404-000156	DIODE-SCHOTTKY;RB441Q,10V,100mA,DO-34,TP	
2	D904	0404-000156	DIODE-SCHOTTKY;RB441Q,10V,100mA,DO-34,TP	
2	DZ803	0403-001167	DIODE-ZENER;MTZJ30D,30V,29.02-30.51V,500	
⚠ 2	FA802S	3601-001086	FUSE-AXIAL LEAD;125V,5A,FAST-ACTING,GLAS	
2	HIC201	AA13-00093A	IC HYBRID;-,DRGB001A,SIP,5P,-,TP	
2	HIC202	AA13-00093A	IC HYBRID;-,DRGB001A,SIP,5P,-,TP	
2	HIC203	AA13-00093A	IC HYBRID;-,DRGB001A,SIP,5P,-,TP	
2	HIC204	AA13-00093A	IC HYBRID;-,DRGB001A,SIP,5P,-,TP	
2	R409	2003-001018	R-METAL OXIDE(S);220ohm,5%,2W,AF,TP,3.9x	
2	R410	2003-001018	R-METAL OXIDE(S);220ohm,5%,2W,AF,TP,3.9x	
2	R413	2008-001018	R-FUSIBLE(S);0.47ohm,10%,2W,AF,TP,3.9x10	
2	R424	2008-001018	R-FUSIBLE(S);0.47ohm,10%,2W,AF,TP,3.9x10	
2	R304	2008-001018	R-FUSIBLE(S);0.47ohm,10%,2W,AF,TP,3.9x10	
2	R827	2008-000284	R-FUSIBLE(S);0.10HM,10%,2W,AF,TP,3.9X10M	
2	R829	2008-001029	R-FUSIBLE(S);5.6ohm,5%,2W,AF,TP,3.9x10mm	
2	R835	2003-002181	R-METAL OXIDE(S);68Kohm,5%,2W,AG,TP,3.9x	
2	R836	2003-002181	R-METAL OXIDE(S);68Kohm,5%,2W,AG,TP,3.9x	
2	R433	2003-001042	R-METAL OXIDE(S);5.6Kohm,5%,2W,AF,TP,3.9	
2	R717	2001-000702	R-CARBON;39KOHM,5%,1/8W,AA,TP,1.8X3.2MM	
2	R718	2001-000702	R-CARBON;39KOHM,5%,1/8W,AA,TP,1.8X3.2MM	
2	R105	2001-000702	R-CARBON;39KOHM,5%,1/8W,AA,TP,1.8X3.2MM	
2	X601	2801-003903	CRYSTAL-UNIT;18.432MHz,25ppm,28-AAM,12pF	
2	IC904	1203-001943	IC-VOL. DETECTOR;7025,TO-92,3P;-,PLASTIC	
2	PCB	AA41-00168H	PCB-MAIN;CS29A6,FR-1,1L,H,1.6T,330X245,K	
2	Q802	0501-000369	TR-SMALL SIGNAL;KSC2331-Y,NPN,1000mW,TO-	
2	Q909	0505-000109	FET-SILICON;2N7000,N,60V,200mA,5ohm,400m	
2	Q910	0505-000109	FET-SILICON;2N7000,N,60V,200mA,5ohm,400m	
2	R434	2003-001091	R-METAL OXIDE(S);10ohm,5%,2W,AF,TP,4x12m	
2	R403	2003-001091	R-METAL OXIDE(S);10ohm,5%,2W,AF,TP,4x12m	
2	C113	2202-000127	C-CERAMIC,MLC-AXIAL;10nF,+80-20%,25V,Y5V	
2	C925	2202-000127	C-CERAMIC,MLC-AXIAL;10nF,+80-20%,25V,Y5V	
2	L605	2701-000180	INDUCTOR-AXIAL;33uH,5%,2.5x3.4mm	
2	L606	2701-000180	INDUCTOR-AXIAL;33uH,5%,2.5x3.4mm	
2	L607	2701-000180	INDUCTOR-AXIAL;33uH,5%,2.5x3.4mm	
2	L608	2701-000180	INDUCTOR-AXIAL;33uH,5%,2.5x3.4mm	
2	L701	2701-000180	INDUCTOR-AXIAL;33uH,5%,2.5x3.4mm	
2	L702	2701-000180	INDUCTOR-AXIAL;33uH,5%,2.5x3.4mm	
2	L705	2701-000180	INDUCTOR-AXIAL;33uH,5%,2.5x3.4mm	
2	L706	2701-000180	INDUCTOR-AXIAL;33uH,5%,2.5x3.4mm	
2	R106	2001-000864	R-CARBON;56KOHM,5%,1/8W,AA,TP,1.8X3.2MM	
2	R313	2004-001137	R-METAL;6.8Kohm,1%,1/8W,AA,TP,1.8x3.2m	
2	R710	2001-000938	R-CARBON;68OHM,5%,1/8W,AA,TP,1.8X3.2MM	
2	R709	2001-000938	R-CARBON;68OHM,5%,1/8W,AA,TP,1.8X3.2MM	
2	R241	2001-000938	R-CARBON;68OHM,5%,1/8W,AA,TP,1.8X3.2MM	
2	R811	2004-001408	R-METAL(S);91Kohm,1%,1/2W,AA,TP,2.4x6.4m	
2	R809	2001-000022	R-CARBON(S);33OHM,5%,1/2W,AA,TP,2.4X6.4M	
2	L901	2702-001094	INDUCTOR-RADIAL;10uH,10%,6x4mm	
2	L903	2702-001094	INDUCTOR-RADIAL;10uH,10%,6x4mm	
2	L904	2702-001094	INDUCTOR-RADIAL;10uH,10%,6x4mm	
2	L909	2701-000191	INDUCTOR-AXIAL;47uH,10%,2.5x3.4mm	
2	L908	2701-000191	INDUCTOR-AXIAL;47uH,10%,2.5x3.4mm	
2	R818	2001-001113	R-CARBON(S);270KOHM,5%,1/2W,AA,TP,2.4X6.	
2	CN702	3711-002647	CONNECTOR-HEADER;BOX,8P,1R,2.5mm,STRAIGH	
2	C656	2201-000304	C-CERAMIC,DISC;0.001NF,0.25PF,50V,C0G,TP	
2	C657	2201-000304	C-CERAMIC,DISC;0.001NF,0.25PF,50V,C0G,TP	
2	C306	2301-000342	C-FILM,PEF;2.2nF,5%,50V,TP,7.4x3.9x13mm,	
2	C415	2301-000342	C-FILM,PEF;2.2nF,5%,50V,TP,7.4x3.9x13mm,	
2	C621	2401-002458	C-AL;1000uF,20%,35V,GP,TP,16x25,7.5	
2	C824	2401-003046	C-AL;47uF,20%,50V,WT,TP,6.3x11,2.5	
2	C823	2401-003046	C-AL;47uF,20%,50V,WT,TP,6.3x11,2.5	
2	C115	2202-000121	C-CERAMIC,MLC-AXIAL;100pF,10%,50V,Y5P,TP	
2	C116	2202-000121	C-CERAMIC,MLC-AXIAL;100pF,10%,50V,Y5P,TP	
2	C701	2202-000121	C-CERAMIC,MLC-AXIAL;100pF,10%,50V,Y5P,TP	
2	L209	2701-000168	INDUCTOR-AXIAL;3.3uH,5%,2.5x3.4mm	
2	L212	2701-000168	INDUCTOR-AXIAL;3.3uH,5%,2.5x3.4mm	
2	L210	2701-000168	INDUCTOR-AXIAL;3.3uH,5%,2.5x3.4mm	
2	L801	3301-001223	CORE-FERRITE BEAD;AA,62ohm,3.5x0.8x5mm,-	
2	L806	3301-001223	CORE-FERRITE BEAD;AA,62ohm,3.5x0.8x5mm,-	
2	R945	2001-000449	R-CARBON;2.2KOHM,5%,1/8W,AA,TP,1.8X3.2M	
2	R946	2001-000449	R-CARBON;2.2KOHM,5%,1/8W,AA,TP,1.8X3.2M	
⚠ 2	RX801S	2002-001010	R-COMPOSITION;1.8Mohm,5%,1/2W,AA,TP,3.7x	
2	R821	2004-004999	R-METAL(S);143Kohm,1%,1/2W,AA,TP,2.4X6.5	
2	R210	2001-000812	R-CARBON;5.6KOHM,5%,1/8W,AA,TP,1.8X3.2M	
⚠ 2	FP801S	3601-000297	FUSE-CARTRIDGE;250V,5A,TIME-LAG,GLASS,5.	
2	F801A	3602-000114	FUSE-HOLDER;-,-,30mohm	
2	F801B	3602-000114	FUSE-HOLDER;-,-,30mohm	
2	C835	2401-002289	C-AL;470uF,20%,35V,WT,TP,10x20,5	
2	C840	2401-002212	C-AL;10uF,20%,25V,WT,TP,5x11,5	
2	C827	2401-002212	C-AL;10uF,20%,25V,WT,TP,5x11,5	
2	R417	2004-001397	R-METAL(S);4.7Kohm,1%,1/2W,AA,TP,2.4x6.4	
2	CN704	3711-002646	CONNECTOR-HEADER;BOX,7P,1R,2.5mm,STRAIGH	
2	CN502	3711-002646	CONNECTOR-HEADER;BOX,7P,1R,2.5mm,STRAIGH	
2	R808	2001-001079	R-CARBON(S);15OHM,5%,1/2W,AA,TP,2.4X6.4M	
2	R405	2008-000254	R-FUSIBLE(S);0.68ohm,5%,2W,AF,TP,3.9x10m	
2	R425	2008-001011	R-FUSIBLE(S);0.18ohm,10%,2W,AF,TP,3.9x10	
2		HA68-02176A	LABEL;LABEL	
2	R423	2001-001122	R-CARBON(S);3.9KOHM,5%,1/2W,AA,TP,2.4X6.	
2	C654	2201-000611	C-CERAMIC,DISC;0.056NF,5%,50V,C0G,TP,7X3	
2	C425	2301-001259	C-FILM,MPPF;100nF,5%,400V,TP,19x8x16,7.5	
2	C622	2401-001989	C-AL;4.7uF,20%,50V,BP,TP,5x11,5	
2	C625	2401-001989	C-AL;4.7uF,20%,50V,BP,TP,5x11,5	
2	C626	2401-001989	C-AL;4.7uF,20%,50V,BP,TP,5x11,5	
2	C628	2401-001989	C-AL;4.7uF,20%,50V,BP,TP,5x11,5	
2	C104	2401-002463	C-AL;470uF,20%,16V,GP,TP,8x11.5,5	
2	C808	2401-003046	C-AL;47uF,20%,50V,WT,TP,6.3x11,2.5	
2	D301	0402-001105	DIODE-RECTIFIER;ERB43-04SV1,400V,1.0A,-,	
⚠ 2	D803	0402-001105	DIODE-RECTIFIER;ERB43-04SV1,400V,1.0A,-,	
⚠ 2	D816	0402-001105	DIODE-RECTIFIER;ERB43-04SV1,400V,1.0A,-,	
2	DZ602	0403-000720	DIODE-ZENER;MTZJ9.1B,9.1V,8.57-9.01V,500	
2	R207	2001-000221	R-CARBON;1.2KOHM,5%,1/8W,AA,TP,1.8X3.2M	
2	R208	2001-000405	R-CARBON;180OHM,5%,1/8W,AA,TP,1.8X3.2MM	
2	R414	2008-000253	R-FUSIBLE(S);0.47ohm,5%,1W,AF,TP,3.9x10m	
2	HIC401	AA13-00094A	IC HYBRID;-,DDRI001A,SIP,5P,-,TP	
2	C102	2401-001513	C-AL;47uF,20%,16V,WT,TP,5x11,5	
2	C913	2401-000287	C-AL;100uF,20%,16V,WT,TP,6.3x11,5	
2	C915	2401-000287	C-AL;100uF,20%,16V,WT,TP,6.3x11,5	
2	C918	2401-000287	C-AL;100uF,20%,16V,WT,TP,6.3x11,5	
2	C210	2401-000287	C-AL;100uF,20%,16V,WT,TP,6.3x11,5	
2	L102	2701-000159	INDUCTOR-AXIAL;22uH,10%,4.2x9.8mm	
2	R420	2004-004015	R-METAL(S);9.1Kohm,1%,1/2W,AA,TP,2.5x6.5	
2	C106	2401-000611	C-AL;1uF,20%,50V,WT,TP,5x11,5	
2	C303	2201-002103	C-CERAMIC,DISC;0.015NF,5%,500V,C0G,TP,6.	
2	C409	2303-001001	C-FILM,PPF;22nF,5%,630V,TP,18x14.5x8.5mm	
2	C411	2301-000445	C-FILM,PEF;4.7nF,5%,50V,TP,5.5x7x3mm,5mm	
2	C412	2301-000148	C-FILM,PEF;10nF,5%,100V,TP,7x3.2x7mm,5mm	
2	L905	2001-000995	R-CARBON;820OHM,5%,1/8W,AA,TP,1.8X3.2MM	
2	R302	2004-004029	R-METAL(S);10Kohm,1%,1/2W,AA,TP,2.5x6.5m	
2	R305	2003-002157	R-METAL OXIDE;220OHM,5%,2W,AG,TP,6X16MM	
2	R306	2003-002157	R-METAL OXIDE;220OHM,5%,2W,AG,TP,6X16MM	
2	R401	2003-000586	R-METAL OXIDE(S);22Kohm,5%,2W,AF,TP,4x12	
2	R402	2003-000586	R-METAL OXIDE(S);22Kohm,5%,2W,AF,TP,4x12	
2	R607	2001-000007	R-CARBON;3KOHM,5%,1/8W,AA,TP,1.8X3.2MM	
2	R608	2001-000007	R-CARBON;3KOHM,5%,1/8W,AA,TP,1.8X3.2MM	
2	R212	2004-000218	R-METAL;10Kohm,1%,1/8W,AA,TP,1.8x3.2mm	
⚠ 2	FA803S	3601-001228	FUSE-AXIAL LEAD;125V,10A,FAST-ACTING,EPO	
2	R407	2001-001114	R-CARBON(S);270OHM,5%,1/2W,AA,TP,2.4X6.4	
2	C828	2201-000376	C-CERAMIC,DISC;0.22NF,5%,50V,SL,TP,6.3X3	
2	J919	2701-000183	INDUCTOR-AXIAL;39uH,5%,2.5x3.4mm	
⚠ 2	D408	0402-000493	DIODE-RECTIFIER;1R5GU41,400V,1.5A,DO-15L	
2	R826	2003-001035	R-METAL OXIDE(S);27ohm,5%,2W,AF,TP,3.9x1	
2	KEZI	2303-000296	C-FILM,PPF;18nF,0.05,630V,BK,20x16x9.5mm	
2	C410	2301-000213	C-FILM,PEF;220nF,5%,250V,TP,21.5x11,7.5	
2	L401	2001-001040	R-CARBON(S);0.68OHM,5%,1/2W,AA,TP,2.4X6.	
2	C427	2401-002267	C-AL;2.2uF,20%,250V,GP,TP,8x11.5,5	
⚠ 2	D413	0402-000537	DIODE-RECTIFIER;RH1A,600V,0.6A,DO-204AC	
2	R436	2003-002008	R-METAL OXIDE(S);18Kohm,5%,2W,AF,TP,3.9x	
2	C203	2401-000480	C-AL;10uF,20%,50V,GP,TP,5x11,5	
2	R944	2001-000613	R-CARBON;3.9KOHM,5%,1/8W,AA,TP,1.8X3.2M	
2	L910	2701-000215	INDUCTOR-AXIAL;8.2uH,10%,2.5x3.4mm	
2	C926	2202-000154	C-CERAMIC,MLC-AXIAL;150pF,10%,50V,Y5P,TP	
2	L222	2701-000184	INDUCTOR-AXIAL;4.7uH,10%,2.5x3.4mm	
2	L208	2701-000147	INDUCTOR-AXIAL;2.2uH,5%,2.4x3.4mm	
2	C246	2202-000210	C-CERAMIC,MLC-AXIAL;270pF,10%,50V,Y5P,TP	
2	C248	2202-000210	C-CERAMIC,MLC-AXIAL;270pF,10%,50V,Y5P,TP	
2	C247	2202-000849	C-CERAMIC,MLC-AXIAL;18pF,5%,50V,CH,TP,3.	
2	KEZI	2004-001987	R-METAL(S);4.3Kohm,1%,1/2W,AA,TP,2.4x6.4	
2	R301	2004-001371	R-METAL(S);1.5Kohm,1%,1/2W,AA,TP,2.4x6.4	
2	IC901	AA09-00221A	IC MICOM;SIM806HEW2-A042,SIM806HEW2-A042	
2	IC601	1204-001661	IC-SOUND PROCESSOR;MSP3411G-A2,DIP,52P,-	
⚠ 2	T401	AA26-50001S	TRANS-HORIZ.DRIVE;-,-,-,6.0mH,-,-,44uH,-	

Level	Loc. No.	Code No.	Description ; Specification	Remark
⚠ 2	TU01S	AA40-00079A	TUNER;TCPW3001PD16A(S),PAL,181CH,38.	
2		AA98-00245A	ASSY SUB PART;S51A,PCB MAIN(OPT)	
3		0202-000008	SOLDER-WIRE;S63S-W3.0,S63S,D3,63Sn/37Pb,	
3		0202-000187	SOLDER-WIRE FLUX;-,RS60S,D1.2,63Sn/37Pb	
3		0202-001046	FLUX;CF-110VH-2A,-,-,-,-	
3		0204-001095	THINNER;#4520,-,-,-	
⚠ 2	T801S	AA26-00046B	TRANS SWITCHING;CODE-NO,CW6844N8X/XEF,-,	
⚠ 2	IC804	HA96-00243C	ASSY-H/S;-,REGULATOR,AA62-00045A,KA7806	
3		1203-000284	IC-POSI.FIXED REG.;7806,TO-220,3P,-,PLAS	
3		6003-000334	SCREW-TAPTITE;RH,+,2S,M3,L6,ZPC(YEL),SWR	
3		AA62-00065A	HEAT SINK-PS;DP,-,-,-,AA62-00045A,-,-,-	
3		0205-000129	GREASE-SILICON;SC102,JAPAN	
2	L408	AA27-40003P	COIL HORIZ. WIDTH;-,120uH/180uH,Th8x20,U	
⚠ 2	LX801S	AA29-00015A	FILTER LINE NOISE;WS32W8,28-20MH 1.5A,+-	
2	L405	AA27-00057A	COIL HORIZ. WIDTH;-,10mH,YL-9N 15x27.5 C	
⚠ 2	IC803	1203-001697	IC-VOLTAGE REGULATOR;78R08,TO-220,4P,-,P	
2	Q404	HA96-00437A	ASSY-H/S;ASSY-H/S;AA62-00076A,IRF620	
3		0505-000156	FET-SILICON;IRF620,N,200V,5A,0.8ohm,50W,	
3		6003-000334	SCREW-TAPTITE;RH,+,2S,M3,L6,ZPC(YEL),SWR	
3		HA62-00076A	HEAT SINK;AL,100Hz,T1.0,10,40	
2	Q402	0505-001116	FET-SILICON;BUZ73A,N,200V,22A,0.6ohm,40W	
⚠ 2	CY802S	2201-002002	C-CERAMIC,DISC;4.7nF,20%,400V,Y5U,TP,16x	
2	C407	2301-001338	C-FILM,MPE-PPF;0.68nF,5%,1.6kV,TP,28x7x1	
2	C405	2303-001015	C-FILM,PPF;5.5nF,5%,1.6kV,TP,29x9.5x17,2	
2	C406	2303-001015	C-FILM,PPF;5.5nF,5%,1.6kV,TP,29x9.5x17,2	
2	C426	2306-000204	C-FILM,MPPF;430nF,5%,400V,TP,26x20.5x12.	
2	IC903	1203-001944	IC-POSI.FIXED REG.;78RM33,TO-220,3P,-,PL	
2	IC202	1203-001944	IC-POSI.FIXED REG.;78RM33,TO-220,3P,-,PL	
2	C806	2401-003031	C-AL;470uF,20%,450V,GP,BK,35x45mm,1	
2	S/W	AA95-01553A	ASSY ETC-PCB SVHS BOARD;,ALL WITH SVHS,K	
3	ICS01	1001-001114	IC-VIDEO SWITCH;TEA6425,VIDEO SWITCH ,DI	
3	CNS01	3711-002704	CONNECTOR-HEADER;NOWALL,6P,1R,2.5mm,ANGL	
3	CNS02	3711-002706	CONNECTOR-HEADER;NOWALL,8P,1R,2.5mm,ANGL	
3		HA99-500031	ASSY-PCB,VIDEO-S/W(ACI);50Hz,32W8,KS3A,F	
4	CS01	2305-000412	C-FILM,MPEF;470nF,5%,63V,TP,-,5mm	
4	CS03	2305-000412	C-FILM,MPEF;470nF,5%,63V,TP,-,5mm	
4	CS04	2305-000412	C-FILM,MPEF;470nF,5%,63V,TP,-,5mm	
4	CS05	2305-000412	C-FILM,MPEF;470nF,5%,63V,TP,-,5mm	
4	CS06	2305-000412	C-FILM,MPEF;470nF,5%,63V,TP,-,5mm	
4	CS02	2305-000412	C-FILM,MPEF;470nF,5%,63V,TP,-,5mm	
4	CS07	2401-002009	C-AL;100uF,20%,16V,GP,TP,6.3x7,5	
4	JS01	3812-000219	WIRE-NO SHEATH CU;TCWA,300V,52mm(TAPING)	
4	JS02	3812-000219	WIRE-NO SHEATH CU;TCWA,300V,52mm(TAPING)	
4	JS03	3812-000219	WIRE-NO SHEATH CU;TCWA,300V,52mm(TAPING)	
4	JS04	3812-000219	WIRE-NO SHEATH CU;TCWA,300V,52mm(TAPING)	
4	RS08	3812-000219	WIRE-NO SHEATH CU;TCWA,300V,52mm(TAPING)	
4	RS09	3812-000219	WIRE-NO SHEATH CU;TCWA,300V,52mm(TAPING)	
4	QS01	0501-000389	TR-SMALL SIGNAL;KSC815,NPN,400mW,TO-92,T	
4	QS02	0501-000389	TR-SMALL SIGNAL;KSC815,NPN,400mW,TO-92,T	
4	QS03	0501-000389	TR-SMALL SIGNAL;KSC815,NPN,400mW,TO-92,T	
4	RS01	2001-000281	R-CARBON;100OHM,5%,1/8W,AA,TP,1.8X3.2MM	
4	RS03	2001-000429	R-CARBON;1KOHM,5%,1/8W,AA,TP,1.8X3.2MM	
4	RS05	2001-000429	R-CARBON;1KOHM,5%,1/8W,AA,TP,1.8X3.2MM	
4	RS07	2001-000429	R-CARBON;1KOHM,5%,1/8W,AA,TP,1.8X3.2MM	
4	RS10	2001-000429	R-CARBON;1KOHM,5%,1/8W,AA,TP,1.8X3.2MM	
4	RS11	2001-000429	R-CARBON;1KOHM,5%,1/8W,AA,TP,1.8X3.2MM	
4	RS02	2001-000734	R-CARBON;4.7KOHM,5%,1/8W,AA,TP,1.8X3.2M	
4	RS04	2001-000734	R-CARBON;4.7KOHM,5%,1/8W,AA,TP,1.8X3.2M	
4	RS06	2001-000734	R-CARBON;4.7KOHM,5%,1/8W,AA,TP,1.8X3.2M	
4	LS01	2701-000114	INDUCTOR-AXIAL;10uH,10%,2.5x3.4mm	
4	PCB	AA41-00153E	PCB-VIDEO SWITCH;CS29A6,FR-1,1L,E,1.6T,2	
4	CS08	2305-000665	C-FILM,MPEF;100nF,5%,63V,TP,7.5x4.0x5.0m	
4	DZS01	0403-000508	DIODE-ZENER;MTZJ5.6B,5.6V,5.45-5.73V,500	
4	DZS02	0403-000508	DIODE-ZENER;MTZJ5.6B,5.6V,5.45-5.73V,500	
4	RS12	2001-000969	R-CARBON;75OHM,5%,1/8W,AA,TP,1.8X3.2MM	
4	RS13	2001-000969	R-CARBON;75OHM,5%,1/8W,AA,TP,1.8X3.2MM	
3		HA98-600012	ASSY-SUB,PART;PCB-WIDE,S51A,WIDE	
4		0202-000008	SOLDER-WIRE;S63S-W3.0,S63S,D3,63Sn/37Pb,	
4		0202-000187	SOLDER-WIRE FLUX;-,RS60S,D1.2,63Sn/37Pb	
4		0202-001046	FLUX;CF-110VH-2A,-,-,-,-	
4		0204-001095	THINNER;#4520,-,-,-	
2	C820	2401-003076	C-AL;3300uF,20%,50V,WP,BK,18x35.5mm	
2	R807	2006-001083	R-CEMENT;120ohm,5%,5W,CJ,TP,14x10x27mm	
2	C423	2301-001192	C-FILM,MPPF;820nF,5%,400V,TP,29x18.5x25.	
2	TOP	AA39-20010B	LEAD CONNECTOR-ASSY;,1P,YFH800-01,S,500,	
2	L808	AA27-10002L	COIL CHOKE;-,24uH,K,-,2A,-,24UH-K,10x10m	
2	L402	AA27-10004F	COIL CHOKE;-,56uH,K,-,2.5A,BK,-,DR12x15,	
⚠ 2	T444S	AA26-00132A	TRANS FBT;1372.0074A,CT29A6,1.8MH,135V	
⚠ 2	L403	AA27-00015A	COIL LINEARITY;-,7.3UH,L81 DR15X18,-,-,B	
⚠ 2	IC201S	HA98-00134B	ASSY-SIPADOSS MODULE;DP,KS3A,100HZ,SDA94	
3		AA95-00989A	ASSY ETC-CHROMA BODY;DP,-,KS3A,-,-,100HZ	
4	P1	3711-004782	CONNECTOR-HEADER;NOWALL,32P,1R,1.778MM,S	
4	P2	3711-004782	CONNECTOR-HEADER;NOWALL,32P,1R,1.778MM,S	
4	PCB	AA41-00411A	PCB-SIPADOS BODY;CS29A5,FR-4,2L,A,1.6T,1	
3	IC3	1204-001909	IC-VIDEO PROCESS;DDP3310B-F6,PLCC,68P,-,	
3	IC1	1204-001789	IC-VIDEO PROCESS;VPC3230D-B3,QFP,80P,787	
3	IC2	1204-001858	IC-PICTURE PROCESS;SDA9401,QFP,64P,-,PLA	
3	JP1	2007-000070	R-CHIP;0ohm,5%,1/16W,DA,TP,1608	
3	R17	2007-000070	R-CHIP;0ohm,5%,1/16W,DA,TP,1608	
3	R19	2007-000070	R-CHIP;0ohm,5%,1/16W,DA,TP,1608	
3	R7	2007-000070	R-CHIP;0ohm,5%,1/16W,DA,TP,1608	
3	L1	2007-000070	R-CHIP;0ohm,5%,1/16W,DA,TP,1608	
3	R10	2007-000084	R-CHIP;4.7Kohm,5%,1/16W,DA,TP,1608	
3	R1	2007-000090	R-CHIP;10KOHM,5%,1/16W,DA,TP,1608	
3	R2	2007-000090	R-CHIP;10KOHM,5%,1/16W,DA,TP,1608	
3	R3	2007-000090	R-CHIP;10KOHM,5%,1/16W,DA,TP,1608	
3	R4	2007-000090	R-CHIP;10KOHM,5%,1/16W,DA,TP,1608	
3	R5	2007-000090	R-CHIP;10KOHM,5%,1/16W,DA,TP,1608	
3	R13	2007-001166	R-CHIP;75OHM,5%,1/10W,DA,TP,2012	
3	R14	2007-001166	R-CHIP;75OHM,5%,1/10W,DA,TP,2012	
3	R15	2007-001166	R-CHIP;75OHM,5%,1/10W,DA,TP,2012	
3	R6	2007-001167	R-CHIP;75ohm,5%,1/16W,DA,TP,1608	
3	R9	2007-001167	R-CHIP;75ohm,5%,1/16W,DA,TP,1608	
3	CD3	2203-000041	C-CERAMIC,CHIP;0.01nF,0.25pF,50V,NP0,TP,	
3	CD4	2203-000041	C-CERAMIC,CHIP;0.01nF,0.25pF,50V,NP0,TP,	
3	C21	2203-000181	C-CERAMIC,CHIP;100nF,+80-20%,25V,Y5V,TP,	
3	C39	2203-000181	C-CERAMIC,CHIP;100nF,+80-20%,25V,Y5V,TP,	
3	C42	2203-000181	C-CERAMIC,CHIP;100nF,+80-20%,25V,Y5V,TP,	
3	C43	2203-000181	C-CERAMIC,CHIP;100nF,+80-20%,25V,Y5V,TP,	
3	C44	2203-000181	C-CERAMIC,CHIP;100nF,+80-20%,25V,Y5V,TP,	
3	C51	2203-000181	C-CERAMIC,CHIP;100nF,+80-20%,25V,Y5V,TP,	
3	C52	2203-000181	C-CERAMIC,CHIP;100nF,+80-20%,25V,Y5V,TP,	
3	C53	2203-000181	C-CERAMIC,CHIP;100nF,+80-20%,25V,Y5V,TP,	
3	C54	2203-000181	C-CERAMIC,CHIP;100nF,+80-20%,25V,Y5V,TP,	
3	C55	2203-000181	C-CERAMIC,CHIP;100nF,+80-20%,25V,Y5V,TP,	
3	C56	2203-000181	C-CERAMIC,CHIP;100nF,+80-20%,25V,Y5V,TP,	
3	C57	2203-000181	C-CERAMIC,CHIP;100nF,+80-20%,25V,Y5V,TP,	
3	C27	2203-000236	C-CERAMIC,CHIP;0.1nF,5%,50V,NP0,TP,1608	
3	C33	2203-000236	C-CERAMIC,CHIP;0.1nF,5%,50V,NP0,TP,1608	
3	C37	2203-000236	C-CERAMIC,CHIP;0.1nF,5%,50V,NP0,TP,1608	
3	C16	2203-000257	C-CERAMIC,CHIP;10nF,10%,50V,X7R,TP,1608	
3	C1	2203-000491	C-CERAMIC,CHIP;2.2nF,10%,50V,X7R,TP,1608	
3	C13	2203-000491	C-CERAMIC,CHIP;2.2nF,10%,50V,X7R,TP,1608	
3	C17	2203-000491	C-CERAMIC,CHIP;2.2nF,10%,50V,X7R,TP,1608	
3	C18	2203-000491	C-CERAMIC,CHIP;2.2nF,10%,50V,X7R,TP,1608	
3	C2	2203-000491	C-CERAMIC,CHIP;2.2nF,10%,50V,X7R,TP,1608	
3	C24	2203-000491	C-CERAMIC,CHIP;2.2nF,10%,50V,X7R,TP,1608	
3	C25	2203-000491	C-CERAMIC,CHIP;2.2nF,10%,50V,X7R,TP,1608	
3	C26	2203-000491	C-CERAMIC,CHIP;2.2nF,10%,50V,X7R,TP,1608	
3	C5	2203-000491	C-CERAMIC,CHIP;2.2nF,10%,50V,X7R,TP,1608	
3	C7	2203-000491	C-CERAMIC,CHIP;2.2nF,10%,50V,X7R,TP,1608	
3	C8	2203-000491	C-CERAMIC,CHIP;2.2nF,10%,50V,X7R,TP,1608	
3	C9	2203-000491	C-CERAMIC,CHIP;2.2nF,10%,50V,X7R,TP,1608	
3	C20	2203-000552	C-CERAMIC,CHIP;0.02nF,5%,50V,NP0,TP,1608	
3	C6	2203-000659	C-CERAMIC,CHIP;0.27nF,5%,50V,NP0,TP,1608	
3	C23	2203-000975	C-CERAMIC,CHIP;47nF,10%,25V,X7R,TP,1608,	
3	C3	2203-000975	C-CERAMIC,CHIP;47nF,10%,25V,X7R,TP,1608,	
3	C11	2203-001052	C-CERAMIC,CHIP;0.56nF,10%,50V,X7R,TP,160	
3	C14	2203-001052	C-CERAMIC,CHIP;0.56nF,10%,50V,X7R,TP,160	
3	C19	2203-001052	C-CERAMIC,CHIP;0.56nF,10%,50V,X7R,TP,160	
3	C4	2203-001052	C-CERAMIC,CHIP;0.56nF,10%,50V,X7R,TP,160	
3	C22	2203-001256	C-CERAMIC,CHIP;0.008nF,0.25pF,50V,NP0,TP	
3	C38	2203-001603	C-CERAMIC,CHIP;220nF,10%,16V,X7R,TP,2012	
3	C28	2203-002494	C-CERAMIC,CHIP;470nF,10%,16V,X7R,TP,2012	
3	C32	2203-002494	C-CERAMIC,CHIP;470nF,10%,16V,X7R,TP,2012	
3	C34	2203-002494	C-CERAMIC,CHIP;470nF,10%,16V,X7R,TP,2012	
3	C36	2203-002494	C-CERAMIC,CHIP;470nF,10%,16V,X7R,TP,2012	
3	CE1	2401-000480	C-AL;10uF,20%,50V,GP,TP,5x11,5	
3	CE2	2401-000480	C-AL;10uF,20%,50V,GP,TP,5x11,5	
3	CE4	2401-000480	C-AL;10uF,20%,50V,GP,TP,5x11,5	
3	CE5	2401-000480	C-AL;10uF,20%,50V,GP,TP,5x11,5	
3	CE3	2401-001026	C-AL;3.3UF,20%,50V,GP,TP,5X11,5	
3	L2	2702-001092	INDUCTOR-RADIAL;2.2uH,10%,6x4mm	
3	X2	2801-003432	CRYSTAL-UNIT;20.25MHZ,30PPM,28-AAM,13PF,	

Level	Loc. No.	Code No.	Description ; Specification	Remark
3	L3	3301-001324	CORE-FERRITE BEAD;AB,15OHM,2X1.25X0.9MM,	
3	L4	3301-001324	CORE-FERRITE BEAD;AB,15OHM,2X1.25X0.9MM,	
3	CN64	3711-004778	CONNECTOR-HEADER;NOWALL,64P,2R,2MM,ANGLE	
3	PCB	AA41-00475A	PCB-SIPADOS TOP;CS29A5,FR-4,4L,A,1.6T,18	
2	CN801	3711-004721	CONNECTOR-HEADER;3WALL,2P,1R,12.5mm,STRA	
2	CN802	3711-004720	CONNECTOR-HEADER;3WALL,2P,1R,12.5mm,STRA	
2	CN701A	AA39-00306A	LEAD CONNECTOR-ASSY;KS3A,UL2547#26,UL/CS	
2	BOT	AA39-20536G	LEAD CONNECTOR ASSY;,1P,F,F,60MM,1617#22	

ASSY PCB CRT

1		AA95-01541A	ASSY PCB CRT;,KS3A,28,C7-C9,100HZ	
2		AA63-10002A	BAND-TIE;NYLON66 V2,L100,NTR	
2	CN501A	3711-002641	CONNECTOR-HEADER;BOX,10P,1R,2.54mm,STRAI	
2	CN501A	AA39-00225A	LEAD CONNECTOR-ASSY;,10P,67096-010,S,600	
2	CN502A	3711-002646	CONNECTOR-HEADER;BOX,7P,1R,2.5mm,STRAIGH	
2	CN502E	AA39-20029K	LEAD CONNECTOR-ASSY;,7P,67096-007,S,400,	
2	IC501	HA96-50151B	ASSY-H/S;-,AMP,AA61-10060A,TDA6111Q,-	
2	IC502	HA96-50151B	ASSY-H/S;-,AMP,AA61-10060A,TDA6111Q,-	
2	IC503	HA96-50151B	ASSY-H/S;-,AMP,AA61-10060A,TDA6111Q,-	
3		1201-001131	IC-VIDEO AMP;6111,SIP,9P,-,SINGLE,-,PLAS	
3		6001-000057	SCREW-MACHINE;RH,+,M3,L6,ZPC(BLK),SWRCH1	
3		6021-000154	NUT-HEXAGON;2C,M3,ZPC(YEL),SM20C	
3		AA61-10060A	BRACKET-TR;W3220,CUS-1 1/2H,T0.5,-,-,-,-	
2	VA999	3704-000114	SOCKET-CRT;14P,29.1,35.5,SN,ISH09S/BK	
2		HA68-02176A	LABEL;LABEL	
2	C502	2305-000704	C-FILM,MPEF;100nF,5%,250V,TP,16.5x10.3x5	
2	C505	2305-000704	C-FILM,MPEF;100nF,5%,250V,TP,16.5x10.3x5	
2	C508	2305-000704	C-FILM,MPEF;100nF,5%,250V,TP,16.5x10.3x5	
2	C503	2201-000599	C-CERAMIC,DISC;0.56nF,10%,500V,Y5P,TP,5.	
2	C506	2201-000599	C-CERAMIC,DISC;0.56nF,10%,500V,Y5P,TP,5.	
2	C509	2201-000599	C-CERAMIC,DISC;0.56nF,10%,500V,Y5P,TP,5.	
2	C511	2401-001232	C-AL;4.7uF,20%,250V,GP,TP,10x12.5,5	
2	C512	2401-000914	C-AL;22uF,20%,16V,GP,TP,5x11,5	
2	C515	2401-000914	C-AL;22uF,20%,16V,GP,TP,5x11,5	
2	C526	2401-000914	C-AL;22uF,20%,16V,GP,TP,5x11,5	
2	C518	2301-000224	C-FILM,PEF;22nF,5%,50V,TP,7.4x3.9x13mm,5	
2	C519	2301-000224	C-FILM,PEF;22nF,5%,50V,TP,7.4x3.9x13mm,5	
2	C520	2301-000224	C-FILM,PEF;22nF,5%,50V,TP,7.4x3.9x13mm,5	
2	C521	2301-000224	C-FILM,PEF;22nF,5%,50V,TP,7.4x3.9x13mm,5	
2	C522	2301-000224	C-FILM,PEF;22nF,5%,50V,TP,7.4x3.9x13mm,5	
2	C523	2301-000224	C-FILM,PEF;22nF,5%,50V,TP,7.4x3.9x13mm,5	
2	C516	2301-000192	C-FILM,PEF;1nF,5%,50V,TP,5.3x10mm,5mm	
2	D502	0402-000132	DIODE-RECTIFIER;1N4004,400V,1A,DO-41,TP	
2	D507	0402-001105	DIODE-RECTIFIER;ERB43-04SV1,400V,1.0A,-,	
2	D508	0402-001105	DIODE-RECTIFIER;ERB43-04SV1,400V,1.0A,-,	
2	D509	0402-001105	DIODE-RECTIFIER;ERB43-04SV1,400V,1.0A,-,	
2	D510	0402-001105	DIODE-RECTIFIER;ERB43-04SV1,400V,1.0A,-,	
2	D511	0402-001105	DIODE-RECTIFIER;ERB43-04SV1,400V,1.0A,-,	
2	D512	0402-001105	DIODE-RECTIFIER;ERB43-04SV1,400V,1.0A,-,	
2	DZ503	0403-001211	DIODE-ZENER;MTZJ12B,11.44-12.03V,500MW,D	
2	EL82	AA60-40011B	K EYELET;ID2.2,OD3.2,BSP	
2	EL83	AA60-40011B	K EYELET;ID2.2,OD3.2,BSP	
2	EL84	AA60-40011B	K EYELET;ID2.2,OD3.2,BSP	
2	EL85	AA60-40011B	K EYELET;ID2.2,OD3.2,BSP	
2	EL86	AA60-40011B	K EYELET;ID2.2,OD3.2,BSP	
2	EL87	AA60-40011B	K EYELET;ID2.2,OD3.2,BSP	
2	EL88	AA60-40011B	K EYELET;ID2.2,OD3.2,BSP	
2	EL89	AA60-40011B	K EYELET;ID2.2,OD3.2,BSP	
2	EL90	AA60-40011B	K EYELET;ID2.2,OD3.2,BSP	
2	EL91	AA60-40011B	K EYELET;ID2.2,OD3.2,BSP	
2	EL92	AA60-40011B	K EYELET;ID2.2,OD3.2,BSP	
2	EL94	AA60-40011B	K EYELET;ID2.2,OD3.2,BSP	
2	GT504	AA60-40014A	PIN-GT,ASSY;AUTO	
2	GT505	AA60-40014A	PIN-GT,ASSY;AUTO	
2	GT507	AA60-40014A	PIN-GT,ASSY;AUTO	
2	GT508	AA60-40014A	PIN-GT,ASSY;AUTO	
2	J501	3812-000219	WIRE-NO SHEATH CU;TCWA,300V,52mm(TAPING)	
2	J503	3812-000219	WIRE-NO SHEATH CU;TCWA,300V,52mm(TAPING)	
2	J505	3812-000219	WIRE-NO SHEATH CU;TCWA,300V,52mm(TAPING)	
2	J507	3812-000219	WIRE-NO SHEATH CU;TCWA,300V,52mm(TAPING)	
2	J508	3812-000219	WIRE-NO SHEATH CU;TCWA,300V,52mm(TAPING)	
2	J509	3812-000219	WIRE-NO SHEATH CU;TCWA,300V,52mm(TAPING)	
2	J510	3812-000219	WIRE-NO SHEATH CU;TCWA,300V,52mm(TAPING)	
2	J511	3812-000219	WIRE-NO SHEATH CU;TCWA,300V,52mm(TAPING)	
2	J512	3812-000219	WIRE-NO SHEATH CU;TCWA,300V,52mm(TAPING)	
2	J513	3812-000219	WIRE-NO SHEATH CU;TCWA,300V,52mm(TAPING)	
2	J514	3812-000219	WIRE-NO SHEATH CU;TCWA,300V,52mm(TAPING)	
2	J515	3812-000219	WIRE-NO SHEATH CU;TCWA,300V,52mm(TAPING)	
2	J516	3812-000219	WIRE-NO SHEATH CU;TCWA,300V,52mm(TAPING)	
2	J520	3812-000219	WIRE-NO SHEATH CU;TCWA,300V,52mm(TAPING)	
2	J524	3812-000219	WIRE-NO SHEATH CU;TCWA,300V,52mm(TAPING)	
2	J526	3812-000219	WIRE-NO SHEATH CU;TCWA,300V,52mm(TAPING)	
2	J527	3812-000219	WIRE-NO SHEATH CU;TCWA,300V,52mm(TAPING)	
2	J528	3812-000219	WIRE-NO SHEATH CU;TCWA,300V,52mm(TAPING)	
2	J529	3812-000219	WIRE-NO SHEATH CU;TCWA,300V,52mm(TAPING)	
2	J530	3812-000219	WIRE-NO SHEATH CU;TCWA,300V,52mm(TAPING)	
2	J521	3812-000219	WIRE-NO SHEATH CU;TCWA,300V,52mm(TAPING)	
2	J523	3812-000219	WIRE-NO SHEATH CU;TCWA,300V,52mm(TAPING)	
2	J531	3812-000219	WIRE-NO SHEATH CU;TCWA,300V,52mm(TAPING)	
2	L505	3301-000287	CORE-FERRITE BEAD;AA,3.5x1.0x6.0mm,1500,	
2	L506	3301-000287	CORE-FERRITE BEAD;AA,3.5x1.0x6.0mm,1500,	
2	LF03	3301-000287	CORE-FERRITE BEAD;AA,3.5x1.0x6.0mm,1500,	
2	PCB	AA41-00210D	PCB-CRT;CS29A6,FR-1,1L,D,1.6T,330x245,KS	
2	Q502	0501-000283	TR-SMALL SIGNAL;KSA539,PNP,400mW,TO-92,T	
2	Q503	0501-000283	TR-SMALL SIGNAL;KSA539,PNP,400mW,TO-92,T	
2	Q504	0501-000283	TR-SMALL SIGNAL;KSA539,PNP,400mW,TO-92,T	
2	R505	2002-001017	R-COMPOSITION;1Kohm,10%,1/2W,AA,TP,3.7x9	
2	R510	2002-001017	R-COMPOSITION;1Kohm,10%,1/2W,AA,TP,3.7x9	
2	R515	2002-001017	R-COMPOSITION;1Kohm,10%,1/2W,AA,TP,3.7x9	
2	R517	2001-001062	R-CARBON(S);10MOHM,5%,1/2W,AA,TP,2.4X6.4	
2	R519	2002-001009	R-COMPOSITION;2.7Kohm,10%,1/2W,AA,TP,3.7	
2	R501	2001-000429	R-CARBON;1KOHM,5%,1/8W,AA,TP,1.8X3.2MM	
2	R506	2001-000429	R-CARBON;1KOHM,5%,1/8W,AA,TP,1.8X3.2MM	
2	R511	2001-000429	R-CARBON;1KOHM,5%,1/8W,AA,TP,1.8X3.2MM	
2	R522	2001-000449	R-CARBON;2.2KOHM,5%,1/8W,AA,TP,1.8X3.2M	
2	L503	2901-000297	FILTER-EMI ON BOARD;-,3A,-,-,3.5x5,TP,-	
2	L504	2901-000297	FILTER-EMI ON BOARD;-,3A,-,-,3.5x5,TP,-	
2	R502	2001-001093	R-CARBON(S);2.2KOHM,5%,1/2W,AA,TP,2.4X6.	
2	R507	2001-001093	R-CARBON(S);2.2KOHM,5%,1/2W,AA,TP,2.4X6.	
2	R512	2001-001093	R-CARBON(S);2.2KOHM,5%,1/2W,AA,TP,2.4X6.	
2	R503	2001-000085	R-CARBON(S);100KOHM,5%,1/2W,AA,TP,2.4X6.	
2	R508	2001-000085	R-CARBON(S);100KOHM,5%,1/2W,AA,TP,2.4X6.	
2	R513	2001-000085	R-CARBON(S);100KOHM,5%,1/2W,AA,TP,2.4X6.	
2	R526	2004-000500	R-METAL;2.7Kohm,1%,1/8W,AA,TP,1.8x3.2m	
2	R527	2004-000433	R-METAL;1Kohm,1%,1/8W,AA,TP,1.8x3.2mm	
2	R518	2003-002171	R-METAL OXIDE(S);150ohm,5%,2W,AG,TP,3.9x	
2	R542	2001-000832	R-CARBON;510OHM,5%,1/8W,AA,TP,1.8X3.2MM	
2	R543	2001-000832	R-CARBON;510OHM,5%,1/8W,AA,TP,1.8X3.2MM	
2	R544	2001-000832	R-CARBON;510OHM,5%,1/8W,AA,TP,1.8X3.2MM	
2	R546	2001-000832	R-CARBON;510OHM,5%,1/8W,AA,TP,1.8X3.2MM	
2	L501	2701-000178	INDUCTOR-AXIAL;33uH,10%,3x7mm	
2	R521	2001-000660	R-CARBON;33KOHM,5%,1/8W,AA,TP,1.8X3.2MM	
2	R504	2001-000515	R-CARBON;220OHM,5%,1/8W,AA,TP,1.8X3.2MM	
2	R509	2001-000515	R-CARBON;220OHM,5%,1/8W,AA,TP,1.8X3.2MM	
2	R539	2001-000515	R-CARBON;220OHM,5%,1/8W,AA,TP,1.8X3.2MM	
2	SG501	AA27-00084A	COIL;S-23,-,-,-,-,-,-,S-23,5000Mohm	
2	SG502	AA27-00084A	COIL;S-23,-,-,-,-,-,-,S-23,5000Mohm	
2	SG503	AA27-00084A	COIL;S-23,-,-,-,-,-,-,S-23,5000Mohm	
2	SG504	AA27-00084A	COIL;S-23,-,-,-,-,-,-,S-23,5000Mohm	
2	SG505	AA27-00084A	COIL;S-23,-,-,-,-,-,-,S-23,5000Mohm	
2	L507	2701-000215	INDUCTOR-AXIAL;8.2uH,10%,2.5x3.4mm	
2		HA98-00054A	ASSY SUB PART;ASSY SUB PART;KS3A,PCB,CRT	
3		0202-000008	SOLDER-WIRE;S63S-W3.0,S63S,D3,63Sn/37Pb,	
3		0202-000187	SOLDER-WIRE FLUX;-,RS60S,D1.2,63Sn/37Pb	
3		0204-001095	THINNER;#4520,-,-,-	
3		0202-001046	FLUX;CF-110VH-2A,-,-,-,-	
2	C510	2401-001525	C-AL;47uF,20%,250V,GP,BK,16x25mm,7.	
2	R523	2008-000267	R-FUSIBLE(S);2.4ohm,5%,2W,AA,TP,3.9x10mm	
2	JA501	3722-001503	JACK-PIN;1P,1PI,NI,RED,SCR-JACK	
2	C513	2201-000723	C-CERAMIC,DISC;4.7nF,20%,3KV,Y5U,TP,16x5	

ASSY PCB CONTROL

1		AA95-01526A	ASSY PCB CONTROL;,KS3A,28C7,100HZ	
2	LDY01	0601-000198	LED;ROUND,RED/GRN,5.0mm,630/565nm	
2	JH701	3722-001061	JACK-PHONE;1P,3.6PI,AG,BLK,N	
2	CNY02	AA39-20005B	LEAD CONNECTOR-ASSY;,3P,YBNH025-03,67096	

Level	Loc. No.	Code No.	Description ; Specification	Remark
2	CNY01	AA39-20069D	LEAD CONNECTOR-ASSY;,5P,YBNH025-05,67096	
2	CN703	AA39-20069D	LEAD CONNECTOR-ASSY;,5P,YBNH025-05,67096	
2	CN701	AA39-20068E	LEAD CONNECTOR-ASSY;,8P,YBNH025-08,67096	
2	CN704	AA39-20499B	LEAD CONNECTOR-ASSY;,4P,YBNH025-04,SMP02	
2	RMY01	AA59-60003J	MODULE REMOCON;-,ORC-06H2,38KHz,940nm,ME	
2	SW811S	3403-001107	SWITCH-PUSH;250V,5A,DPST,-,KDC-A04	
2	GUIDE	AA61-50032A	GUIDE-LED;6201,ABS,-,-,-,BLK,HB	
2		6001-000057	SCREW-MACHINE;RH,+,M3,L6,ZPC(BLK),SWRCH1	
2	SWY02	3404-000282	SWITCH-TACT;12Vdc,50mA,120gf,6x6x5mm,SPS	
2	SWY03	3404-000282	SWITCH-TACT;12Vdc,50mA,120gf,6x6x5mm,SPS	
2	SWY04	3404-000282	SWITCH-TACT;12Vdc,50mA,120gf,6x6x5mm,SPS	
2	SWY05	3404-000282	SWITCH-TACT;12Vdc,50mA,120gf,6x6x5mm,SPS	
2	SWY06	3404-000282	SWITCH-TACT;12Vdc,50mA,120gf,6x6x5mm,SPS	
2	CY01	2401-002144	C-AL;47uF,20%,16V,GP,TP,5x11,5	
2	C701	2202-000121	C-CERAMIC,MLC-AXIAL;100pF,10%,50V,Y5P,TP	
2	C702	2202-000121	C-CERAMIC,MLC-AXIAL;100pF,10%,50V,Y5P,TP	
2	C707	2202-000121	C-CERAMIC,MLC-AXIAL;100pF,10%,50V,Y5P,TP	
2	C708	2202-000121	C-CERAMIC,MLC-AXIAL;100pF,10%,50V,Y5P,TP	
2	C705	2401-002009	C-AL;100uF,20%,16V,GP,TP,6.3x7,5	
2	C706	2401-002009	C-AL;100uF,20%,16V,GP,TP,6.3x7,5	
2	DZY01	0403-000508	DIODE-ZENER;MTZJ5.6B,5.6V,5.45-5.73V,500	
2	DZY02	0403-000508	DIODE-ZENER;MTZJ5.6B,5.6V,5.45-5.73V,500	
2	DZY03	0403-000508	DIODE-ZENER;MTZJ5.6B,5.6V,5.45-5.73V,500	
2	L701	2701-000114	INDUCTOR-AXIAL;10uH,10%,2.5x3.4mm	
2	L702	2701-000114	INDUCTOR-AXIAL;10uH,10%,2.5x3.4mm	
2	L703	2701-000114	INDUCTOR-AXIAL;10uH,10%,2.5x3.4mm	
2	L704	2701-000114	INDUCTOR-AXIAL;10uH,10%,2.5x3.4mm	
2	L709	2701-000114	INDUCTOR-AXIAL;10uH,10%,2.5x3.4mm	
2	LY01	2701-000114	INDUCTOR-AXIAL;10uH,10%,2.5x3.4mm	
2	RY02	2001-000577	R-CARBON;2KOHM,5%,1/8W,AA,TP,1.8X3.2MM	
2	RY03	2001-000007	R-CARBON;3KOHM,5%,1/8W,AA,TP,1.8X3.2MM	
2	RY04	2001-000878	R-CARBON;6.2KOHM,5%,1/8W,AA,TP,1.8X3.2M	
2	RY01	2001-000020	R-CARBON(S);22OHM,5%,1/2W,AA,TP,2.4X6.4M	
2	EL01	AA60-40011A	K EYELET;ID2.0,OD2.8,BST	
2	EL02	AA60-40011A	K EYELET;ID2.0,OD2.8,BST	
2	EL03	AA60-40011A	K EYELET;ID2.0,OD2.8,BST	
2	EL04	AA60-40011A	K EYELET;ID2.0,OD2.8,BST	
2	GTY02	AA60-40014A	PIN-GT,ASSY;AUTO	
2	GTY03	AA60-40014A	PIN-GT,ASSY;AUTO	
2	GTY09	AA60-40014A	PIN-GT,ASSY;AUTO	
2	GTY10	AA60-40014A	PIN-GT,ASSY;AUTO	
2	PCB	AA41-00270D	PCB-CONTROL;CW28C7,FR-1,1A,D,1.6T,330X24	
2	R701	2001-000281	R-CARBON;100OHM,5%,1/8W,AA,TP,1.8X3.2MM	
2	R702	2001-000281	R-CARBON;100OHM,5%,1/8W,AA,TP,1.8X3.2MM	
2	RY05	2001-000009	R-CARBON;20KOHM,5%,1/8W,AA,TP,1.8X3.2MM	
2	J701	3812-000219	WIRE-NO SHEATH CU;TCWA,300V,52mm(TAPING)	
2	L707	3301-000287	CORE-FERRITE BEAD;AA,3.5x1.0x6.0mm,1500,	
2	L708	3301-000287	CORE-FERRITE BEAD;AA,3.5x1.0x6.0mm,1500,	
2	C703	2202-000231	C-CERAMIC,MLC-AXIAL;330pF,10%,50V,Y5P,TP	
2	C704	2202-000231	C-CERAMIC,MLC-AXIAL;330pF,10%,50V,Y5P,TP	
2	L705	2701-000168	INDUCTOR-AXIAL;3.3uH,5%,2.5x3.4mm	
2	L706	2701-000168	INDUCTOR-AXIAL;3.3uH,5%,2.5x3.4mm	
2		AA63-10002A	BAND-TIE;NYLON66 V2,L100,NTR	
2	GT801-	AA39-20041B	LEAD CONNECTOR-ASSY;,2P,YFH800-02,S,300,	
2	JA701C	3722-001369	JACK-PIN;1P,3.4MM,AU,RED,-	
2	JA701B	3722-001368	JACK-PIN;1P,3.4MM,AU,WHT,-	
2	JA701A	3722-001367	JACK-PIN;1P,3.4MM,AU,YEL,-	
2	CN702	AA39-20070F	LEAD CONNECTOR-ASSY;,7P,YBNH025-07,67096	
2	JS701	3722-000544	JACK-VHS;4P,11.5mm,AG,BLK,N	

ASSYPCB-PFC

1		HA94-05784B	ASSYPCB-PFC;25-28,4:3,5784A	
2	EYP05	AA60-40011A	K EYELET;ID2.0,OD2.8,BST	
2	EYP07	AA60-40011A	K EYELET;ID2.0,OD2.8,BST	
2	EYP09	AA60-40011A	K EYELET;ID2.0,OD2.8,BST	
2	EYP10	AA60-40011A	K EYELET;ID2.0,OD2.8,BST	
2	EYP11	AA60-40011A	K EYELET;ID2.0,OD2.8,BST	
2	EYP12	AA60-40011A	K EYELET;ID2.0,OD2.8,BST	
2	EYP13	AA60-40011A	K EYELET;ID2.0,OD2.8,BST	
2	EYP14	AA60-40011A	K EYELET;ID2.0,OD2.8,BST	
2	EYP15	AA60-40011A	K EYELET;ID2.0,OD2.8,BST	
2	EYP16	AA60-40011A	K EYELET;ID2.0,OD2.8,BST	
2	EYP17	AA60-40011A	K EYELET;ID2.0,OD2.8,BST	
2	EYP18	AA60-40011A	K EYELET;ID2.0,OD2.8,BST	
2	EYP01	AA60-40011A	K EYELET;ID2.0,OD2.8,BST	
2	EYP02	AA60-40011A	K EYELET;ID2.0,OD2.8,BST	
2	EYP03	AA60-40011A	K EYELET;ID2.0,OD2.8,BST	
2	EYP04	AA60-40011A	K EYELET;ID2.0,OD2.8,BST	
2	EYP06	AA60-40011A	K EYELET;ID2.0,OD2.8,BST	
2	EYP08	AA60-40011A	K EYELET;ID2.0,OD2.8,BST	
2	JP01	3812-000219	WIRE-NO SHEATH CU;TCWA,300V,52mm(TAPING)	
2	JP02	3812-000219	WIRE-NO SHEATH CU;TCWA,300V,52mm(TAPING)	
2	PCB	AA41-00403A	PCB-PFC;CS2939,CEM-1,1L,A,1.6T,245x245,K	
2	CNP02	AA39-00236A	LEAD CONNECTOR-ASSY;,3(2)P,YHL500-03A BL	
2	PFT01	AA27-00116A	COIL CHOKE;CODE_NO,-,35mH,-0, +5%,-,2.8O	
2		HA61-00995A	HOLDER-PFC;ALLMODELL,HIPS	
3		HA83-00006A	LP-RESIN HIPS;,BASF495F,NTR,HB	
3		HA83-00011A	LP-RESIN;,M BATCH,WILSON 6007-GY-60,GRY	
2		HA98-600020	ASSY-SUB,PART;KS4A,PFC PCB	
3		0202-000008	SOLDER-WIRE;S63S-W3.0,S63S,D3,63Sn/37Pb,	
3		0202-000187	SOLDER-WIRE FLUX;-,RS60S,D1.2,63Sn/37Pb	
3		0202-001046	FLUX;CF-110VH-2A,-,-,-,-	
3		0204-001095	THINNER;#4520,-,-,-	
2		6003-001023	SCREW-TAPTITE;RWH,+,B,M3,L10,ZPC(YEL),SW	
2	CNP02	3711-004721	CONNECTOR-HEADER;3WALL,2P,1R,12.5mm,STRA	
2	CNP01	3711-004720	CONNECTOR-HEADER;3WALL,2P,1R,12.5mm,STRA	
2	CNP01	AA39-00235A	LEAD CONNECTOR-ASSY;,3(2)P,YHL500-03A BL	
2	LX803S	AA29-00015A	FILTER LINE NOISE;WS32W8,28-20MH 1.5A,+-	
2	CX803S	2306-000318	C-FILM,MPPF;220nF,20%,250V,TP,-,22.5mm	

ASSY CRT

1		AA94-07273B	ASSY CRT;A66EHJ13X12,+450MG,28,4:3,100	
⚠ 2		AA03-00278A	CRT COLOR;A66EHJ13X12,+450MG,0.295MH,7.7	
2		AA39-20518A	LEAD CONNECTOR-ASSY;,6(4)P,YFH806-06,350	
2		AA27-20004K	COIL DEGAUSSING;-,29,19.0ohm,45T,3000mm,	
2		AA63-10002A	BAND-TIE;NYLON66 V2,L100,NTR	
2		AA98-70008D	ASSY TBC WIRE(P);-,28WIDE,PAL,2P,-	

REMOCON

1		AA59-00116B	REMOCON;-,TM57,37,D3/D4,L/GRAY,S/S,GRA	

ASSY POWER CORD

⚠ 1		AA96-01127B	ASSY POWER CORD;DP,AA39-10001M,CP2,H/C40	
2		AA39-10001M	CBF POWER CORD;-,KJP-140,KLCE-2F,2.4m,HO	
2		AA61-20284A	HOLDER;P-CORD,PP,-,-,-,BLK,VO,KE-002	

ASSY CABINET FRONT

1		HA91-00879E	ASSY CABINET FRONT;28C7H,SVHS,SV-011P-I	
2	KC+CF	6002-000515	SCREW-TAPPING;RH,+,2,M4,L15,ZPC(WHT),SWR	
2	IND+CF	6002-000515	SCREW-TAPPING;RH,+,2,M4,L15,ZPC(WHT),SWR	
2	SPK+CF	6002-000515	SCREW-TAPPING;RH,+,2,M4,L15,ZPC(WHT),SWR	
2		AA61-60003T	SPRING ETC-CS;-,SUS304,-,-,OD7,N5,OD7,-,	
2		AA64-70117B	BADGE-BRAND;-,AL,-,-,L65,R2000,SILVER,SS	
2		AA64-00190A	WINDOW-REMOCON;-,28C7,-,PC,-,VIOLET,-	
3		HA83-00009A	LP-RESIN PC;,LEXAN 121R,VIOLET	
2		AA64-00191A	INDICATOR-LED;28C7,ACRYL,-,CLR,-,-,-	
3		HA83-00010A	LP-RESIN;,OROGLAS,VM-100 ZHN 2	
2		HA83-00049A	LP-ADHESIVE-HM;12MM,NTR	
2		AA61-30001A	LATCH-DOOR;-,-,-,-,-,-,KIFUCO LA701	
2		AA64-02420E	CABINET-FRONT;28C7H,HIPS,HB,SV-012P-II,G	
3		HA83-00040A	LP-MARKING PAINT;,METALLIC SILVER,SV-012	
3		AA61-40010A	BOSS-WING;-,HIPS,-,-,-,NTR,HB	
4		HA83-00006A	LP-RESIN HIPS;,BASF495F,NTR,HB	
3		HA83-00051A	LP-ADHESIVE-GEL;BLACK SOLVENT	
3		AA81-00106A	A/S-MARKING PAINT;,P432U,DARK GREY,TPC	
3		HA83-00006A	LP-RESIN HIPS;,BASF495F,NTR,HB	
3		HA83-00011A	LP-RESIN;,M BATCH,WILSON 6007-GY-60,GRY	

Level	Loc. No.	Code No.	Description ; Specification	Remark
2		HA96-00091B	ASSY-SPEAKER;16##,10W,3001-001005,AA39-2	
3		3001-001005	SPEAKER;10W,8OHM,91DB,140HZ	
3		AA39-20504B	LEAD CONNECTOR-ASSY;,4P,SMH025-04,REC,30	
2		AA64-00189A	INLAY-CONTROL;28C7,PS,T0.3,-,-,BLK,S53A	
2		HA64-27016A	DOOR-CONTROL;;28C7,HIPS,HB,SV-012P-II	
3		HA83-00040A	LP-MARKING PAINT;,METALLIC SILVER,SV-012	
3		HA83-00006A	LP-RESIN HIPS;,BASF495F,NTR,HB	
3		HA83-00011A	LP-RESIN;,M BATCH,WILSON 6007-GY-60,GRY	
2		AA64-02482A	KNOB CONTROL;28C7,HIPS,HB,GRY	
3		HA83-00006A	LP-RESIN HIPS;,BASF495F,NTR,HB	
3		HA83-00007A	LP-RESIN;,M BATCH,WILSON 902-BK-60,BLK	
2		AA64-02509B	KNOB POWER;28C7,HIPS,HB,SV-012P-II,GRY	
3		HA83-00040A	LP-MARKING PAINT;,METALLIC SILVER,SV-012	
3		AA81-00106A	A/S-MARKING PAINT;,P432U,DARK GREY,TPC	
3		HA83-00006A	LP-RESIN HIPS;,BASF495F,NTR,HB	
3		HA83-00011A	LP-RESIN;,M BATCH,WILSON 6007-GY-60,GRY	

ASSY-CABINET(COM)

1		AA90-01087K	ASSY-CABINET(COM);SILVER,VL-1823,SET 28C	
2	CB+CF	6002-000515	SCREW-TAPPING;RH,+,2,M4,L15,ZPC(WHT),SWR	
2	AV+TER	6002-000515	SCREW-TAPPING;RH,+,2,M4,L15,ZPC(WHT),SWR	
2	CBO+CF	6003-001023	SCREW-TAPTITE;RWH,+,B,M3,L10,ZPC(YEL),SW	
2	CRT+CF	AA60-10050Q	SCREW-ASSY;-,SWRCH18A,M5,L26.5,HH,+,WC,-	
2		HA64-02431C	CABINET BACK;28C7,VL-1823,GRY	
3		AA81-00096A	RESIN-A;VL-1823,G5433,A	
3		AA63-60002F	SPACER-FELT;-,FELT,-,-,-,BLK,T0.35,-,330	
2		AA65-30008A	CLAMPER CORE-CORD;-,PE,HB,-,BLK,-	
2		AA65-30018A	CLAMPER CORE-WIRE;DONG-A,NYLON-66,-,-,-,	
2		HA68-02179A	LABEL-RATING;58MM,53MM,WHITE	
2		AA65-30009A	CLAMPER CORE-FBT;-,ABS,V0,-,BLK,-	
2		AA65-30105A	CLAMPER CORE-WIRE;ALL MODEL,NYLON 66,V2,	
2		AA63-10002A	BAND-TIE;NYLON66 V2,L100,NTR	
2		HA61-00986A	RAIL-PCB;SEH 703C,HIPS HB,GRY	
3		HA83-00013A	LP-RESIN HIPS;,NTR,HB,DOW A-TECH,IEC65	
3		HA83-00011A	LP-RESIN;,M BATCH,WILSON 6007-GY-60,GRY	
2		AA65-30110A	CLAMPER CORE-WIRE;ALL MODEL,NYLON 66,V2,	
2		AA65-30007A	CLAMPER CORE-D,COIL;-,NYLON-66,V0,-,NTR,	
2		HA68-02177B	LABEL-POS;ALL,30MM,65MM,WHITE,AA68-02177	
2	qms	HA83-00052A	LP-TAPE-INK;,WIDTH 55 MM	
2	rating	HA83-00052A	LP-TAPE-INK;,WIDTH 55 MM	

ASSY ACCESSORY

1		AA94-05823A	ASSY ACCESSORY;50HZ;D,FLAT,100HZ,KS3A,XE	
2		4301-000121	BATTERY-MN;1.5V,-,AAA,10.5x44.5m,HOLDER	
2		HA69-00276A	BAG VINYL;HDPE,T0.025,L400,W240,-,W/O LO	
2		HA83-00047A	LP-TAPEACETATE;T0.1MM,W20MM,L200MM	
2		HA68-02124A	LABEL;A/P120(G),70,69,WHITE,XECCO	
2		HA68-00971A	LABEL-BACK,DOLBY;A/P100(G),SILVER-BLACK	
2		HA68-00336B	CARD-WARRANTY;A/P100(G),A5,NEW VERSION,I	

ASSY PACKING

1		AA90-01127A	ASSY PACKING;28C7	
2	BOX	AA60-40006A	PIN-STAPLE;AUTO,33X17.8X2.4,H18,33X17.8X	
2		HA69-01495A	CUSHION-SET;28C7,PS,C=0.02	
3		HA83-00058A	LP-RESIN-EPS;,CHEIL SF-301V,WHT	
2		HA69-00012B	PACKING-CASE;PACKING-CASE;28C7,CB D-3,YE	
2		AA69-00744E	BAG-SHEET;-,HDPE PE FOAM,T0.015,W1300,H1	
2		HA68-02178A	LABEL-BOX;250MM,89MM,WHITE	
2		HA83-00046A	LP-TAPE INK;,WIDTH 105 MM	

7-2 CW28V53NS8XXEC

ASSY PCB MAIN(OPT)

Level	Loc. No.	Code No.	Description ; Specification	Remark
1		AA94-05608B	ASSY PCB MAIN(OPT);CW28D8N,KS3A/H,TH,AK	
2	V999S	3704-001105	SOCKET-CRT;11P,20PI,26.5PI,NI,-	
2	CN501A	AA39-00241A	LEAD CONNECTOR-ASSY;,6P,YBNH250-06,S,500	
2	CN502A	AA39-20053B	LEAD CONNECTOR-ASSY;,5P,YBNH025-05,S,500	
2	TOP	AA39-20010B	LEAD CONNECTOR-ASSY;,1P,YFH800-01,S,500,	
2	IC501	HA96-00276B	ASSY H/S;-,VIDEO AMP,AA62-00052A,STV510	
3		1201-001687	IC-VIDEO AMP;STV5109,ZIP,15P,-,SINGLE,50	
3		AA62-00052A	HEAT SINK-PS;-,-,-,SILVER,HOLE 18.5mm, 2	
3		6003-000334	SCREW-TAPTITE;RH,+,2S,M3,L6,ZPC(YEL),SWR	
3		0205-000129	GREASE-SILICON;SC102,JAPAN	
2	T801S	AA26-00046B	TRANS SWITCHING;CODE-NO,CW6844N8X/XEF,-,	
2	IC201S	1204-001634	IC-VIDEO PROCESS;VDP3120B-C3,DIP,64P,-,P	
2	HC401	HA96-00275A	ASSY-H/S;-,COMPLEX,AA62-00051A,KSD5703,	
3		AA62-00051A	HEAT SINK-PS;-,-,-,SILVER,HOLE 31mm,ALL,	
3	D414	0402-001296	DIODE-RECTIFIER;FMP-3FU,1.5KV,5A,TO-3PF,	
3	Q401	0502-001136	TR-POWER;KSD5703,NPN,70W,TO-3PF,ST,8-	
3		6003-000333	SCREW-TAPTITE;RH,+,2S,M3,L10,ZPC(YEL),SW	
3		AA60-30001A	WASHER-PLATE;M3,ID3.5,15X8.5,T1.0,SBHG	
3		0205-000129	GREASE-SILICON;SC102,JAPAN	
2	T401	AA26-50001L	TRANS-HORIZ.DRIVE;-,-,-,29mH,-,-,133uH,-	
2	TU01S	AA40-00079A	TUNER;TCPW3001PD16A(S),PAL,181CH,38.	
2	IC602	HA96-50369B	ASSY-H/S;-,-,AA62-30181F,TDA7297,-	
3		1201-001064	IC-POWER AMP;7297,ZIP,15P,-,DUAL,32dB,PL	
3		AA62-30181F	HEAT SINK-ES;-,AL6063 EXTR.,2,WHT,50MM,-	
3		6003-000333	SCREW-TAPTITE;RH,+,2S,M3,L10,ZPC(YEL),SW	
3		0205-000129	GREASE-SILICON;SC102,JAPAN	
2	IC601	1204-001775	IC-SOUND PROCESSOR;MSP3410D-C5 9458 ,SDI	
2	T444S	AA26-30005V	TRANS FBT;-,FUH-29A004,29',155V	
2	PT801S	1404-001156	THERMISTOR-PTC;9OHM,+30%/-20%,220VRMS,27	
2	C806	2401-001137	C-AL;330uF,20%,400V,GP,BK,30x45mm,1	
2	C405	2306-000237	C-FILM,MPPF;6.3nF,5%,1.6KV,TP,28.5x18x11	
2	C406	2306-000253	C-FILM,MPPF;7.2nF,5%,1.6KV,TP,28.5x18.5x	
2	C426	2306-000204	C-FILM,MPPF;430nF,5%,400V,TP,26x20.5x12.	
2	L411	AA27-30001F	COIL LINEARITY;-,22uH,DR1011,PI0.45,25.5	
2	L408	AA27-00103A	COIL CHOKE;600UH,-,600UH,+-10%,600UH,0.5	
2	L405	AA27-00057A	COIL HORIZ. WIDTH;-,10mH,YL-9N 15x27.5 C	
2	C423	2306-001017	C-FILM,MPPF;680nF,5%,400V,TP,26x14.5x24m	
2	CX801S	2306-000318	C-FILM,MPPF;220nF,20%,250V,TP,-,22.5mm	
2	LX801S	AA29-00015A	FILTER LINE NOISE;WS32W8,28-20MH 1.5A,+-	
2	IC301	HA96-50406A	ASSY H/S;AA62-30180K,LA7845,-	
3		1204-000517	IC-VERTICAL DEF.;LA7845,SIP,7P,-,PLASTIC	
3		AA62-30180K	HEAT SINK-ES;-,A6063 EXTR,-,WHT,50/13,-,	
3		6003-000333	SCREW-TAPTITE;RH,+,2S,M3,L10,ZPC(YEL),SW	
3		0205-000129	GREASE-SILICON;SC102,JAPAN	
2	HC801	HA96-00274A	ASSY-H/S;-,COMPLEX,AA62-00053A,FMLG12S	
3		6003-000334	SCREW-TAPTITE;RH,+,2S,M3,L6,ZPC(YEL),SWR	
3		AA62-00053A	HEAT SINK-PS;-,-,-,SILVER,HOLE 22mm,ALL,	
3	D802	0402-001230	DIODE-RECTIFIER;FMG-G2CS,1000V,3A,TO-220	
3	D805	0402-000233	DIODE-RECTIFIER;FML-G12S,200V,5A,-,-	
3	D806	0402-000233	DIODE-RECTIFIER;FML-G12S,200V,5A,-,-	
3	D807	0402-000233	DIODE-RECTIFIER;FML-G12S,200V,5A,-,-	
3	IC802	1203-001006	IC-VOLTAGE REGULATOR;78R05,TO-220F,4P,-,	
3		0205-000129	GREASE-SILICON;SC102,JAPAN	
2	IC803	1203-001697	IC-VOLTAGE REGULATOR;78R08,TO-220,4P,-,P	
2	IC804	HA96-00243C	ASSY-H/S;-,REGULATOR,AA62-00045A,KA7806	
3		1203-000284	IC-POSI.FIXED REG.;7806,TO-220,3P,-,PLAS	
3		6003-000334	SCREW-TAPTITE;RH,+,2S,M3,L6,ZPC(YEL),SWR	
3		AA62-00065A	HEAT SINK-PS;DP,-,-,-,AA62-00045A,-,-,-,	
3		0205-000129	GREASE-SILICON;SC102,JAPAN	
2	IC902	1103-001171	IC-EEPROM;L51DC,16KBit,DIP,8P,300MIL,10m	
2	IC901	AA09-00181A	IC MICOM;SIM806EW3-A035,SIM806EW3-A035,5	
2	IC801S	HA96-50371C	ASSY H/S;-,-,AA62-30181H,KA3A1265R,-	
3		AA13-00101A	IC HYBRID;KA3S1265RD,CN5039,5PIN,-50TO12	
3		AA61-10386A	BRACKET-IC;-,SECC 100,T1.0,-,-,-,KA2S068	
3		AA62-30197D	HEAT SINK-ES;DP,-,-,-,AA62-30181H,-,-,-	
3		6003-000333	SCREW-TAPTITE;RH,+,2S,M3,L10,ZPC(YEL),SW	
3		HA68-02189A	LABEL-WARNING;,33MM,18MM,WHITE	
3		0205-000129	GREASE-SILICON;SC102,JAPAN	
2	IC903	1203-001944	IC-POSI.FIXED REG.;78RM33,TO-220,3P,-,PL	
2	C407	2301-001338	C-FILM,MPE-PPF;0.68nF,5%,1.6kV,TP,28x7x1	
2	D801S	0402-001399	DIODE-BRIDGE;GSIB660,600V,6A,SIP-4,BK	
2	Q402	0502-001007	TR-POWER;KSC2073-H2,NPN,25W,TO-220,ST,6	
2	PC801S	0604-001038	PHOTO-COUPLER;TR,130-260%,200mW,DIP-4,ST	
2	NT802S	1404-001045	THERMISTOR-NTC;4.7ohm,15%,2900K,35.0mW,T	
2	C815	2401-003026	C-AL;330uF,20%,200V,GP,ST,22x35,10	
2	CY802S	2201-002002	C-CERAMIC,DISC;4.7nF,20%,400V,Y5U,TP,16x	
2	JA701	3722-000195	JACK-SCART;42P,-,SN,BLK,NO	
2	C820	2401-003076	C-AL;3300uF,20%,50V,WP,BK,18x35.5mm	
2	R807	2006-001083	R-CEMENT;120ohm,5%,5W,CJ,TP,14x10x27mm	
2	L808	AA27-10002L	COIL CHOKE;-,24uH,K,-,2A,-,24UH-K,10x10m	
2	IC401	1202-000103	IC-VOLTAGE COMP;393,DIP,8P,300MIL,DUAL,	
2	Q404	0505-000156	FET-SILICON;IRF620,N,200V,5A,0.8ohm,50W,	
2		AA98-00245A	ASSY SUB PART;S51A,PCB MAIN(OPT)	
3		0202-000008	SOLDER-WIRE;S63S-W3.0,S63S,D3,63Sn/37Pb,	
3		0202-000187	SOLDER-WIRE FLUX;-,RS60S,D1.2,63Sn/37Pb	
3		0202-001046	FLUX;CF-110VH-2A,-,-,-,-	
3		0204-001095	THINNER;#4520,-,-,-	
2	C105	2301-000383	C-FILM,PEF;10nF,5%,50V,TP,6x7x3.2mm,5mm	
2	C101	2301-000383	C-FILM,PEF;10nF,5%,50V,TP,6x7x3.2mm,5mm	
2	C103	2301-000383	C-FILM,PEF;10nF,5%,50V,TP,6x7x3.2mm,5mm	
2	C228	2301-000356	C-FILM,PEF;47nF,5%,50V,TP,7.5x4.0x6.5,5m	
2	C230	2301-000356	C-FILM,PEF;47nF,5%,50V,TP,7.5x4.0x6.5,5m	
2	C809	2301-000356	C-FILM,PEF;47nF,5%,50V,TP,7.5x4.0x6.5,5m	
2	C810	2301-000356	C-FILM,PEF;47nF,5%,50V,TP,7.5x4.0x6.5,5m	
2	C811	2301-000356	C-FILM,PEF;47nF,5%,50V,TP,7.5x4.0x6.5,5m	
2	C202	2401-002235	C-AL;10uF,20%,16V,GP,TP,5x11mm,5mm	
2	C205	2401-002235	C-AL;10uF,20%,16V,GP,TP,5x11mm,5mm	
2	C920	2401-002235	C-AL;10uF,20%,16V,GP,TP,5x11mm,5mm	
2	C231	2401-002235	C-AL;10uF,20%,16V,GP,TP,5x11mm,5mm	
2	C215	2401-002235	C-AL;10uF,20%,16V,GP,TP,5x11mm,5mm	
2	C630	2401-002235	C-AL;10uF,20%,16V,GP,TP,5x11mm,5mm	
2	C631	2401-002235	C-AL;10uF,20%,16V,GP,TP,5x11mm,5mm	
2	C645	2401-002235	C-AL;10uF,20%,16V,GP,TP,5x11mm,5mm	
2	C652	2401-002235	C-AL;10uF,20%,16V,GP,TP,5x11mm,5mm	
2	C603	2401-002235	C-AL;10uF,20%,16V,GP,TP,5x11mm,5mm	
2	C708	2401-002235	C-AL;10uF,20%,16V,GP,TP,5x11mm,5mm	
2	C214	2305-000665	C-FILM,MPEF;100nF,5%,63V,TP,7.5x4.0x5.0m	
2	C216	2305-000665	C-FILM,MPEF;100nF,5%,63V,TP,7.5x4.0x5.0m	
2	C605	2305-000665	C-FILM,MPEF;100nF,5%,63V,TP,7.5x4.0x5.0m	
2	C620	2305-000665	C-FILM,MPEF;100nF,5%,63V,TP,7.5x4.0x5.0m	
2	C635	2305-000665	C-FILM,MPEF;100nF,5%,63V,TP,7.5x4.0x5.0m	
2	C646	2305-000665	C-FILM,MPEF;100nF,5%,63V,TP,7.5x4.0x5.0m	
2	C829	2305-000665	C-FILM,MPEF;100nF,5%,63V,TP,7.5x4.0x5.0m	
2	C837	2305-000665	C-FILM,MPEF;100nF,5%,63V,TP,7.5x4.0x5.0m	
2	C839	2305-000665	C-FILM,MPEF;100nF,5%,63V,TP,7.5x4.0x5.0m	
2	C916	2305-000665	C-FILM,MPEF;100nF,5%,63V,TP,7.5x4.0x5.0m	
2	C308	2305-000665	C-FILM,MPEF;100nF,5%,63V,TP,7.5x4.0x5.0m	
2	C914	2305-000665	C-FILM,MPEF;100nF,5%,63V,TP,7.5x4.0x5.0m	
2	C831	2305-000665	C-FILM,MPEF;100nF,5%,63V,TP,7.5x4.0x5.0m	
2	C825	2305-000665	C-FILM,MPEF;100nF,5%,63V,TP,7.5x4.0x5.0m	
2	C208	2401-001026	C-AL;3.3UF,20%,50V,GP,TP,5X11,5	
2	C217	2401-001026	C-AL;3.3UF,20%,50V,GP,TP,5X11,5	
2	C636	2401-001026	C-AL;3.3UF,20%,50V,GP,TP,5X11,5	
2	C905	2202-000796	C-CERAMIC,MLC-AXIAL;1NF,10%,50V,Y5P,TP,3	
2	C607	2202-000796	C-CERAMIC,MLC-AXIAL;1NF,10%,50V,Y5P,TP,3	
2	C608	2202-000796	C-CERAMIC,MLC-AXIAL;1NF,10%,50V,Y5P,TP,3	
2	C903	2202-000796	C-CERAMIC,MLC-AXIAL;1NF,10%,50V,Y5P,TP,3	
2	C211	2202-000796	C-CERAMIC,MLC-AXIAL;1NF,10%,50V,Y5P,TP,3	
2	C212	2301-000224	C-FILM,PEF;22nF,5%,50V,TP,7.4x3.9x13mm,5	
2	C416	2301-000224	C-FILM,PEF;22nF,5%,50V,TP,7.4x3.9x13mm,5	
2	C213	2301-000247	C-FILM,PEF;33nF,5%,50V,TP,8.1x4.5x13mm,5	
2	C218	2202-000632	C-CERAMIC,MLC-AXIAL;100nF,20%,50V,Z5U,TP	
2	C219	2202-000632	C-CERAMIC,MLC-AXIAL;100nF,20%,50V,Z5U,TP	
2	C220	2202-000632	C-CERAMIC,MLC-AXIAL;100nF,20%,50V,Z5U,TP	
2	C221	2202-000632	C-CERAMIC,MLC-AXIAL;100nF,20%,50V,Z5U,TP	
2	C222	2202-000632	C-CERAMIC,MLC-AXIAL;100nF,20%,50V,Z5U,TP	
2	C223	2202-000632	C-CERAMIC,MLC-AXIAL;100nF,20%,50V,Z5U,TP	
2	C901	2202-000632	C-CERAMIC,MLC-AXIAL;100nF,20%,50V,Z5U,TP	
2	C921	2202-000632	C-CERAMIC,MLC-AXIAL;100nF,20%,50V,Z5U,TP	
2	C922	2202-000632	C-CERAMIC,MLC-AXIAL;100nF,20%,50V,Z5U,TP	

Level	Loc. No.	Code No.	Description ; Specification	Remark
2	C919	2202-000632	C-CERAMIC,MLC-AXIAL;100nF,20%,50V,Z5U,TP	
2	C924	2202-000632	C-CERAMIC,MLC-AXIAL;100nF,20%,50V,Z5U,TP	
2	C233	2305-000412	C-FILM,MPEF;470nF,5%,63V,TP,-,5mm	
2	C234	2305-000412	C-FILM,MPEF;470nF,5%,63V,TP,-,5mm	
2	C235	2305-000412	C-FILM,MPEF;470nF,5%,63V,TP,-,5mm	
2	C907	2305-000412	C-FILM,MPEF;470nF,5%,63V,TP,-,5mm	
2	C909	2305-000412	C-FILM,MPEF;470nF,5%,63V,TP,-,5mm	
2	C237	2401-000914	C-AL;22uF,20%,16V,GP,TP,5x11,5	
2	C841	2401-000603	C-AL;1uF,20%,50V,GP,TP,5x11,5	
2	C604	2401-000603	C-AL;1uF,20%,50V,GP,TP,5x11,5	
2	C201	2401-000603	C-AL;1uF,20%,50V,GP,TP,5x11,5	
2	C303	2201-002031	C-CERAMIC,DISC;0.005NF,0.5PF,50V,C0G,TP,	
2	C224	2201-002031	C-CERAMIC,DISC;0.005NF,0.5PF,50V,C0G,TP,	
2	C225	2201-002031	C-CERAMIC,DISC;0.005NF,0.5PF,50V,C0G,TP,	
2	C304	2305-000285	C-FILM,MPEF;220NF,5%,100V,TP,10.5X5.5X15	
2	C305	2305-000149	C-FILM,MPEF;100nF,5%,100V,TP,12x12.5x6.5	
2	C821	2301-000192	C-FILM,PEF;1nF,5%,50V,TP,5.3x10mm,5mm	
2	C902	2301-000192	C-FILM,PEF;1nF,5%,50V,TP,5.3x10mm,5mm	
2	C307	2401-000360	C-AL;100uF,20%,50V,GP,TP,8x11.5,5	
2	C302	2401-000360	C-AL;100uF,20%,50V,GP,TP,8x11.5,5	
2	C401	2201-000556	C-CERAMIC,DISC;0.47nF,10%,500V,Y5P,TP,5.	
2	C403	2201-000556	C-CERAMIC,DISC;0.47nF,10%,500V,Y5P,TP,5.	
2	C421	2201-000556	C-CERAMIC,DISC;0.47nF,10%,500V,Y5P,TP,5.	
2	C402	2401-001397	C-AL;470uF,20%,25V,GP,TP,10x16,5	
2	C404	2401-001397	C-AL;470uF,20%,25V,GP,TP,10x16,5	
2	C408	2305-000382	C-FILM,MPEF;4.7nF,5%,400V,TP,-,5mm	
2	C414	2401-002597	C-AL;220uF,20%,35V,GP,TP,10x12.5,5	
2	C418	2401-002597	C-AL;220uF,20%,35V,GP,TP,10x12.5,5	
2	C422	2401-001527	C-AL;47uF,20%,250V,HR,TP,13x25mm,5m	
2	C424	2201-000132	C-CERAMIC,DISC;0.1NF,10%,500V,Y5P,TP,6.5	
2	C601	2201-000558	C-CERAMIC,DISC;0.47nF,10%,50V,Y5P,TP,5x3	
2	C610	2301-000445	C-FILM,PEF;4.7nF,5%,50V,TP,5.5x7x3mm,5mm	
2	C611	2301-000445	C-FILM,PEF;4.7nF,5%,50V,TP,5.5x7x3mm,5mm	
2	C415	2301-000445	C-FILM,PEF;4.7nF,5%,50V,TP,5.5x7x3mm,5mm	
2	C612	2401-001914	C-AL;1uF,20%,50V,BP,TP,5x11,5	
2	C613	2401-001914	C-AL;1uF,20%,50V,BP,TP,5x11,5	
2	C617	2401-000493	C-AL;10uF,20%,50V,LZ,TP,5x11mm,5mm	
2	C917	2401-000493	C-AL;10uF,20%,50V,LZ,TP,5x11mm,5mm	
2	C413	2401-000493	C-AL;10uF,20%,50V,LZ,TP,5x11mm,5mm	
2	C622	2401-001989	C-AL;4.7uF,20%,50V,BP,TP,5x11,5	
2	C625	2401-001989	C-AL;4.7uF,20%,50V,BP,TP,5x11,5	
2	C626	2401-001989	C-AL;4.7uF,20%,50V,BP,TP,5x11,5	
2	C628	2401-001989	C-AL;4.7uF,20%,50V,BP,TP,5x11,5	
2	C623	2202-000231	C-CERAMIC,MLC-AXIAL;330pF,10%,50V,Y5P,TP	
2	C624	2202-000231	C-CERAMIC,MLC-AXIAL;330pF,10%,50V,Y5P,TP	
2	C627	2202-000231	C-CERAMIC,MLC-AXIAL;330pF,10%,50V,Y5P,TP	
2	C629	2202-000231	C-CERAMIC,MLC-AXIAL;330pF,10%,50V,Y5P,TP	
2	C642	2202-000231	C-CERAMIC,MLC-AXIAL;330pF,10%,50V,Y5P,TP	
2	C644	2202-000231	C-CERAMIC,MLC-AXIAL;330pF,10%,50V,Y5P,TP	
2	C701	2202-000231	C-CERAMIC,MLC-AXIAL;330pF,10%,50V,Y5P,TP	
2	C638	2202-000231	C-CERAMIC,MLC-AXIAL;330pF,10%,50V,Y5P,TP	
2	C639	2202-000231	C-CERAMIC,MLC-AXIAL;330pF,10%,50V,Y5P,TP	
2	C249	2202-000231	C-CERAMIC,MLC-AXIAL;330pF,10%,50V,Y5P,TP	
2	C632	2202-000806	C-CERAMIC,MLC-AXIAL;220pF,10%,50V,Y5P,TP	
2	C504	2202-000806	C-CERAMIC,MLC-AXIAL;220pF,10%,50V,Y5P,TP	
2	C505	2202-000806	C-CERAMIC,MLC-AXIAL;220pF,10%,50V,Y5P,TP	
2	C506	2202-000806	C-CERAMIC,MLC-AXIAL;220pF,10%,50V,Y5P,TP	
2	C634	2401-001840	C-AL;100uF,20%,16V,GP,TP,6.3x11,5	
2	C826	2401-001840	C-AL;100uF,20%,16V,GP,TP,6.3x11,5	
2	C832	2401-001840	C-AL;100uF,20%,16V,GP,TP,6.3x11,5	
2	C838	2401-001840	C-AL;100uF,20%,16V,GP,TP,6.3x11,5	
2	C637	2401-000027	C-AL;4.7uF,20%,50V,GP,TP,5x11,5	
2	C640	2401-000027	C-AL;4.7uF,20%,50V,GP,TP,5x11,5	
2	C641	2401-000027	C-AL;4.7uF,20%,50V,GP,TP,5x11,5	
2	C643	2401-000027	C-AL;4.7uF,20%,50V,GP,TP,5x11,5	
2	C647	2202-000286	C-CERAMIC,MLC-AXIAL;56pF,5%,50V,SL,TP,1.	
2	C649	2301-000108	C-FILM,PEF;1.5nF,5%,50V,TP,6.5x3.0x5.5mm	
2	C804	2201-000332	C-CERAMIC,DISC;2.2NF,20%,250V,Y5U,TP,9X4	
2	C805	2201-000332	C-CERAMIC,DISC;2.2NF,20%,250V,Y5U,TP,9X4	
2	C807	2301-001397	C-FILM,PPF;2.2nF,5%,1.2kV,TP,15x8.5x13.5	
2	C814	2201-000406	C-CERAMIC,DISC;0.27NF,10%,2KV,Y5P,TP,6.3	
2	C816	2401-000293	C-AL;100uF,+30-10%,200V,GP,TP,16x25	
2	C817	2201-000599	C-CERAMIC,DISC;0.56nF,10%,500V,Y5P,TP,5.	
2	C819	2201-000599	C-CERAMIC,DISC;0.56nF,10%,500V,Y5P,TP,5.	
2	C822	2201-000599	C-CERAMIC,DISC;0.56nF,10%,500V,Y5P,TP,5.	
2	C818	2401-000722	C-AL;2200uF,20%,25V,WT,TP,16x25,7.5	

Level	Loc. No.	Code No.	Description ; Specification	Remark
2	C910	2201-000980	C-CERAMIC,DISC;0.03NF,5%,50V,C0G,TP,5X3M	
2	C911	2201-000980	C-CERAMIC,DISC;0.03NF,5%,50V,C0G,TP,5X3M	
2	C913	2401-000287	C-AL;100uF,20%,16V,WT,TP,6.3x11,5	
2	C915	2401-000287	C-AL;100uF,20%,16V,WT,TP,6.3x11,5	
2	C918	2401-000287	C-AL;100uF,20%,16V,WT,TP,6.3x11,5	
2	C210	2401-000287	C-AL;100uF,20%,16V,WT,TP,6.3x11,5	
2	D201	0401-000005	DIODE-SWITCHING;1N4148,100V,200mA,DO-35,	
2	D202	0401-000005	DIODE-SWITCHING;1N4148,100V,200mA,DO-35,	
2	D207	0401-000005	DIODE-SWITCHING;1N4148,100V,200mA,DO-35,	
2	D208	0401-000005	DIODE-SWITCHING;1N4148,100V,200mA,DO-35,	
2	D209	0401-000005	DIODE-SWITCHING;1N4148,100V,200mA,DO-35,	
2	D210	0401-000005	DIODE-SWITCHING;1N4148,100V,200mA,DO-35,	
2	D211	0401-000005	DIODE-SWITCHING;1N4148,100V,200mA,DO-35,	
2	D602	0401-000005	DIODE-SWITCHING;1N4148,100V,200mA,DO-35,	
⚠ 2	D804	0401-000005	DIODE-SWITCHING;1N4148,100V,200mA,DO-35,	
2	DZ402	0401-000005	DIODE-SWITCHING;1N4148,100V,200mA,DO-35,	
2	D906	0401-000005	DIODE-SWITCHING;1N4148,100V,200mA,DO-35,	
⚠ 2	D405	0401-000005	DIODE-SWITCHING;1N4148,100V,200mA,DO-35,	
2	D501	0401-000005	DIODE-SWITCHING;1N4148,100V,200mA,DO-35,	
2	D502	0401-000005	DIODE-SWITCHING;1N4148,100V,200mA,DO-35,	
2	D503	0401-000005	DIODE-SWITCHING;1N4148,100V,200mA,DO-35,	
2	D508	0401-000005	DIODE-SWITCHING;1N4148,100V,200mA,DO-35,	
2	D604	0401-000005	DIODE-SWITCHING;1N4148,100V,200mA,DO-35,	
2	D301	0402-001105	DIODE-RECTIFIER;ERB43-04SV1,400V,1.0A,-,	
⚠ 2	D411	0402-001105	DIODE-RECTIFIER;ERB43-04SV1,400V,1.0A,-,	
⚠ 2	D803	0402-001105	DIODE-RECTIFIER;ERB43-04SV1,400V,1.0A,-,	
⚠ 2	D816	0402-001105	DIODE-RECTIFIER;ERB43-04SV1,400V,1.0A,-,	
⚠ 2	D401	0402-000540	DIODE-RECTIFIER;RU20A,600V,1.5A,-,TP	
⚠ 2	D404	0402-000540	DIODE-RECTIFIER;RU20A,600V,1.5A,-,TP	
⚠ 2	D402	0402-000534	DIODE-RECTIFIER;RG10V,400V,1.2A,DO-201,T	
⚠ 2	D403	0402-000132	DIODE-RECTIFIER;1N4004,400V,1A,DO-41,TP	
⚠ 2	D406	0402-000132	DIODE-RECTIFIER;1N4004,400V,1A,DO-41,TP	
⚠ 2	D810	0402-000132	DIODE-RECTIFIER;1N4004,400V,1A,DO-41,TP	
⚠ 2	D811	0402-000132	DIODE-RECTIFIER;1N4004,400V,1A,DO-41,TP	
2	D907	0402-000132	DIODE-RECTIFIER;1N4004,400V,1A,DO-41,TP	
2	D504	0402-000132	DIODE-RECTIFIER;1N4004,400V,1A,DO-41,TP	
⚠ 2	D413	0402-000537	DIODE-RECTIFIER;RH1A,600V,0.6A,DO-204AC	
⚠ 2	D801	0402-001111	DIODE-RECTIFIER;1N5397GP,600V,1.5A,DO-20	
2	DZ201	0403-000508	DIODE-ZENER;MTZJ5.6B,5.6V,5.45-5.73V,500	
2	DZ202	0403-000508	DIODE-ZENER;MTZJ5.6B,5.6V,5.45-5.73V,500	
2	DZ802	0403-000508	DIODE-ZENER;MTZJ5.6B,5.6V,5.45-5.73V,500	
2	DZ902	0403-000508	DIODE-ZENER;MTZJ5.6B,5.6V,5.45-5.73V,500	
2	DZ601	0403-000508	DIODE-ZENER;MTZJ5.6B,5.6V,5.45-5.73V,500	
2	DZ603	0403-000508	DIODE-ZENER;MTZJ5.6B,5.6V,5.45-5.73V,500	
2	DZ903	0403-000508	DIODE-ZENER;MTZJ5.6B,5.6V,5.45-5.73V,500	
2	DZ904	0403-000508	DIODE-ZENER;MTZJ5.6B,5.6V,5.45-5.73V,500	
2	DZ905	0403-000508	DIODE-ZENER;MTZJ5.6B,5.6V,5.45-5.73V,500	
2	DZ906	0403-000508	DIODE-ZENER;MTZJ5.6B,5.6V,5.45-5.73V,500	
2	DZ907	0403-000508	DIODE-ZENER;MTZJ5.6B,5.6V,5.45-5.73V,500	
2	DZ909	0403-000508	DIODE-ZENER;MTZJ5.6B,5.6V,5.45-5.73V,500	
2	DZ910	0403-000508	DIODE-ZENER;MTZJ5.6B,5.6V,5.45-5.73V,500	
2	DZ604	0403-000508	DIODE-ZENER;MTZJ5.6B,5.6V,5.45-5.73V,500	
2	DZ605	0403-000508	DIODE-ZENER;MTZJ5.6B,5.6V,5.45-5.73V,500	
2	DZ908	0403-000508	DIODE-ZENER;MTZJ5.6B,5.6V,5.45-5.73V,500	
2	DZ901	0403-000508	DIODE-ZENER;MTZJ5.6B,5.6V,5.45-5.73V,500	
2	DZ203	0403-001321	DIODE-ZENER;MTZJ6.8C,6.66-7.01V,500mW,DO	
2	DZ302	0403-001329	DIODE-ZENER;MTZJ24B,22.61-23.77V,500mW,D	
2	DZ303	0403-001329	DIODE-ZENER;MTZJ24B,22.61-23.77V,500mW,D	
2	DZ304	0403-001329	DIODE-ZENER;MTZJ24B,22.61-23.77V,500mW,D	
2	DZ305	0403-001221	DIODE-ZENER;UZ39BSB,35.36-37.19V,500MW,D	
2	DZ306	0403-000700	DIODE-ZENER;TZP33A,33V,31-35V,1W,DO-41,T	
2	DZ804	0403-000700	DIODE-ZENER;TZP33A,33V,31-35V,1W,DO-41,T	
2	DZ401	0403-001325	DIODE-ZENER;MTZJ15C,14.35-15.09V,500mW,D	
2	DZ801	0403-001322	DIODE-ZENER;MTZJ8.2B,7.78-8.19V,500mW,DO	
2	DZ808	0403-001322	DIODE-ZENER;MTZJ8.2B,7.78-8.19V,500mW,DO	
2	DZ204	0403-001322	DIODE-ZENER;MTZJ8.2B,7.78-8.19V,500mW,DO	
2	DZ205	0403-001322	DIODE-ZENER;MTZJ8.2B,7.78-8.19V,500mW,DO	
2	DZ805	1203-001217	IC-POSI.ADJUST REG.;431,TO-92,3P,4.58MIL	
2	GT101	AA60-40014A	PIN-GT,ASSY;AUTO	
2	GT102	AA60-40014A	PIN-GT,ASSY;AUTO	
2	GT301	AA60-40014A	PIN-GT,ASSY;AUTO	
2	GT302	AA60-40014A	PIN-GT,ASSY;AUTO	
2	GT401	AA60-40014A	PIN-GT,ASSY;AUTO	
2	GT402	AA60-40014A	PIN-GT,ASSY;AUTO	
2	GT801	AA60-40014A	PIN-GT,ASSY;AUTO	
2	GT802	AA60-40014A	PIN-GT,ASSY;AUTO	

Level	Loc. No.	Code No.	Description ; Specification	Remark
2	GT803	AA60-40014A	PIN-GT,ASSY;AUTO	
2	GT804	AA60-40014A	PIN-GT,ASSY;AUTO	
2	GT805	AA60-40014A	PIN-GT,ASSY;AUTO	
2	GT806	AA60-40014A	PIN-GT,ASSY;AUTO	
2	GT103	AA60-40014A	PIN-GT,ASSY;AUTO	
2	GT409	AA60-40014A	PIN-GT,ASSY;AUTO	
2	GT501	AA60-40014A	PIN-GT,ASSY;AUTO	
2	GT502	AA60-40014A	PIN-GT,ASSY;AUTO	
2	GT503	AA60-40014A	PIN-GT,ASSY;AUTO	
2	J102	3812-000219	WIRE-NO SHEATH CU;TCWA,300V,52mm(TAPING)	
2	J103	3812-000219	WIRE-NO SHEATH CU;TCWA,300V,52mm(TAPING)	
2	J105	3812-000219	WIRE-NO SHEATH CU;TCWA,300V,52mm(TAPING)	
2	J108	3812-000219	WIRE-NO SHEATH CU;TCWA,300V,52mm(TAPING)	
2	J111	3812-000219	WIRE-NO SHEATH CU;TCWA,300V,52mm(TAPING)	
2	J112	3812-000219	WIRE-NO SHEATH CU;TCWA,300V,52mm(TAPING)	
2	J113	3812-000219	WIRE-NO SHEATH CU;TCWA,300V,52mm(TAPING)	
2	J114	3812-000219	WIRE-NO SHEATH CU;TCWA,300V,52mm(TAPING)	
2	J115	3812-000219	WIRE-NO SHEATH CU;TCWA,300V,52mm(TAPING)	
2	J116	3812-000219	WIRE-NO SHEATH CU;TCWA,300V,52mm(TAPING)	
2	J117	3812-000219	WIRE-NO SHEATH CU;TCWA,300V,52mm(TAPING)	
2	J119	3812-000219	WIRE-NO SHEATH CU;TCWA,300V,52mm(TAPING)	
2	J122	3812-000219	WIRE-NO SHEATH CU;TCWA,300V,52mm(TAPING)	
2	J123	3812-000219	WIRE-NO SHEATH CU;TCWA,300V,52mm(TAPING)	
2	J124	3812-000219	WIRE-NO SHEATH CU;TCWA,300V,52mm(TAPING)	
2	J203	3812-000219	WIRE-NO SHEATH CU;TCWA,300V,52mm(TAPING)	
2	J205	3812-000219	WIRE-NO SHEATH CU;TCWA,300V,52mm(TAPING)	
2	J206	3812-000219	WIRE-NO SHEATH CU;TCWA,300V,52mm(TAPING)	
2	J207	3812-000219	WIRE-NO SHEATH CU;TCWA,300V,52mm(TAPING)	
2	J208	3812-000219	WIRE-NO SHEATH CU;TCWA,300V,52mm(TAPING)	
2	J209	3812-000219	WIRE-NO SHEATH CU;TCWA,300V,52mm(TAPING)	
2	J210	3812-000219	WIRE-NO SHEATH CU;TCWA,300V,52mm(TAPING)	
2	J212	3812-000219	WIRE-NO SHEATH CU;TCWA,300V,52mm(TAPING)	
2	J213	3812-000219	WIRE-NO SHEATH CU;TCWA,300V,52mm(TAPING)	
2	J214	3812-000219	WIRE-NO SHEATH CU;TCWA,300V,52mm(TAPING)	
2	J216	3812-000219	WIRE-NO SHEATH CU;TCWA,300V,52mm(TAPING)	
2	J217	3812-000219	WIRE-NO SHEATH CU;TCWA,300V,52mm(TAPING)	
2	J218	3812-000219	WIRE-NO SHEATH CU;TCWA,300V,52mm(TAPING)	
2	J219	3812-000219	WIRE-NO SHEATH CU;TCWA,300V,52mm(TAPING)	
2	J222	3812-000219	WIRE-NO SHEATH CU;TCWA,300V,52mm(TAPING)	
2	J223	3812-000219	WIRE-NO SHEATH CU;TCWA,300V,52mm(TAPING)	
2	J224	3812-000219	WIRE-NO SHEATH CU;TCWA,300V,52mm(TAPING)	
2	J225	3812-000219	WIRE-NO SHEATH CU;TCWA,300V,52mm(TAPING)	
2	J226	3812-000219	WIRE-NO SHEATH CU;TCWA,300V,52mm(TAPING)	
2	J227	3812-000219	WIRE-NO SHEATH CU;TCWA,300V,52mm(TAPING)	
2	J228	3812-000219	WIRE-NO SHEATH CU;TCWA,300V,52mm(TAPING)	
2	J229	3812-000219	WIRE-NO SHEATH CU;TCWA,300V,52mm(TAPING)	
2	J230	3812-000219	WIRE-NO SHEATH CU;TCWA,300V,52mm(TAPING)	
2	J232	3812-000219	WIRE-NO SHEATH CU;TCWA,300V,52mm(TAPING)	
2	J234	3812-000219	WIRE-NO SHEATH CU;TCWA,300V,52mm(TAPING)	
2	J236	3812-000219	WIRE-NO SHEATH CU;TCWA,300V,52mm(TAPING)	
2	J237	3812-000219	WIRE-NO SHEATH CU;TCWA,300V,52mm(TAPING)	
2	J238	3812-000219	WIRE-NO SHEATH CU;TCWA,300V,52mm(TAPING)	
2	J239	3812-000219	WIRE-NO SHEATH CU;TCWA,300V,52mm(TAPING)	
2	J242	3812-000219	WIRE-NO SHEATH CU;TCWA,300V,52mm(TAPING)	
2	J244	3812-000219	WIRE-NO SHEATH CU;TCWA,300V,52mm(TAPING)	
2	J246	3812-000219	WIRE-NO SHEATH CU;TCWA,300V,52mm(TAPING)	
2	J247	3812-000219	WIRE-NO SHEATH CU;TCWA,300V,52mm(TAPING)	
2	J248	3812-000219	WIRE-NO SHEATH CU;TCWA,300V,52mm(TAPING)	
2	J401	3812-000219	WIRE-NO SHEATH CU;TCWA,300V,52mm(TAPING)	
2	J402	3812-000219	WIRE-NO SHEATH CU;TCWA,300V,52mm(TAPING)	
2	J404	3812-000219	WIRE-NO SHEATH CU;TCWA,300V,52mm(TAPING)	
2	J409	3812-000219	WIRE-NO SHEATH CU;TCWA,300V,52mm(TAPING)	
2	J412	3812-000219	WIRE-NO SHEATH CU;TCWA,300V,52mm(TAPING)	
2	J414	3812-000219	WIRE-NO SHEATH CU;TCWA,300V,52mm(TAPING)	
2	J416	3812-000219	WIRE-NO SHEATH CU;TCWA,300V,52mm(TAPING)	
2	J421	3812-000219	WIRE-NO SHEATH CU;TCWA,300V,52mm(TAPING)	
2	J422	3812-000219	WIRE-NO SHEATH CU;TCWA,300V,52mm(TAPING)	
2	J424	3812-000219	WIRE-NO SHEATH CU;TCWA,300V,52mm(TAPING)	
2	J428	3812-000219	WIRE-NO SHEATH CU;TCWA,300V,52mm(TAPING)	
2	J601	3812-000219	WIRE-NO SHEATH CU;TCWA,300V,52mm(TAPING)	
2	J602	3812-000219	WIRE-NO SHEATH CU;TCWA,300V,52mm(TAPING)	
2	J603	3812-000219	WIRE-NO SHEATH CU;TCWA,300V,52mm(TAPING)	
2	J604	3812-000219	WIRE-NO SHEATH CU;TCWA,300V,52mm(TAPING)	
2	J606	3812-000219	WIRE-NO SHEATH CU;TCWA,300V,52mm(TAPING)	
2	J607	3812-000219	WIRE-NO SHEATH CU;TCWA,300V,52mm(TAPING)	
2	J611	3812-000219	WIRE-NO SHEATH CU;TCWA,300V,52mm(TAPING)	
2	J614	3812-000219	WIRE-NO SHEATH CU;TCWA,300V,52mm(TAPING)	
2	J615	3812-000219	WIRE-NO SHEATH CU;TCWA,300V,52mm(TAPING)	
2	J616	3812-000219	WIRE-NO SHEATH CU;TCWA,300V,52mm(TAPING)	
2	J617	3812-000219	WIRE-NO SHEATH CU;TCWA,300V,52mm(TAPING)	
2	J618	3812-000219	WIRE-NO SHEATH CU;TCWA,300V,52mm(TAPING)	
2	J619	3812-000219	WIRE-NO SHEATH CU;TCWA,300V,52mm(TAPING)	
2	J620	3812-000219	WIRE-NO SHEATH CU;TCWA,300V,52mm(TAPING)	
2	J621	3812-000219	WIRE-NO SHEATH CU;TCWA,300V,52mm(TAPING)	
2	J622	3812-000219	WIRE-NO SHEATH CU;TCWA,300V,52mm(TAPING)	
2	J624	3812-000219	WIRE-NO SHEATH CU;TCWA,300V,52mm(TAPING)	
2	J627	3812-000219	WIRE-NO SHEATH CU;TCWA,300V,52mm(TAPING)	
2	J629	3812-000219	WIRE-NO SHEATH CU;TCWA,300V,52mm(TAPING)	
2	J631	3812-000219	WIRE-NO SHEATH CU;TCWA,300V,52mm(TAPING)	
2	J632	3812-000219	WIRE-NO SHEATH CU;TCWA,300V,52mm(TAPING)	
2	J703	3812-000219	WIRE-NO SHEATH CU;TCWA,300V,52mm(TAPING)	
2	J704	3812-000219	WIRE-NO SHEATH CU;TCWA,300V,52mm(TAPING)	
2	J708	3812-000219	WIRE-NO SHEATH CU;TCWA,300V,52mm(TAPING)	
2	J715	3812-000219	WIRE-NO SHEATH CU;TCWA,300V,52mm(TAPING)	
2	J716	3812-000219	WIRE-NO SHEATH CU;TCWA,300V,52mm(TAPING)	
2	J717	3812-000219	WIRE-NO SHEATH CU;TCWA,300V,52mm(TAPING)	
2	J805	3812-000219	WIRE-NO SHEATH CU;TCWA,300V,52mm(TAPING)	
2	J806	3812-000219	WIRE-NO SHEATH CU;TCWA,300V,52mm(TAPING)	
2	J807	3812-000219	WIRE-NO SHEATH CU;TCWA,300V,52mm(TAPING)	
2	J810	3812-000219	WIRE-NO SHEATH CU;TCWA,300V,52mm(TAPING)	
2	J811	3812-000219	WIRE-NO SHEATH CU;TCWA,300V,52mm(TAPING)	
2	J816	3812-000219	WIRE-NO SHEATH CU;TCWA,300V,52mm(TAPING)	
2	J819	3812-000219	WIRE-NO SHEATH CU;TCWA,300V,52mm(TAPING)	
2	J820	3812-000219	WIRE-NO SHEATH CU;TCWA,300V,52mm(TAPING)	
2	J821	3812-000219	WIRE-NO SHEATH CU;TCWA,300V,52mm(TAPING)	
2	J824	3812-000219	WIRE-NO SHEATH CU;TCWA,300V,52mm(TAPING)	
2	J826	3812-000219	WIRE-NO SHEATH CU;TCWA,300V,52mm(TAPING)	
2	J829	3812-000219	WIRE-NO SHEATH CU;TCWA,300V,52mm(TAPING)	
2	J830	3812-000219	WIRE-NO SHEATH CU;TCWA,300V,52mm(TAPING)	
2	J831	3812-000219	WIRE-NO SHEATH CU;TCWA,300V,52mm(TAPING)	
2	J832	3812-000219	WIRE-NO SHEATH CU;TCWA,300V,52mm(TAPING)	
2	J833	3812-000219	WIRE-NO SHEATH CU;TCWA,300V,52mm(TAPING)	
2	J909	3812-000219	WIRE-NO SHEATH CU;TCWA,300V,52mm(TAPING)	
2	J911	3812-000219	WIRE-NO SHEATH CU;TCWA,300V,52mm(TAPING)	
2	J912	3812-000219	WIRE-NO SHEATH CU;TCWA,300V,52mm(TAPING)	
2	J913	3812-000219	WIRE-NO SHEATH CU;TCWA,300V,52mm(TAPING)	
2	J915	3812-000219	WIRE-NO SHEATH CU;TCWA,300V,52mm(TAPING)	
2	J916	3812-000219	WIRE-NO SHEATH CU;TCWA,300V,52mm(TAPING)	
2	J917	3812-000219	WIRE-NO SHEATH CU;TCWA,300V,52mm(TAPING)	
2	J924	3812-000219	WIRE-NO SHEATH CU;TCWA,300V,52mm(TAPING)	
2	J925	3812-000219	WIRE-NO SHEATH CU;TCWA,300V,52mm(TAPING)	
2	J926	3812-000219	WIRE-NO SHEATH CU;TCWA,300V,52mm(TAPING)	
2	J927	3812-000219	WIRE-NO SHEATH CU;TCWA,300V,52mm(TAPING)	
2	J928	3812-000219	WIRE-NO SHEATH CU;TCWA,300V,52mm(TAPING)	
2	J932	3812-000219	WIRE-NO SHEATH CU;TCWA,300V,52mm(TAPING)	
2	J933	3812-000219	WIRE-NO SHEATH CU;TCWA,300V,52mm(TAPING)	
2	J934	3812-000219	WIRE-NO SHEATH CU;TCWA,300V,52mm(TAPING)	
2	J936	3812-000219	WIRE-NO SHEATH CU;TCWA,300V,52mm(TAPING)	
2	J939	3812-000219	WIRE-NO SHEATH CU;TCWA,300V,52mm(TAPING)	
2	J941	3812-000219	WIRE-NO SHEATH CU;TCWA,300V,52mm(TAPING)	
2	J942	3812-000219	WIRE-NO SHEATH CU;TCWA,300V,52mm(TAPING)	
2	R939	3812-000219	WIRE-NO SHEATH CU;TCWA,300V,52mm(TAPING)	
2	J714	3812-000219	WIRE-NO SHEATH CU;TCWA,300V,52mm(TAPING)	
2	J249	3812-000219	WIRE-NO SHEATH CU;TCWA,300V,52mm(TAPING)	
2	D908	3812-000219	WIRE-NO SHEATH CU;TCWA,300V,52mm(TAPING)	
2	J835	3812-000219	WIRE-NO SHEATH CU;TCWA,300V,52mm(TAPING)	
2	J425	3812-000219	WIRE-NO SHEATH CU;TCWA,300V,52mm(TAPING)	
2	J633	3812-000219	WIRE-NO SHEATH CU;TCWA,300V,52mm(TAPING)	
2	J818	3812-000219	WIRE-NO SHEATH CU;TCWA,300V,52mm(TAPING)	
2	J612	3812-000219	WIRE-NO SHEATH CU;TCWA,300V,52mm(TAPING)	
2	L610	3812-000219	WIRE-NO SHEATH CU;TCWA,300V,52mm(TAPING)	
2	J937	3812-000219	WIRE-NO SHEATH CU;TCWA,300V,52mm(TAPING)	
2	J918	3812-000219	WIRE-NO SHEATH CU;TCWA,300V,52mm(TAPING)	
2	J626	3812-000219	WIRE-NO SHEATH CU;TCWA,300V,52mm(TAPING)	
2	J126	3812-000219	WIRE-NO SHEATH CU;TCWA,300V,52mm(TAPING)	
2	J118	3812-000219	WIRE-NO SHEATH CU;TCWA,300V,52mm(TAPING)	
2	J101	3812-000219	WIRE-NO SHEATH CU;TCWA,300V,52mm(TAPING)	
2	J253	3812-000219	WIRE-NO SHEATH CU;TCWA,300V,52mm(TAPING)	
2	J943	3812-000219	WIRE-NO SHEATH CU;TCWA,300V,52mm(TAPING)	
2	J944	3812-000219	WIRE-NO SHEATH CU;TCWA,300V,52mm(TAPING)	
2	J705	3812-000219	WIRE-NO SHEATH CU;TCWA,300V,52mm(TAPING)	
2	J707	3812-000219	WIRE-NO SHEATH CU;TCWA,300V,52mm(TAPING)	
2	J127	3812-000219	WIRE-NO SHEATH CU;TCWA,300V,52mm(TAPING)	
2	J605	3812-000219	WIRE-NO SHEATH CU;TCWA,300V,52mm(TAPING)	

Level	Loc. No.	Code No.	Description ; Specification	Remark
2	J608	3812-000219	WIRE-NO SHEATH CU;TCWA,300V,52mm(TAPING)	
2	J609	3812-000219	WIRE-NO SHEATH CU;TCWA,300V,52mm(TAPING)	
2	L107	3812-000219	WIRE-NO SHEATH CU;TCWA,300V,52mm(TAPING)	
2	J902	3812-000219	WIRE-NO SHEATH CU;TCWA,300V,52mm(TAPING)	
⚠ 2	D407	3812-000219	WIRE-NO SHEATH CU;TCWA,300V,52mm(TAPING)	
2	R427	3812-000219	WIRE-NO SHEATH CU;TCWA,300V,52mm(TAPING)	
2	J503	3812-000219	WIRE-NO SHEATH CU;TCWA,300V,52mm(TAPING)	
2	J504	3812-000219	WIRE-NO SHEATH CU;TCWA,300V,52mm(TAPING)	
2	J501	3812-000219	WIRE-NO SHEATH CU;TCWA,300V,52mm(TAPING)	
2	J502	3812-000219	WIRE-NO SHEATH CU;TCWA,300V,52mm(TAPING)	
2	J407	3812-000219	WIRE-NO SHEATH CU;TCWA,300V,52mm(TAPING)	
2	J419	3812-000219	WIRE-NO SHEATH CU;TCWA,300V,52mm(TAPING)	
2	J630	3812-000219	WIRE-NO SHEATH CU;TCWA,300V,52mm(TAPING)	
2	J245	3812-000219	WIRE-NO SHEATH CU;TCWA,300V,52mm(TAPING)	
2	L410	3812-000219	WIRE-NO SHEATH CU;TCWA,300V,52mm(TAPING)	
2	R508	3812-000219	WIRE-NO SHEATH CU;TCWA,300V,52mm(TAPING)	
2	D509	3812-000219	WIRE-NO SHEATH CU;TCWA,300V,52mm(TAPING)	
2	J507	3812-000219	WIRE-NO SHEATH CU;TCWA,300V,52mm(TAPING)	
2	J508	3812-000219	WIRE-NO SHEATH CU;TCWA,300V,52mm(TAPING)	
2	J509	3812-000219	WIRE-NO SHEATH CU;TCWA,300V,52mm(TAPING)	
2	J834	3812-000219	WIRE-NO SHEATH CU;TCWA,300V,52mm(TAPING)	
2	J204	3812-000219	WIRE-NO SHEATH CU;TCWA,300V,52mm(TAPING)	
2	J701	3812-000219	WIRE-NO SHEATH CU;TCWA,300V,52mm(TAPING)	
2	J817	3812-000219	WIRE-NO SHEATH CU;TCWA,300V,52mm(TAPING)	
2	L413	3812-000219	WIRE-NO SHEATH CU;TCWA,300V,52mm(TAPING)	
2	R926	3812-000219	WIRE-NO SHEATH CU;TCWA,300V,52mm(TAPING)	
2	J940	3812-000219	WIRE-NO SHEATH CU;TCWA,300V,52mm(TAPING)	
2	J935	3812-000219	WIRE-NO SHEATH CU;TCWA,300V,52mm(TAPING)	
2	EY301	AA60-40011A	K EYELET;ID2.0,OD2.8,BST	
2	EY302	AA60-40011A	K EYELET;ID2.0,OD2.8,BST	
2	EY303	AA60-40011A	K EYELET;ID2.0,OD2.8,BST	
2	EY304	AA60-40011A	K EYELET;ID2.0,OD2.8,BST	
2	EY401	AA60-40011A	K EYELET;ID2.0,OD2.8,BST	
2	EY402	AA60-40011A	K EYELET;ID2.0,OD2.8,BST	
2	EY403	AA60-40011A	K EYELET;ID2.0,OD2.8,BST	
2	EY404	AA60-40011A	K EYELET;ID2.0,OD2.8,BST	
2	EY405	AA60-40011A	K EYELET;ID2.0,OD2.8,BST	
2	EY406	AA60-40011A	K EYELET;ID2.0,OD2.8,BST	
2	EY407	AA60-40011A	K EYELET;ID2.0,OD2.8,BST	
2	EY408	AA60-40011A	K EYELET;ID2.0,OD2.8,BST	
2	EY409	AA60-40011A	K EYELET;ID2.0,OD2.8,BST	
2	EY410	AA60-40011A	K EYELET;ID2.0,OD2.8,BST	
2	EY411	AA60-40011A	K EYELET;ID2.0,OD2.8,BST	
2	EY412	AA60-40011A	K EYELET;ID2.0,OD2.8,BST	
2	EY413	AA60-40011A	K EYELET;ID2.0,OD2.8,BST	
2	EY414	AA60-40011A	K EYELET;ID2.0,OD2.8,BST	
2	EY415	AA60-40011A	K EYELET;ID2.0,OD2.8,BST	
2	EY416	AA60-40011A	K EYELET;ID2.0,OD2.8,BST	
2	EY417	AA60-40011A	K EYELET;ID2.0,OD2.8,BST	
2	EY418	AA60-40011A	K EYELET;ID2.0,OD2.8,BST	
2	EY419	AA60-40011A	K EYELET;ID2.0,OD2.8,BST	
2	EY420	AA60-40011A	K EYELET;ID2.0,OD2.8,BST	
2	EY421	AA60-40011A	K EYELET;ID2.0,OD2.8,BST	
2	EY422	AA60-40011A	K EYELET;ID2.0,OD2.8,BST	
2	EY423	AA60-40011A	K EYELET;ID2.0,OD2.8,BST	
2	EY424	AA60-40011A	K EYELET;ID2.0,OD2.8,BST	
2	EY425	AA60-40011A	K EYELET;ID2.0,OD2.8,BST	
2	EY426	AA60-40011A	K EYELET;ID2.0,OD2.8,BST	
2	EY427	AA60-40011A	K EYELET;ID2.0,OD2.8,BST	
2	EY428	AA60-40011A	K EYELET;ID2.0,OD2.8,BST	
2	EY429	AA60-40011A	K EYELET;ID2.0,OD2.8,BST	
2	EY430	AA60-40011A	K EYELET;ID2.0,OD2.8,BST	
2	EY431	AA60-40011A	K EYELET;ID2.0,OD2.8,BST	
2	EY432	AA60-40011A	K EYELET;ID2.0,OD2.8,BST	
2	EY433	AA60-40011A	K EYELET;ID2.0,OD2.8,BST	
2	EY434	AA60-40011A	K EYELET;ID2.0,OD2.8,BST	
2	EY435	AA60-40011A	K EYELET;ID2.0,OD2.8,BST	
2	EY436	AA60-40011A	K EYELET;ID2.0,OD2.8,BST	
2	EY437	AA60-40011A	K EYELET;ID2.0,OD2.8,BST	
2	EY438	AA60-40011A	K EYELET;ID2.0,OD2.8,BST	
2	EY439	AA60-40011A	K EYELET;ID2.0,OD2.8,BST	
2	EY440	AA60-40011A	K EYELET;ID2.0,OD2.8,BST	
2	EY441	AA60-40011A	K EYELET;ID2.0,OD2.8,BST	
2	EY442	AA60-40011A	K EYELET;ID2.0,OD2.8,BST	
2	EY443	AA60-40011A	K EYELET;ID2.0,OD2.8,BST	
2	EY444	AA60-40011A	K EYELET;ID2.0,OD2.8,BST	
2	EY445	AA60-40011A	K EYELET;ID2.0,OD2.8,BST	
2	EY446	AA60-40011A	K EYELET;ID2.0,OD2.8,BST	
2	EY447	AA60-40011A	K EYELET;ID2.0,OD2.8,BST	
2	EY448	AA60-40011A	K EYELET;ID2.0,OD2.8,BST	
2	EY449	AA60-40011A	K EYELET;ID2.0,OD2.8,BST	
2	EY450	AA60-40011A	K EYELET;ID2.0,OD2.8,BST	
2	EY451	AA60-40011A	K EYELET;ID2.0,OD2.8,BST	
2	EY452	AA60-40011A	K EYELET;ID2.0,OD2.8,BST	
2	EY453	AA60-40011A	K EYELET;ID2.0,OD2.8,BST	
2	EY454	AA60-40011A	K EYELET;ID2.0,OD2.8,BST	
2	EY455	AA60-40011A	K EYELET;ID2.0,OD2.8,BST	
2	EY456	AA60-40011A	K EYELET;ID2.0,OD2.8,BST	
2	EY457	AA60-40011A	K EYELET;ID2.0,OD2.8,BST	
2	EY458	AA60-40011A	K EYELET;ID2.0,OD2.8,BST	
2	EY601	AA60-40011A	K EYELET;ID2.0,OD2.8,BST	
2	EY602	AA60-40011A	K EYELET;ID2.0,OD2.8,BST	
2	EY603	AA60-40011A	K EYELET;ID2.0,OD2.8,BST	
2	EY604	AA60-40011A	K EYELET;ID2.0,OD2.8,BST	
2	EY701	AA60-40011A	K EYELET;ID2.0,OD2.8,BST	
2	EY702	AA60-40011A	K EYELET;ID2.0,OD2.8,BST	
2	EY703	AA60-40011A	K EYELET;ID2.0,OD2.8,BST	
2	EY704	AA60-40011A	K EYELET;ID2.0,OD2.8,BST	
2	EY801	AA60-40011A	K EYELET;ID2.0,OD2.8,BST	
2	EY802	AA60-40011A	K EYELET;ID2.0,OD2.8,BST	
2	EY803	AA60-40011A	K EYELET;ID2.0,OD2.8,BST	
2	EY804	AA60-40011A	K EYELET;ID2.0,OD2.8,BST	
2	EY805	AA60-40011A	K EYELET;ID2.0,OD2.8,BST	
2	EY806	AA60-40011A	K EYELET;ID2.0,OD2.8,BST	
2	EY807	AA60-40011A	K EYELET;ID2.0,OD2.8,BST	
2	EY808	AA60-40011A	K EYELET;ID2.0,OD2.8,BST	
2	EY809	AA60-40011A	K EYELET;ID2.0,OD2.8,BST	
2	EY810	AA60-40011A	K EYELET;ID2.0,OD2.8,BST	
2	EY811	AA60-40011A	K EYELET;ID2.0,OD2.8,BST	
2	EY812	AA60-40011A	K EYELET;ID2.0,OD2.8,BST	
2	EY813	AA60-40011A	K EYELET;ID2.0,OD2.8,BST	
2	EY814	AA60-40011A	K EYELET;ID2.0,OD2.8,BST	
2	EY815	AA60-40011A	K EYELET;ID2.0,OD2.8,BST	
2	EY816	AA60-40011A	K EYELET;ID2.0,OD2.8,BST	
2	EY817	AA60-40011A	K EYELET;ID2.0,OD2.8,BST	
2	EY818	AA60-40011A	K EYELET;ID2.0,OD2.8,BST	
2	EY819	AA60-40011A	K EYELET;ID2.0,OD2.8,BST	
2	EY820	AA60-40011A	K EYELET;ID2.0,OD2.8,BST	
2	EY822	AA60-40011A	K EYELET;ID2.0,OD2.8,BST	
2	EY823	AA60-40011A	K EYELET;ID2.0,OD2.8,BST	
2	EY824	AA60-40011A	K EYELET;ID2.0,OD2.8,BST	
2	EY825	AA60-40011A	K EYELET;ID2.0,OD2.8,BST	
2	EY826	AA60-40011A	K EYELET;ID2.0,OD2.8,BST	
2	EY827	AA60-40011A	K EYELET;ID2.0,OD2.8,BST	
2	EY828	AA60-40011A	K EYELET;ID2.0,OD2.8,BST	
2	EY829	AA60-40011A	K EYELET;ID2.0,OD2.8,BST	
2	EY830	AA60-40011A	K EYELET;ID2.0,OD2.8,BST	
2	EY831	AA60-40011A	K EYELET;ID2.0,OD2.8,BST	
2	EY832	AA60-40011A	K EYELET;ID2.0,OD2.8,BST	
2	EY833	AA60-40011A	K EYELET;ID2.0,OD2.8,BST	
2	EY834	AA60-40011A	K EYELET;ID2.0,OD2.8,BST	
2	EY835	AA60-40011A	K EYELET;ID2.0,OD2.8,BST	
2	EY836	AA60-40011A	K EYELET;ID2.0,OD2.8,BST	
2	EY837	AA60-40011A	K EYELET;ID2.0,OD2.8,BST	
2	EY838	AA60-40011A	K EYELET;ID2.0,OD2.8,BST	
2	EY839	AA60-40011A	K EYELET;ID2.0,OD2.8,BST	
2	EY840	AA60-40011A	K EYELET;ID2.0,OD2.8,BST	
2	EY841	AA60-40011A	K EYELET;ID2.0,OD2.8,BST	
2	EY842	AA60-40011A	K EYELET;ID2.0,OD2.8,BST	
2	EY844	AA60-40011A	K EYELET;ID2.0,OD2.8,BST	
2	EY845	AA60-40011A	K EYELET;ID2.0,OD2.8,BST	
2	EY846	AA60-40011A	K EYELET;ID2.0,OD2.8,BST	
2	EY847	AA60-40011A	K EYELET;ID2.0,OD2.8,BST	
2	EY848	AA60-40011A	K EYELET;ID2.0,OD2.8,BST	
2	EY849	AA60-40011A	K EYELET;ID2.0,OD2.8,BST	
2	EY850	AA60-40011A	K EYELET;ID2.0,OD2.8,BST	
2	EY851	AA60-40011A	K EYELET;ID2.0,OD2.8,BST	
2	EY852	AA60-40011A	K EYELET;ID2.0,OD2.8,BST	
2	EY853	AA60-40011A	K EYELET;ID2.0,OD2.8,BST	
2	EY854	AA60-40011A	K EYELET;ID2.0,OD2.8,BST	
2	EY855	AA60-40011A	K EYELET;ID2.0,OD2.8,BST	
2	EY856	AA60-40011A	K EYELET;ID2.0,OD2.8,BST	

Level	Loc. No.	Code No.	Description ; Specification	Remark
2	EY857	AA60-40011A	K EYELET;ID2.0,OD2.8,BST	
2	EY858	AA60-40011A	K EYELET;ID2.0,OD2.8,BST	
2	EY859	AA60-40011A	K EYELET;ID2.0,OD2.8,BST	
2	EY860	AA60-40011A	K EYELET;ID2.0,OD2.8,BST	
2	EY861	AA60-40011A	K EYELET;ID2.0,OD2.8,BST	
2	TOP1	AA60-40011A	K EYELET;ID2.0,OD2.8,BST	
2	TOP2	AA60-40011A	K EYELET;ID2.0,OD2.8,BST	
2	EL401	AA60-40011B	K EYELET;ID2.2,OD3.2,BSP	
2	EL402	AA60-40011B	K EYELET;ID2.2,OD3.2,BSP	
2	EL403	AA60-40011B	K EYELET;ID2.2,OD3.2,BSP	
2	EL404	AA60-40011B	K EYELET;ID2.2,OD3.2,BSP	
2	EL405	AA60-40011B	K EYELET;ID2.2,OD3.2,BSP	
2	EL406	AA60-40011B	K EYELET;ID2.2,OD3.2,BSP	
2	EL407	AA60-40011B	K EYELET;ID2.2,OD3.2,BSP	
2	EL408	AA60-40011B	K EYELET;ID2.2,OD3.2,BSP	
2	EL802	AA60-40011B	K EYELET;ID2.2,OD3.2,BSP	
2	EL803	AA60-40011B	K EYELET;ID2.2,OD3.2,BSP	
2	EL805	AA60-40011B	K EYELET;ID2.2,OD3.2,BSP	
2	EL806	AA60-40011B	K EYELET;ID2.2,OD3.2,BSP	
2	EL807	AA60-40011B	K EYELET;ID2.2,OD3.2,BSP	
2	EL808	AA60-40011B	K EYELET;ID2.2,OD3.2,BSP	
2	EL809	AA60-40011B	K EYELET;ID2.2,OD3.2,BSP	
2	EL810	AA60-40011B	K EYELET;ID2.2,OD3.2,BSP	
2	EL811	AA60-40011B	K EYELET;ID2.2,OD3.2,BSP	
2	R236	2001-000515	R-CARBON;220OHM,5%,1/8W,AA,TP,1.8X3.2MM	
2	R237	2001-000515	R-CARBON;220OHM,5%,1/8W,AA,TP,1.8X3.2MM	
2	R238	2001-000515	R-CARBON;220OHM,5%,1/8W,AA,TP,1.8X3.2MM	
2	R935	2001-000290	R-CARBON;10KOHM,5%,1/8W,AA,TP,1.8X3.2MM	
2	R202	2001-000290	R-CARBON;10KOHM,5%,1/8W,AA,TP,1.8X3.2MM	
2	R205	2001-000290	R-CARBON;10KOHM,5%,1/8W,AA,TP,1.8X3.2MM	
2	R243	2001-000290	R-CARBON;10KOHM,5%,1/8W,AA,TP,1.8X3.2MM	
2	R245	2001-000290	R-CARBON;10KOHM,5%,1/8W,AA,TP,1.8X3.2MM	
2	R246	2001-000290	R-CARBON;10KOHM,5%,1/8W,AA,TP,1.8X3.2MM	
2	R310	2001-000290	R-CARBON;10KOHM,5%,1/8W,AA,TP,1.8X3.2MM	
2	R716	2001-000290	R-CARBON;10KOHM,5%,1/8W,AA,TP,1.8X3.2MM	
2	R715	2001-000290	R-CARBON;10KOHM,5%,1/8W,AA,TP,1.8X3.2MM	
2	R606	2001-000290	R-CARBON;10KOHM,5%,1/8W,AA,TP,1.8X3.2MM	
2	R602	2001-000290	R-CARBON;10KOHM,5%,1/8W,AA,TP,1.8X3.2MM	
2	R601	2001-000290	R-CARBON;10KOHM,5%,1/8W,AA,TP,1.8X3.2MM	
2	R620	2001-000290	R-CARBON;10KOHM,5%,1/8W,AA,TP,1.8X3.2MM	
2	R629	2001-000290	R-CARBON;10KOHM,5%,1/8W,AA,TP,1.8X3.2MM	
2	R309	2001-000290	R-CARBON;10KOHM,5%,1/8W,AA,TP,1.8X3.2MM	
2	R206	2001-000290	R-CARBON;10KOHM,5%,1/8W,AA,TP,1.8X3.2MM	
2	R609	2001-000290	R-CARBON;10KOHM,5%,1/8W,AA,TP,1.8X3.2MM	
2	R912	2001-000290	R-CARBON;10KOHM,5%,1/8W,AA,TP,1.8X3.2MM	
2	R952	2001-000290	R-CARBON;10KOHM,5%,1/8W,AA,TP,1.8X3.2MM	
2	R940	2001-000281	R-CARBON;100OHM,5%,1/8W,AA,TP,1.8X3.2MM	
2	R941	2001-000281	R-CARBON;100OHM,5%,1/8W,AA,TP,1.8X3.2MM	
2	R942	2001-000281	R-CARBON;100OHM,5%,1/8W,AA,TP,1.8X3.2MM	
2	R947	2001-000281	R-CARBON;100OHM,5%,1/8W,AA,TP,1.8X3.2MM	
2	R948	2001-000281	R-CARBON;100OHM,5%,1/8W,AA,TP,1.8X3.2MM	
2	R102	2001-000281	R-CARBON;100OHM,5%,1/8W,AA,TP,1.8X3.2MM	
2	R103	2001-000281	R-CARBON;100OHM,5%,1/8W,AA,TP,1.8X3.2MM	
2	R203	2001-000281	R-CARBON;100OHM,5%,1/8W,AA,TP,1.8X3.2MM	
2	R204	2001-000281	R-CARBON;100OHM,5%,1/8W,AA,TP,1.8X3.2MM	
2	R604	2001-000281	R-CARBON;100OHM,5%,1/8W,AA,TP,1.8X3.2MM	
2	R605	2001-000281	R-CARBON;100OHM,5%,1/8W,AA,TP,1.8X3.2MM	
2	R610	2001-000281	R-CARBON;100OHM,5%,1/8W,AA,TP,1.8X3.2MM	
2	R611	2001-000281	R-CARBON;100OHM,5%,1/8W,AA,TP,1.8X3.2MM	
2	R612	2001-000281	R-CARBON;100OHM,5%,1/8W,AA,TP,1.8X3.2MM	
2	R613	2001-000281	R-CARBON;100OHM,5%,1/8W,AA,TP,1.8X3.2MM	
2	R628	2001-000281	R-CARBON;100OHM,5%,1/8W,AA,TP,1.8X3.2MM	
2	R627	2001-000281	R-CARBON;100OHM,5%,1/8W,AA,TP,1.8X3.2MM	
2	R706	2001-000281	R-CARBON;100OHM,5%,1/8W,AA,TP,1.8X3.2MM	
2	R707	2001-000281	R-CARBON;100OHM,5%,1/8W,AA,TP,1.8X3.2MM	
2	R708	2001-000281	R-CARBON;100OHM,5%,1/8W,AA,TP,1.8X3.2MM	
2	R723	2001-000281	R-CARBON;100OHM,5%,1/8W,AA,TP,1.8X3.2MM	
2	R909	2001-000281	R-CARBON;100OHM,5%,1/8W,AA,TP,1.8X3.2MM	
2	R907	2001-000281	R-CARBON;100OHM,5%,1/8W,AA,TP,1.8X3.2MM	
2	J920	2001-000281	R-CARBON;100OHM,5%,1/8W,AA,TP,1.8X3.2MM	
2	J904	2001-000281	R-CARBON;100OHM,5%,1/8W,AA,TP,1.8X3.2MM	
2	R925	2001-000281	R-CARBON;100OHM,5%,1/8W,AA,TP,1.8X3.2MM	
2	R955	2001-000281	R-CARBON;100OHM,5%,1/8W,AA,TP,1.8X3.2MM	
⚠ 2	RR430S	2001-001088	R-CARBON(S);1KOHM,5%,1/2W,AA,TP,2.4X6.4M	
2	R418	2001-001088	R-CARBON(S);1KOHM,5%,1/2W,AA,TP,2.4X6.4M	
⚠ 2	RY801S	2002-001011	R-COMPOSITION;3.3Mohm,5%,1/2W,AA,TP,3.7x	
⚠ 2	RY802S	2002-001013	R-COMPOSITION;4.7Mohm,5%,1/2W,AA,TP,3.7x	
⚠ 2	VP801S	1405-000187	VARISTOR;750V,1250A,12.5x7mm,TP	
⚠ 2	VX801S	1405-000187	VARISTOR;750V,1250A,12.5x7mm,TP	
2	X901	2801-003728	CRYSTAL-UNIT;6MHz,30ppm,28-AAM,20pF,40oh	
2	L103	2701-000115	INDUCTOR-AXIAL;10uH,10%,3x7mm	
2		0203-001123	TAPE-PAPER;#53131,T0.15,W6.0,L200000,YEL	
2	C707	2401-000939	C-AL;22uF,20%,25V,GP,TP,5x11,5	
2	L202	2701-000114	INDUCTOR-AXIAL;10uH,10%,2.5x3.4mm	
2	L301	2701-000114	INDUCTOR-AXIAL;10uH,10%,2.5x3.4mm	
2	L406	2701-000114	INDUCTOR-AXIAL;10uH,10%,2.5x3.4mm	
2	L907	2701-000114	INDUCTOR-AXIAL;10uH,10%,2.5x3.4mm	
2	L711	2701-000114	INDUCTOR-AXIAL;10uH,10%,2.5x3.4mm	
2	L108	2701-000114	INDUCTOR-AXIAL;10uH,10%,2.5x3.4mm	
2	L109	2701-000114	INDUCTOR-AXIAL;10uH,10%,2.5x3.4mm	
2	L204	2701-000184	INDUCTOR-AXIAL;4.7uH,10%,2.5x3.4mm	
2	L222	2701-000184	INDUCTOR-AXIAL;4.7uH,10%,2.5x3.4mm	
2	L302	3301-000287	CORE-FERRITE BEAD;AA,3.5x1.0x6.0mm,1500,	
2	L802	3301-000287	CORE-FERRITE BEAD;AA,3.5x1.0x6.0mm,1500,	
2	L803	3301-000287	CORE-FERRITE BEAD;AA,3.5x1.0x6.0mm,1500,	
2	L804	3301-000287	CORE-FERRITE BEAD;AA,3.5x1.0x6.0mm,1500,	
2	L809	3301-000287	CORE-FERRITE BEAD;AA,3.5x1.0x6.0mm,1500,	
2	J901	3301-000287	CORE-FERRITE BEAD;AA,3.5x1.0x6.0mm,1500,	
2	L303	3301-000287	CORE-FERRITE BEAD;AA,3.5x1.0x6.0mm,1500,	
2	L207	3301-000287	CORE-FERRITE BEAD;AA,3.5x1.0x6.0mm,1500,	
2	L412	3301-000287	CORE-FERRITE BEAD;AA,3.5x1.0x6.0mm,1500,	
2	J406	3301-000287	CORE-FERRITE BEAD;AA,3.5x1.0x6.0mm,1500,	
2	L407	2901-000297	FILTER-EMI ON BOARD;-,3A,-,-,3.5x5,TP,-	
2	L807	2901-000297	FILTER-EMI ON BOARD;-,3A,-,-,3.5x5,TP,-	
2	L601	2901-000297	FILTER-EMI ON BOARD;-,3A,-,-,3.5x5,TP,-	
2	L609	2901-000297	FILTER-EMI ON BOARD;-,3A,-,-,3.5x5,TP,-	
2	L201	2901-000297	FILTER-EMI ON BOARD;-,3A,-,-,3.5x5,TP,-	
2	L501	2901-000297	FILTER-EMI ON BOARD;-,3A,-,-,3.5x5,TP,-	
2	L502	2901-000297	FILTER-EMI ON BOARD;-,3A,-,-,3.5x5,TP,-	
2	L604	2701-000169	INDUCTOR-AXIAL;3.9uH,10%,2.5x3.4mm	
2	L905	2701-000211	INDUCTOR-AXIAL;68uH,10%,2.5x3.4mm	
2	Q201	0501-000389	TR-SMALL SIGNAL;KSC815,NPN,400mW,TO-92,T	
2	Q202	0501-000389	TR-SMALL SIGNAL;KSC815,NPN,400mW,TO-92,T	
2	Q203	0501-000389	TR-SMALL SIGNAL;KSC815,NPN,400mW,TO-92,T	
2	Q901	0501-000389	TR-SMALL SIGNAL;KSC815,NPN,400mW,TO-92,T	
2	Q906	0501-000389	TR-SMALL SIGNAL;KSC815,NPN,400mW,TO-92,T	
2	Q908	0501-000389	TR-SMALL SIGNAL;KSC815,NPN,400mW,TO-92,T	
2	Q701	0501-000389	TR-SMALL SIGNAL;KSC815,NPN,400mW,TO-92,T	
2	Q204	0501-000389	TR-SMALL SIGNAL;KSC815,NPN,400mW,TO-92,T	
2	Q601	0501-000389	TR-SMALL SIGNAL;KSC815,NPN,400mW,TO-92,T	
2	Q907	0501-000389	TR-SMALL SIGNAL;KSC815,NPN,400mW,TO-92,T	
2	R244	2001-000786	R-CARBON;47KOHM,5%,1/8W,AA,TP,1.8X3.2MM	
2	R954	2001-000786	R-CARBON;47KOHM,5%,1/8W,AA,TP,1.8X3.2MM	
2	R208	2001-000405	R-CARBON;180OHM,5%,1/8W,AA,TP,1.8X3.2MM	
2	R209	2001-000405	R-CARBON;180OHM,5%,1/8W,AA,TP,1.8X3.2MM	
2	R509	2001-000405	R-CARBON;180OHM,5%,1/8W,AA,TP,1.8X3.2MM	
2	R511	2001-000405	R-CARBON;180OHM,5%,1/8W,AA,TP,1.8X3.2MM	
2	R517	2001-000405	R-CARBON;180OHM,5%,1/8W,AA,TP,1.8X3.2MM	
2	R215	2001-000522	R-CARBON;22KOHM,5%,1/8W,AA,TP,1.8X3.2MM	
2	R823	2001-000522	R-CARBON;22KOHM,5%,1/8W,AA,TP,1.8X3.2MM	
2	R910	2001-000522	R-CARBON;22KOHM,5%,1/8W,AA,TP,1.8X3.2MM	
2	R216	2001-000429	R-CARBON;1KOHM,5%,1/8W,AA,TP,1.8X3.2MM	
2	R234	2001-000429	R-CARBON;1KOHM,5%,1/8W,AA,TP,1.8X3.2MM	
2	R235	2001-000429	R-CARBON;1KOHM,5%,1/8W,AA,TP,1.8X3.2MM	
2	R603	2001-000429	R-CARBON;1KOHM,5%,1/8W,AA,TP,1.8X3.2MM	
2	R817	2001-000429	R-CARBON;1KOHM,5%,1/8W,AA,TP,1.8X3.2MM	
2	R924	2001-000429	R-CARBON;1KOHM,5%,1/8W,AA,TP,1.8X3.2MM	
2	R914	2001-000429	R-CARBON;1KOHM,5%,1/8W,AA,TP,1.8X3.2MM	
2	R252	2001-000429	R-CARBON;1KOHM,5%,1/8W,AA,TP,1.8X3.2MM	
2	R726	2001-000429	R-CARBON;1KOHM,5%,1/8W,AA,TP,1.8X3.2MM	
2	D505	2001-000429	R-CARBON;1KOHM,5%,1/8W,AA,TP,1.8X3.2MM	
2	D506	2001-000429	R-CARBON;1KOHM,5%,1/8W,AA,TP,1.8X3.2MM	
2	D507	2001-000429	R-CARBON;1KOHM,5%,1/8W,AA,TP,1.8X3.2MM	
2	R902	2001-000429	R-CARBON;1KOHM,5%,1/8W,AA,TP,1.8X3.2MM	
2	R816	2001-000429	R-CARBON;1KOHM,5%,1/8W,AA,TP,1.8X3.2MM	
2	R228	2001-000117	R-CARBON(S);68OHM,5%,1/2W,AA,TP,2.4X6.4M	
2	R301	2004-001397	R-METAL(S);4.7Kohm,1%,1/2W,AA,TP,2.4x6.4	
2	R423	2004-001397	R-METAL(S);4.7Kohm,1%,1/2W,AA,TP,2.4x6.4	
2	R303	2001-000016	R-CARBON(S);1OHM,5%,1/2W,AA,TP,2.4X6.4MM	
2	R828	2008-000266	R-FUSIBLE(S);1ohm,5%,2W,AF,TP,3.9x10mm	
2	R522	2008-000266	R-FUSIBLE(S);1ohm,5%,2W,AF,TP,3.9x10mm	
2	R314	2004-001986	R-METAL(S);35.7Kohm,1%,1/2W,AA,TP,2.4x6.	
2	R411	2001-000028	R-CARBON(S);100OHM,5%,1/2W,AA,TP,2.4X6.4	
2	R527	2001-000028	R-CARBON(S);100OHM,5%,1/2W,AA,TP,2.4X6.4	

Level	Loc. No.	Code No.	Description ; Specification	Remark
2	R412	2001-000020	R-CARBON(S);220HM,5%,1/2W,AA,TP,2.4X6.4M	
2	R421	2001-001093	R-CARBON(S);2.2KOHM,5%,1/2W,AA,TP,2.4X6.	
2	R913	2001-000947	R-CARBON;7.5KOHM,5%,1/8W,AA,TP,1.8X3.2M	
2	R426	2003-000540	R-METAL OXIDE(S);1Kohm,5%,2W,AF,TP,4x12m	
2	R434	2003-000664	R-METAL OXIDE(S);33ohm,5%,2W,AF,TP,4x12m	
2	R614	2001-000780	R-CARBON;470OHM,5%,1/8W,AA,TP,1.8X3.2MM	
2	R615	2001-000780	R-CARBON;470OHM,5%,1/8W,AA,TP,1.8X3.2MM	
2	R616	2001-000780	R-CARBON;470OHM,5%,1/8W,AA,TP,1.8X3.2MM	
2	R617	2001-000780	R-CARBON;470OHM,5%,1/8W,AA,TP,1.8X3.2MM	
2	R920	2001-000780	R-CARBON;470OHM,5%,1/8W,AA,TP,1.8X3.2MM	
2	R226	2001-000780	R-CARBON;470OHM,5%,1/8W,AA,TP,1.8X3.2MM	
2	R224	2001-000780	R-CARBON;470OHM,5%,1/8W,AA,TP,1.8X3.2MM	
2	R225	2001-000780	R-CARBON;470OHM,5%,1/8W,AA,TP,1.8X3.2MM	
2	R931	2001-000780	R-CARBON;470OHM,5%,1/8W,AA,TP,1.8X3.2MM	
2	R812	2001-000780	R-CARBON;470OHM,5%,1/8W,AA,TP,1.8X3.2MM	
2	R831	2001-000780	R-CARBON;470OHM,5%,1/8W,AA,TP,1.8X3.2MM	
2	R956	2001-000780	R-CARBON;470OHM,5%,1/8W,AA,TP,1.8X3.2MM	
2	R919	2001-000780	R-CARBON;470OHM,5%,1/8W,AA,TP,1.8X3.2MM	
2	R214	2001-000411	R-CARBON;18KOHM,5%,1/8W,AA,TP,1.8X3.2MM	
2	R918	2001-000411	R-CARBON;18KOHM,5%,1/8W,AA,TP,1.8X3.2MM	
2	R701	2001-000969	R-CARBON;750HM,5%,1/8W,AA,TP,1.8X3.2MM	
2	R702	2001-000969	R-CARBON;750HM,5%,1/8W,AA,TP,1.8X3.2MM	
2	R703	2001-000969	R-CARBON;750HM,5%,1/8W,AA,TP,1.8X3.2MM	
2	R704	2001-000969	R-CARBON;750HM,5%,1/8W,AA,TP,1.8X3.2MM	
2	R719	2001-000969	R-CARBON;750HM,5%,1/8W,AA,TP,1.8X3.2MM	
2	R705	2001-000969	R-CARBON;750HM,5%,1/8W,AA,TP,1.8X3.2MM	
2	R242	2001-000969	R-CARBON;750HM,5%,1/8W,AA,TP,1.8X3.2MM	
2	R802	2003-001025	R-METAL OXIDE(S);15Kohm,5%,2W,AF,TP,3.9x	
2	R803	2003-001025	R-METAL OXIDE(S);15Kohm,5%,2W,AF,TP,3.9x	
2	R804	2003-001025	R-METAL OXIDE(S);15Kohm,5%,2W,AF,TP,3.9x	
2	R805	2001-001150	R-CARBON(S);470KOHM,5%,1/2W,AA,TP,2.4X6.	
2	R806	2001-001150	R-CARBON(S);470KOHM,5%,1/2W,AA,TP,2.4X6.	
2	R813	2001-001153	R-CARBON(S);470HM,5%,1/2W,AA,TP,2.4X6.4M	
2	R810	2001-001178	R-CARBON(S);680OHM,5%,1/2W,AA,TP,2.4X6.4	
2	R819	2004-001983	R-METAL(S);2.49Kohm,1%,1/2W,AA,TP,2.4x6.	
2	R820	2001-001096	R-CARBON(S);2.2OHM,5%,1/2W,AA,TP,2.4X6.4	
2	R822	2001-000273	R-CARBON;100KOHM,5%,1/8W,AA,TP,1.8X3.2M	
2	R824	2001-000273	R-CARBON;100KOHM,5%,1/8W,AA,TP,1.8X3.2M	
2	R825	2001-000066	R-CARBON(S);10KOHM,5%,1/2W,AA,TP,2.4X6.4	
2	R901	2001-000734	R-CARBON;4.7KOHM,5%,1/8W,AA,TP,1.8X3.2M	
2	R903	2001-000734	R-CARBON;4.7KOHM,5%,1/8W,AA,TP,1.8X3.2M	
2	R904	2001-000734	R-CARBON;4.7KOHM,5%,1/8W,AA,TP,1.8X3.2M	
2	R905	2001-000734	R-CARBON;4.7KOHM,5%,1/8W,AA,TP,1.8X3.2M	
2	R906	2001-000734	R-CARBON;4.7KOHM,5%,1/8W,AA,TP,1.8X3.2M	
2	R908	2001-000734	R-CARBON;4.7KOHM,5%,1/8W,AA,TP,1.8X3.2M	
2	R921	2001-000734	R-CARBON;4.7KOHM,5%,1/8W,AA,TP,1.8X3.2M	
2	R927	2001-000734	R-CARBON;4.7KOHM,5%,1/8W,AA,TP,1.8X3.2M	
2	R928	2001-000734	R-CARBON;4.7KOHM,5%,1/8W,AA,TP,1.8X3.2M	
2	R937	2001-000734	R-CARBON;4.7KOHM,5%,1/8W,AA,TP,1.8X3.2M	
2	R724	2001-000734	R-CARBON;4.7KOHM,5%,1/8W,AA,TP,1.8X3.2M	
2	R725	2001-000734	R-CARBON;4.7KOHM,5%,1/8W,AA,TP,1.8X3.2M	
2	R251	2001-000734	R-CARBON;4.7KOHM,5%,1/8W,AA,TP,1.8X3.2M	
2	R223	2001-000003	R-CARBON;330ohm,5%,1/8W,AA,TP,1.8x3.2mm	
2	R248	2001-000003	R-CARBON;330ohm,5%,1/8W,AA,TP,1.8x3.2mm	
2	R249	2001-000003	R-CARBON;330ohm,5%,1/8W,AA,TP,1.8x3.2mm	
2	R250	2001-000003	R-CARBON;330ohm,5%,1/8W,AA,TP,1.8x3.2mm	
2	R207	2001-000003	R-CARBON;330ohm,5%,1/8W,AA,TP,1.8x3.2mm	
2	R501	2001-000003	R-CARBON;330ohm,5%,1/8W,AA,TP,1.8x3.2mm	
2	R502	2001-000003	R-CARBON;330ohm,5%,1/8W,AA,TP,1.8x3.2mm	
2	R503	2001-000003	R-CARBON;330ohm,5%,1/8W,AA,TP,1.8x3.2mm	
2	R911	2001-000003	R-CARBON;330ohm,5%,1/8W,AA,TP,1.8x3.2mm	
2	R922	2001-000924	R-CARBON;680OHM,5%,1/8W,AA,TP,1.8X3.2MM	
2	R923	2001-000924	R-CARBON;680OHM,5%,1/8W,AA,TP,1.8X3.2MM	
2	C411	2301-000104	C-FILM,PEF;1.2NF,5%,50V,TP,6.5X3.0X5.5MM	
2	C412	2301-000313	C-FILM,PEF;8.2nF,5%,100V,TP,7x3.2x7mm,5m	
2	C427	2401-002267	C-AL;2.2uF,20%,250V,GP,TP,8x11.5,5	
2	C507	2401-002267	C-AL;2.2uF,20%,250V,GP,TP,8x11.5,5	
2	C833	2401-002619	C-AL;47uF,20%,25V,GP,TP,5x11,5	
2	C229	2401-002619	C-AL;47uF,20%,25V,GP,TP,5x11,5	
2	CN602	3711-002644	CONNECTOR-HEADER;BOX,5P,1R,2.5mm,STRAIGH	
2	CW901	2503-000156	C-NETWORK;100pFx4,20%,50V	
2	D203	0404-000156	DIODE-SCHOTTKY;RB441Q,10V,100mA,DO-34,TP	
2	D204	0404-000156	DIODE-SCHOTTKY;RB441Q,10V,100mA,DO-34,TP	
2	D205	0404-000156	DIODE-SCHOTTKY;RB441Q,10V,100mA,DO-34,TP	
2	D206	0404-000156	DIODE-SCHOTTKY;RB441Q,10V,100mA,DO-34,TP	
2	D901	0404-000156	DIODE-SCHOTTKY;RB441Q,10V,100mA,DO-34,TP	
2	D902	0404-000156	DIODE-SCHOTTKY;RB441Q,10V,100mA,DO-34,TP	
2	D903	0404-000156	DIODE-SCHOTTKY;RB441Q,10V,100mA,DO-34,TP	
2	D904	0404-000156	DIODE-SCHOTTKY;RB441Q,10V,100mA,DO-34,TP	
2	DZ803	0403-001167	DIODE-ZENER;MTZJ30D,30V,29.02-30.51V,500	
⚠ 2	FA802S	3601-001086	FUSE-AXIAL LEAD;125V,5A,FAST-ACTING,GLAS	
2	HIC202	AA13-00093A	IC HYBRID;-,DRGB001A,SIP,5P,-,TP	
2	HIC203	AA13-00093A	IC HYBRID;-,DRGB001A,SIP,5P,-,TP	
2	HIC204	AA13-00093A	IC HYBRID;-,DRGB001A,SIP,5P,-,TP	
2	R302	2004-001984	R-METAL(S);26.7Kohm,1%,1/2W,AA,TP,2.4x6.	
2	R409	2003-002009	R-METAL OXIDE(S);390ohm,5%,2W,AF,TP,3.9x	
2	R410	2003-002009	R-METAL OXIDE(S);390ohm,5%,2W,AF,TP,3.9x	
2	R413	2008-001018	R-FUSIBLE(S);0.47ohm,10%,2W,AF,TP,3.9x10	
2	R424	2008-001018	R-FUSIBLE(S);0.47ohm,10%,2W,AF,TP,3.9x10	
2	R425	2008-001018	R-FUSIBLE(S);0.47ohm,10%,2W,AF,TP,3.9x10	
2	R827	2008-000284	R-FUSIBLE(S);0.10HM,10%,2W,AF,TP,3.9X10M	
2	R829	2008-001029	R-FUSIBLE(S);5.6ohm,5%,2W,AF,TP,3.9x10mm	
2	R835	2003-002181	R-METAL OXIDE(S);68Kohm,5%,2W,AG,TP,3.9x	
2	R836	2003-002181	R-METAL OXIDE(S);68Kohm,5%,2W,AG,TP,3.9x	
2	R433	2003-001042	R-METAL OXIDE(S);5.6Kohm,5%,2W,AF,TP,3.9	
2	R717	2001-000702	R-CARBON;39KOHM,5%,1/8W,AA,TP,1.8X3.2MM	
2	R718	2001-000702	R-CARBON;39KOHM,5%,1/8W,AA,TP,1.8X3.2MM	
2	R105	2001-000702	R-CARBON;39KOHM,5%,1/8W,AA,TP,1.8X3.2MM	
2	X201	2801-003432	CRYSTAL-UNIT;20.25MHZ,30PPM,28-AAM,13PF,	
2	X601	2801-003903	CRYSTAL-UNIT;18.432MHz,25ppm,28-AAM,12pF	
2	IC904	1203-001943	IC-VOL. DETECTOR;7025,TO-92,3P,-,PLASTIC	
2	PCB	AA41-00168H	PCB-MAIN;CS29A6,FR-1,1L,H,1.6T,330X245,K	
2	Q909	0505-000109	FET-SILICON;2N7000,N,60V,200mA,5ohm,400m	
2	Q910	0505-000109	FET-SILICON;2N7000,N,60V,200mA,5ohm,400m	
2	R403	2003-001091	R-METAL OXIDE(S);10ohm,5%,2W,AF,TP,4x12m	
2	L705	2701-000180	INDUCTOR-AXIAL;33uH,5%,2.5x3.4mm	
2	L706	2701-000180	INDUCTOR-AXIAL;33uH,5%,2.5x3.4mm	
2	L605	2701-000180	INDUCTOR-AXIAL;33uH,5%,2.5x3.4mm	
2	L606	2701-000180	INDUCTOR-AXIAL;33uH,5%,2.5x3.4mm	
2	L607	2701-000180	INDUCTOR-AXIAL;33uH,5%,2.5x3.4mm	
2	L608	2701-000180	INDUCTOR-AXIAL;33uH,5%,2.5x3.4mm	
2	L701	2701-000180	INDUCTOR-AXIAL;33uH,5%,2.5x3.4mm	
2	L702	2701-000180	INDUCTOR-AXIAL;33uH,5%,2.5x3.4mm	
2	R106	2001-000864	R-CARBON;56KOHM,5%,1/8W,AA,TP,1.8X3.2MM	
2	R313	2004-001137	R-METAL;6.8Kohm,1%,1/8W,AA,TP,1.8x3.2m	
2	R710	2001-000938	R-CARBON;68OHM,5%,1/8W,AA,TP,1.8X3.2MM	
2	R709	2001-000938	R-CARBON;68OHM,5%,1/8W,AA,TP,1.8X3.2MM	
2	R241	2001-000938	R-CARBON;68OHM,5%,1/8W,AA,TP,1.8X3.2MM	
2	R315	2004-004970	R-METAL(S);62Kohm,1%,1/8W,AA,TP,1.8x3.2m	
2	R811	2004-001408	R-METAL(S);91Kohm,1%,1/2W,AA,TP,2.4x6.4m	
2	R809	2001-000022	R-CARBON(S);33OHM,5%,1/2W,AA,TP,2.4X6.4M	
2	R432	2004-001402	R-METAL(S);6.8Kohm,1%,1/2W,AA,TP,2.4x6.4	
2	L901	2702-001094	INDUCTOR-RADIAL;10uH,10%,6x4mm	
2	L903	2702-001094	INDUCTOR-RADIAL;10uH,10%,6x4mm	
2	L904	2702-001094	INDUCTOR-RADIAL;10uH,10%,6x4mm	
2	L909	2701-000191	INDUCTOR-AXIAL;47uH,10%,2.5x3.4mm	
2	L908	2701-000191	INDUCTOR-AXIAL;47uH,10%,2.5x3.4mm	
2	R818	2001-001113	R-CARBON(S);270KOHM,5%,1/2W,AA,TP,2.4X6.	
2	CN702	3711-002647	CONNECTOR-HEADER;BOX,8P,1R,2.5mm,STRAIGH	
2	C656	2201-000304	C-CERAMIC,DISC;0.001NF,0.25PF,50V,C0G,TP	
2	C657	2201-000304	C-CERAMIC,DISC;0.001NF,0.25PF,50V,C0G,TP	
2	C306	2301-000342	C-FILM,PEF;2.2nF,5%,50V,TP,7.4x3.9x13mm,	
2	R422	2001-000037	R-CARBON(S);330OHM,5%,1/2W,AA,TP,2.4X6.4	
2	C621	2401-002458	C-AL;1000uF,20%,35V,GP,TP,16x25,7.5	
2	C824	2401-003046	C-AL;47uF,20%,50V,WT,TP,6.3x11,2.5	
2	C823	2401-003046	C-AL;47uF,20%,50V,WT,TP,6.3x11,2.5	
2	C808	2401-003046	C-AL;47uF,20%,50V,WT,TP,6.3x11,2.5	
2	C115	2202-000121	C-CERAMIC,MLC-AXIAL;100pF,10%,50V,Y5P,TP	
2	C116	2202-000121	C-CERAMIC,MLC-AXIAL;100pF,10%,50V,Y5P,TP	
2	C244	2202-000121	C-CERAMIC,MLC-AXIAL;100pF,10%,50V,Y5P,TP	
2	C245	2202-000121	C-CERAMIC,MLC-AXIAL;100pF,10%,50V,Y5P,TP	
2	L209	2701-000168	INDUCTOR-AXIAL;3.3uH,5%,2.5x3.4mm	
2	L210	2701-000168	INDUCTOR-AXIAL;3.3uH,5%,2.5x3.4mm	
2	L801	3301-001223	CORE-FERRITE BEAD;AA,62ohm,3.5x0.8x5mm,-	
2	L806	3301-001223	CORE-FERRITE BEAD;AA,62ohm,3.5x0.8x5mm,-	
2	R945	2001-000449	R-CARBON;2.2KOHM,5%,1/8W,AA,TP,1.8X3.2M	
2	R946	2001-000449	R-CARBON;2.2KOHM,5%,1/8W,AA,TP,1.8X3.2M	
2	C104	2401-002463	C-AL;470uF,20%,16V,GP,TP,8x11.5,5	
2	C512	2401-002463	C-AL;470uF,20%,16V,GP,TP,8x11.5,5	
⚠ 2	RX801S	2002-001010	R-COMPOSITION;1.8Mohm,5%,1/2W,AA,TP,3.7x	
2	R210	2001-000812	R-CARBON;5.6KOHM,5%,1/8W,AA,TP,1.8X3.2M	
2	R917	2001-000812	R-CARBON;5.6KOHM,5%,1/8W,AA,TP,1.8X3.2M	

Level	Loc. No.	Code No.	Description ; Specification	Remark
2	F801A	3602-000114	FUSE-HOLDER;-,-,30mohm	
2	F801B	3602-000114	FUSE-HOLDER;-,-,30mohm	
2	C835	2401-002289	C-AL;470uF,20%,35V,WT,TP,10x20,5	
2	C840	2401-002212	C-AL;10uF,20%,25V,WT,TP,5x11,5	
2	C827	2401-002212	C-AL;10uF,20%,25V,WT,TP,5x11,5	
2	C301	2401-000611	C-AL;1uF,20%,50V,WT,TP,5x11,5	
2	C106	2401-000611	C-AL;1uF,20%,50V,WT,TP,5x11,5	
2	DZ602	0403-000720	DIODE-ZENER;MTZJ9.1B,9.1V,8.57-9.01V,500	
2	R808	2001-001079	R-CARBON(S);15OHM,5%,1/2W,AA,TP,2.4X6.4M	
2	C248	2202-000210	C-CERAMIC,MLC-AXIAL;270pF,10%,50V,Y5P,TP	
2	C246	2202-000210	C-CERAMIC,MLC-AXIAL;270pF,10%,50V,Y5P,TP	
2	R405	2008-000254	R-FUSIBLE(S);0.68ohm,5%,2W,AF,TP,3.9x10m	
2	R304	2008-000254	R-FUSIBLE(S);0.68ohm,5%,2W,AF,TP,3.9x10m	
2	C102	2401-001513	C-AL;47uF,20%,16V,WT,TP,5x11,5	
2	L208	2701-000147	INDUCTOR-AXIAL;2.2uH,5%,2.4x3.4mm	
2	C247	2202-000849	C-CERAMIC,MLC-AXIAL;18pF,5%,50V,CH,TP,3.	
2		HA68-02176A	LABEL;LABEL	
2	L102	2701-000159	INDUCTOR-AXIAL;22uH,10%,4.2x9.8mm	
2	C654	2201-000611	C-CERAMIC,DISC;0.056NF,5%,50V,C0G,TP,7X3	
2	C409	2301-001268	C-FILM,PPF;33nF,5%,630V,TP,20x11x17,7.5	
2	R305	2003-002205	R-METAL OXIDE(S);330ohm,5%,2W,AG,TP,3.9X	
2	R414	2008-000253	R-FUSIBLE(S);0.47ohm,5%,1W,AF,TP,3.9x10m	
2	R417	2004-001382	R-METAL(S);13Kohm,1%,1/2W,AA,TP,2.4x6.4m	
2	R420	2004-001406	R-METAL(S);8.2Kohm,1%,1/2W,AA,TP,2.4x6.4	
2	R428	2001-001095	R-CARBON(S);2.2MOHM,5%,1/2W,AA,TP,2.4X6.	
2	R429	2001-001103	R-CARBON(S);20KOHM,5%,1/2W,AA,TP,2.4X6.4	
2	R436	2003-002008	R-METAL OXIDE(S);18Kohm,5%,2W,AF,TP,3.9x	
2	R607	2001-000007	R-CARBON;3KOHM,5%,1/8W,AA,TP,1.8X3.2MM	
2	R608	2001-000007	R-CARBON;3KOHM,5%,1/8W,AA,TP,1.8X3.2MM	
2	R821	2004-004364	R-METAL(S);152Kohm,1%,1/2W,AA,TP,2.4x6.4	
⚠ 2	FP801S	3601-000297	FUSE-CARTRIDGE;250V,5A,TIME-LAG,GLASS,5.	
2	C508	2305-000704	C-FILM,MPEF;100nF,5%,250V,TP,16.5x10.3x5	
2	C511	2305-000704	C-FILM,MPEF;100nF,5%,250V,TP,16.5x10.3x5	
2	C510	2401-001232	C-AL;4.7uF,20%,250V,GP,TP,10x12.5,5	
2	R213	2001-000232	R-CARBON;1.3KOHM,5%,1/8W,AA,TP,1.8X3.2M	
2	R915	2001-000232	R-CARBON;1.3KOHM,5%,1/8W,AA,TP,1.8X3.2M	
2	R507	2001-001194	R-CARBON(S);82KOHM,5%,1/2W,AA,TP,2.4X6.4	
2	R510	2001-001194	R-CARBON(S);82KOHM,5%,1/2W,AA,TP,2.4X6.4	
2	R513	2001-001194	R-CARBON(S);82KOHM,5%,1/2W,AA,TP,2.4X6.4	
2	R512	2002-001017	R-COMPOSITION;1Kohm,10%,1/2W,AA,TP,3.7x9	
2	R515	2002-001017	R-COMPOSITION;1Kohm,10%,1/2W,AA,TP,3.7x9	
2	R518	2002-001017	R-COMPOSITION;1Kohm,10%,1/2W,AA,TP,3.7x9	
2	R524	2001-001062	R-CARBON(S);10MOHM,5%,1/2W,AA,TP,2.4X6.4	
2	R521	2002-001009	R-COMPOSITION;2.7Kohm,10%,1/2W,AA,TP,3.7	
2	R519	2008-000299	R-FUSIBLE(S);47ohm,5%,2W,AF,TP,3.9x10mm	
2	DZ509	0403-001211	DIODE-ZENER;MTZJ12B,11.44-12.03V,500MW,D	
2	C410	2301-000213	C-FILM,PEF;220nF,5%,250V,TP,21.5x11,7.5	
2	R404	2001-001040	R-CARBON(S);0.68OHM,5%,1/2W,AA,TP,2.4X6.	
2	R212	2004-000218	R-METAL;10Kohm,1%,1/8W,AA,TP,1.8x3.2mm	
⚠ 2	FA803S	3601-001228	FUSE-AXIAL LEAD;125V,10A,FAST-ACTING,EPO	
2	DZ806	0403-001316	DIODE-ZENER;MTZJ3.0A,2.85-3.07V,500mW,DO	
2	R401	2003-000586	R-METAL OXIDE(S);22Kohm,5%,2W,AF,TP,4x12	
2	R402	2003-000586	R-METAL OXIDE(S);22Kohm,5%,2W,AF,TP,4x12	
2	J914	2001-000674	R-CARBON;360OHM,5%,1/8W,AA,TP,1.8X3.2MM	
2	R504	2001-000890	R-CARBON;6.8KOHM,5%,1/8W,AA,TP,1.8X3.2M	
2	R505	2001-000890	R-CARBON;6.8KOHM,5%,1/8W,AA,TP,1.8X3.2M	
2	R506	2001-000890	R-CARBON;6.8KOHM,5%,1/8W,AA,TP,1.8X3.2M	
2	C509	2201-000723	C-CERAMIC,DISC;4.7nF,20%,3KV,Y5U,TP,16x5	
2	DZ501	0403-000355	DIODE-ZENER;UZ5.1BSB,4.97-5.18V,500MW,DO	
2	R516	2002-001012	R-COMPOSITION;8.2Mohm,5%,1/2W,AA,TP,3.7x	
2	C925	2202-000127	C-CERAMIC,MLC-AXIAL;10nF,+80-20%,25V,Y5V	
2	C420	2305-001003	C-FILM,MPEF;10nF,5%,250V,TP,13x4.5x9mm,7	
2	C419	2201-000376	C-CERAMIC,DISC;0.22NF,5%,50V,SL,TP,6.3X3	
2	C828	2201-000376	C-CERAMIC,DISC;0.22NF,5%,50V,SL,TP,6.3X3	
2	J919	2701-000183	INDUCTOR-AXIAL;39uH,5%,2.5x3.4mm	
2	C203	2401-000480	C-AL;10uF,20%,50V,GP,TP,5x11,5	
2	R944	2001-000613	R-CARBON;3.9KOHM,5%,1/8W,AA,TP,1.8X3.2M	
2	R916	2001-000613	R-CARBON;3.9KOHM,5%,1/8W,AA,TP,1.8X3.2M	
2	L910	2701-000215	INDUCTOR-AXIAL;8.2uH,10%,2.5x3.4mm	
2	C926	2202-000154	C-CERAMIC,MLC-AXIAL;150pF,10%,50V,Y5P,TP	
2	C904	2401-002144	C-AL;47uF,20%,16V,GP,TP,5x11,5	
2	SW901	3404-000244	SWITCH-TACT;15V,20mA,90-170gf,7.5x7mm,SP	
2	SW902	3404-000244	SWITCH-TACT;15V,20mA,90-170gf,7.5x7mm,SP	
2	SW903	3404-000244	SWITCH-TACT;15V,20mA,90-170gf,7.5x7mm,SP	
2	SW904	3404-000244	SWITCH-TACT;15V,20mA,90-170gf,7.5x7mm,SP	
2	SW905	3404-000244	SWITCH-TACT;15V,20mA,90-170gf,7.5x7mm,SP	
2	R415	2004-004083	R-METAL(S);3.6Kohm,2%,1/2W,AA,TP,2.5x6.5	

Level	Loc. No.	Code No.	Description ; Specification	Remark
⚠ 2	D408	0402-000493	DIODE-RECTIFIER;1R5GU41,400V,1.5A,DO-15L	
2	R621	2001-000577	R-CARBON;2KOHM,5%,1/8W,AA,TP,1.8X3.2MM	
2	R622	2001-000577	R-CARBON;2KOHM,5%,1/8W,AA,TP,1.8X3.2MM	
2	CN801	3711-004721	CONNECTOR-HEADER;3WALL,2P,1R,12.5mm,STRA	
2	CN802	3711-004720	CONNECTOR-HEADER;3WALL,2P,1R,12.5mm,STRA	
2	SW801	3403-001107	SWITCH-PUSH;250V,5A,DPST,-,KDC-A04	
2	RM901	AA32-00015A	MODULE REMOCON;FRP-3521H31,38KHZ,940MM,M	
2	LD901	AA96-00461A	ASSY LED GUIDE;-,-,SL-255D,RED/GRN	

ASSYPCB-PFC

1		HA94-05784B	ASSYPCB-PFC;25-28,4:3,5784A	
2	EYP05	AA60-40011A	K EYELET;ID2.0,OD2.8,BST	
2	EYP07	AA60-40011A	K EYELET;ID2.0,OD2.8,BST	
2	EYP09	AA60-40011A	K EYELET;ID2.0,OD2.8,BST	
2	EYP10	AA60-40011A	K EYELET;ID2.0,OD2.8,BST	
2	EYP11	AA60-40011A	K EYELET;ID2.0,OD2.8,BST	
2	EYP12	AA60-40011A	K EYELET;ID2.0,OD2.8,BST	
2	EYP13	AA60-40011A	K EYELET;ID2.0,OD2.8,BST	
2	EYP14	AA60-40011A	K EYELET;ID2.0,OD2.8,BST	
2	EYP15	AA60-40011A	K EYELET;ID2.0,OD2.8,BST	
2	EYP16	AA60-40011A	K EYELET;ID2.0,OD2.8,BST	
2	EYP17	AA60-40011A	K EYELET;ID2.0,OD2.8,BST	
2	EYP18	AA60-40011A	K EYELET;ID2.0,OD2.8,BST	
2	EYP01	AA60-40011A	K EYELET;ID2.0,OD2.8,BST	
2	EYP02	AA60-40011A	K EYELET;ID2.0,OD2.8,BST	
2	EYP03	AA60-40011A	K EYELET;ID2.0,OD2.8,BST	
2	EYP04	AA60-40011A	K EYELET;ID2.0,OD2.8,BST	
2	EYP06	AA60-40011A	K EYELET;ID2.0,OD2.8,BST	
2	EYP08	AA60-40011A	K EYELET;ID2.0,OD2.8,BST	
2	JP01	3812-000219	WIRE-NO SHEATH CU;TCWA,300V,52mm(TAPING)	
2	JP02	3812-000219	WIRE-NO SHEATH CU;TCWA,300V,52mm(TAPING)	
2	PCB	AA41-00403A	PCB-PFC;CS2939,CEM-1,1L,A,1.6T,245x245,K	
2	CNP02	AA39-00236A	LEAD CONNECTOR-ASSY;,3(2)P,YHL500-03A BL	
2	PFT01	AA27-00116A	COIL CHOKE;CODE_NO,-,35mH,-0, +5%,-,2.8O	
2		HA61-00995A	HOLDER-PFC;ALLMODELL,HIPS	
3		HA83-00006A	LP-RESIN HIPS;,BASF495F,NTR,HB	
3		HA83-00011A	LP-RESIN;,M BATCH,WILSON 6007-GY-60,GRY	
2		HA98-600020	ASSY-SUB,PART;KS4A,PFC PCB	
3		0202-000008	SOLDER-WIRE;S63S-W3.0,S63S,D3,63Sn/37Pb,	
3		0202-000187	SOLDER-WIRE FLUX;-,RS60S,D1.2,63Sn/37Pb	
3		0202-001046	FLUX;CF-110VH-2A,-,-,-,-	
3		0204-001095	THINNER;#4520,-,-,-	
2		6003-001023	SCREW-TAPTITE;RWH,+,B,M3,L10,ZPC(YEL),SW	
2	CNP02	3711-004721	CONNECTOR-HEADER;3WALL,2P,1R,12.5mm,STRA	
2	CNP01	3711-004720	CONNECTOR-HEADER;3WALL,2P,1R,12.5mm,STRA	
2	CNP01	AA39-00235A	LEAD CONNECTOR-ASSY;,3(2)P,YHL500-03A BL	
⚠ 2	LX803S	AA29-00015A	FILTER LINE NOISE;WS32W8,28-20MH 1.5A,+-	
⚠ 2	CX803S	2306-000318	C-FILM,MPPF;220nF,20%,250V,TP,-,22.5mm	

ASSY-CRT

1		HA94-500023	ASSY-CRT;A66EHJ13X38,+450MG,28,ITC,NORM	
2		AA39-20518A	LEAD CONNECTOR-ASSY;,6(4)P,YFH806-06,350	
⚠ 2		AA03-00276A	CRT COLOR;A66EHJ13X38,+450MG,1.5MH,12.0M	
2		AA27-20004K	COIL DEGAUSSING;-,29,19.0ohm,45T,3000mm,	
2		AA63-10002A	BAND-TIE;NYLON66 V2,L100,NTR	
2		AA98-70008D	ASSY TBC WIRE(P);-,28WIDE,PAL,2P,-	

ASSY SUB-PCB,A/V SIDE

1		AA95-01788P	ASSY SUB-PCB,A/V SIDE;CT-29H1D,KS2ANTSC,	
2		0202-000008	SOLDER-WIRE;S63S-W3.0,S63S,D3,63Sn/37Pb,	
2		0202-000187	SOLDER-WIRE FLUX;-,RS60S,D1.2,63Sn/37Pb	
2		0204-001095	THINNER;#4520,-,-,-	
2		0202-001046	FLUX;CF-110VH-2A,-,-,-,-	
2	JE01	3722-000143	JACK-PHONE;1P(VER),3.4PI,AG,BLK,NO	
2	JA01	3722-001031	JACK-PIN;3P,3.6mm,#18,AU	

Level	Loc. No.	Code No.	Description ; Specification	Remark
2	CN06A	AA39-00070A	LEAD CONNECTOR-ASSY;,4P,YBNH250-04,35184	
2	CN01A	AA39-20068E	LEAD CONNECTOR-ASSY;,8P,YBNH025-08,67096	
2	CN05A	AA39-20069C	LEAD CONNECTOR-ASSY;,5P,YBNH025-05,67096	
2		AA63-10002A	BAND-TIE;NYLON66 V2,L100,NTR	
2	RA01	2001-000028	R-CARBON(S);100OHM,5%,1/2W,AA,TP,2.4X6.4	
2	RA02	2001-000028	R-CARBON(S);100OHM,5%,1/2W,AA,TP,2.4X6.4	
2	CA06	2401-001840	C-AL;100uF,20%,16V,GP,TP,6.3x11,5	
2	CA07	2401-001840	C-AL;100uF,20%,16V,GP,TP,6.3x11,5	
2	JA101	3812-000219	WIRE-NO SHEATH CU;TCWA,300V,52mm(TAPING)	
2	PCB	AA41-11017D	PCB-A/V SIDE;CT-29U1,FR-1,1L,D,1.6T,245X	

ASSY COVER REAR

1		AA90-04473A	ASSY COVER REAR;28V5,SEH	
2		HA64-02313A	CABINET-BACK;,28D8(SEH),HIPS,HB,GRY	
3		HA83-00013A	LP-RESIN HIPS;,NTR,HB,DOW A-TECH,IEC65	
3		HA83-00011A	LP-RESIN;,M BATCH,WILSON 6007-GY-60,GRY	
2		AA65-30008A	CLAMPER CORE-CORD;-,PE,HB,-,BLK,-	

ASSY COVER FRONT

1		AA90-04472A	ASSY COVER FRONT;28V5,4:3	
2	CB+CF	6002-000515	SCREW-TAPPING;RH,+,2,M4,L15,ZPC(WHT),SWR	
2	CB+SCR	6002-000515	SCREW-TAPPING;RH,+,2,M4,L15,ZPC(WHT),SWR	
2	CF+PCB	6003-001019	SCREW-TAPTITE;RH,+,B,M4,L12,ZPC(BLK),SWR	
2	CRT+CF	AA60-10050Q	SCREW-ASSY;-,SWRCH18A,M5,L26.5,HH,+,WC,-	
2		AA63-10002A	BAND-TIE;NYLON66 V2,L100,NTR	
2		AA65-30008A	CLAMPER CORE-CORD;-,PE,HB,-,BLK,-	
2		AA65-30009A	CLAMPER CORE-FBT;-,ABS,V0,-,BLK,-	
2		AA65-30018A	CLAMPER CORE-WIRE;DONG-A,NYLON-66,-,-,-,	
2		AA65-30110A	CLAMPER CORE-WIRE;ALL MODEL,NYLON 66,V2,	
2		AA65-30110A	CLAMPER CORE-WIRE;ALL MODEL,NYLON 66,V2,	
2	qms	HA83-00052A	LP-TAPE-INK;,WIDTH 55 MM	
2	rating	HA83-00052A	LP-TAPE-INK;,WIDTH 55 MM	
2		AA65-30007A	CLAMPER CORE-D,COIL;-,NYLON-66,V0,-,NTR,	
2		HA68-02177B	LABEL-PQS;ALL,30MM,65MM,WHITE,AA68-02177	
2		AA96-01294A	ASSY COVER P-FRONT;28V5,HIPS HB,SILVER	
3	CF+KC	6003-001019	SCREW-TAPTITE;RH,+,B,M4,L12,ZPC(BLK),SWR	
3	CF+SPK	6003-001019	SCREW-TAPTITE;RH,+,B,M4,L12,ZPC(BLK),SWR	
3	CF+WR	6003-001019	SCREW-TAPTITE;RH,+,B,M4,L12,ZPC(BLK),SWR	
3		AA61-60003J	SPRING ETC-CS;-,SUS304,-,-,OD6,N7,OD6,-,	
3		AA64-03134A	KNOB-CONTROL;28V5(SEH),ABS,HB,G3676,SVM3	
4		HA83-00012A	LP-RESIN;,M BATCH,WILSON 6053-GY-60,GRY	
4		HA83-00040A	LP-MARKING PAINT;,METALLIC SILVER,SV-012	
4		HA83-00006A	LP-RESIN HIPS;,BASF495F,NTR,HB	
3		AA64-03136A	WINDOW-RMC,LED;28V5(SEH),PC,CLR	
4		HA83-00010A	LP-RESIN;,OROGLAS,VM-100 ZHN 2	
3		AA64-70117B	BADGE-BRAND;-,AL,-,-,L65,R2000,SILVER,SS	
3		AA65-30105A	CLAMPER CORE-WIRE;ALL MODEL,NYLON 66,V2,	
3		HA83-00049A	LP-ADHESIVE-HM;12MM,NTR	
3		AA64-03133A	CABINET-FRONT;28V5(SEH),HIPS,HB,G4309,SV	
4		HA83-00012A	LP-RESIN;,M BATCH,WILSON 6053-GY-60,GRY	
4		HA83-00040A	LP-MARKING PAINT;,METALLIC SILVER,SV-012	
4		HA83-00006A	LP-RESIN HIPS;,BASF495F,NTR,HB	
4		AA81-00106A	A/S-MARKING PAINT;,P432U,DARK GREY,TPC	
3		AA64-03135A	KNOB-POWER;28V5(SEH),ABS,HB,G3676,SVM301	
4		HA83-00012A	LP-RESIN;,M BATCH,WILSON 6053-GY-60,GRY	
4		HA83-00040A	LP-MARKING PAINT;,METALLIC SILVER,SV-012	
4		HA83-00006A	LP-RESIN HIPS;,BASF495F,NTR,HB	
3		HA61-00711C	HOLDER-PCB;29K8,HIPS,HB,GRY	
4		HA83-00006A	LP-RESIN HIPS;,BASF495F,NTR,HB	
4		HA83-00011A	LP-RESIN;,M BATCH,WILSON 6007-GY-60,GRY	
3		AA61-40113A	STOPPER-PCB;501H,HIPS,-,-,HB,NTR,-	
3		AA39-00102C	LEAD CONNECTOR-ASSY;,4P,35155-0402,REC,3	
3		3001-001092	SPEAKER;10W,8OHM,87DB,150HZ	
3		0203-001290	TAPE-OPP MASKING;ANT 100C,T0.073,W30,L50	
3		AA64-01309E	INLAY AV;PS SHEET,29D7,T0.3,-,-,-,KS2A S	
2		HA68-02179A	LABEL-RATING;58MM,53MM,WHITE	

Level	Loc. No.	Code No.	Description ; Specification	Remark

REMOCON

1		AA59-00104K	REMOCON;-,TM59,DREAM,29,L/GRAY,PAL-TTX	

ASSY POWER CORD

⚠ 1	P/CORD	AA96-01126B	ASSY POWER CORD;DP,AA39-10001G,CP2,H/C40	
2		AA39-10001G	CBF POWER CORD;-,KKP-419C,KLCE-2F,2.286m	
2		AA61-20284A	HOLDER;P-CORD,PP,-,-,-,BLK,VO,KE-002	

ASSY ACCESSORY

1		AA94-05820A	ASSY ACCESSORY;50HZ,KS3A,XEC	
2		4301-000120	BATTERY-MN;1.5V,-,AA,14.5x50mm,-	
2		HA83-00047A	LP-TAPEACETATE;T0.1MM,W20MM,L200MM	
2		HA69-00276A	BAG VINYL;HDPE,T0.025,L400,W240,-,W/O LO	
2		HA68-00335A	LABEL CAUTION;A/P100(G),S51A,HUN,POL,-,-	
2		HA68-00336B	CARD-WARRANTY;A/P100(G),A5,NEW VERSION,I	

7-3 CW28V55VS8XXEC

ASSY PCB MAIN(OPT)

Level	Loc. No.	Code No.	Description ; Specification	Remark
1		AA94-11632A	ASSY PCB MAIN(OPT);CW28D8DH,KS3A/H,TH,AK	
2	C815	2401-003602	C-AL;220uF,20%,160V,GP,BK,22x25mm,1	
2	CN501	3711-002641	CONNECTOR-HEADER;BOX,10P,1R,2.54mm,STRAI	
⚠ 2	CX801S	2306-000321	C-FILM,MPPF;470NF,5%,275V,TP,-,22.5	
2	IC301	HA96-50406B	ASSY-H/S;ASSY-H/S;-,AA62-30180B,LA7845	
3		1204-000517	IC-VERTICAL DEF;LA7845,SIP,7P,-,PLASTIC	
3		AA62-30180B	HEAT SINK-ES;-,A6063 EXTR.,2,WHT,70MM,-,	
3		6003-000333	SCREW-TAPTITE;RH,+,2S,M3,L10,ZPC(YEL),SW	
3		0205-000129	GREASE-SILICON;SC102,JAPAN	
⚠ 2	IC401	1202-000103	IC-VOLTAGE COMP.;393,DIP,8P,300MIL,DUAL,	
⚠ 2	IC801S	HA96-50371C	ASSY H/S;-,-,AA62-30181H,KA3A1265R,-	
3		AA13-00101A	IC HYBRID;KA3S1265RD,CN5039,5PIN,-50TO12	
3		AA61-10386A	BRACKET-IC;-,SECC 100,T1.0,-,-,-,KA2S068	
3		AA62-30197D	HEAT SINK-ES;DP,-,-,-,AA62-30181H,-,-,-	
3		6003-000333	SCREW-TAPTITE;RH,+,2S,M3,L10,ZPC(YEL),SW	
3		HA68-02189A	LABEL-WARNING;,33MM,18MM,WHITE	
3		0205-000129	GREASE-SILICON;SC102,JAPAN	
2	JA701	3722-000195	JACK-SCART;42P,-,SN,BLK,NO	
⚠ 2	NT802S	1404-001045	THERMISTOR-NTC;4.7ohm,15%,2900K,35.0mW,T	
⚠ 2	PC801S	0604-001038	PHOTO-COUPLER;TR,130-260%,200mW,DIP-4,ST	
⚠ 2	PT801S	1404-000002	THERMISTOR-PTC;9ohm,20%,-,-,TR,RECT,-	
⚠ 2	RL801S	3501-001040	RELAY-POWER;12VDC,500mW,10A,1FormA,15mS,	
2	HC801	HA96-00274B	ASSY-H/S;-,COMPLEX,AA62-00066B,FMLG12S	
3		6003-000334	SCREW-TAPTITE;RH,+,2S,M3,L6,ZPC(YEL),SWR	
3		AA62-00066B	HEAT SINK;D2,D3,AL ,T1.0,89,70,-,AA62-00	
⚠ 3	D802	0402-001230	DIODE-RECTIFIER;FMG-G2CS,1000V,3A,TO-220	
⚠ 3	D805	0402-000233	DIODE-RECTIFIER;FML-G12S,200V,5A,-,-	
⚠ 3	D806	0402-000233	DIODE-RECTIFIER;FML-G12S,200V,5A,-,-	
⚠ 3	D807	0402-000233	DIODE-RECTIFIER;FML-G12S,200V,5A,-,-	
⚠ 3	IC805	1203-001006	IC-VOLTAGE REGULATOR;78R05,TO-220F,4P,-,	
3		0205-000129	GREASE-SILICON;SC102,JAPAN	
2	HC401	HA96-00275D	ASSY-H/S;-,COMPLEX,AA62-00051B,2SC5446	
3		AA62-00067B	HEAT SINK-PS;-,DP,-,-,-,-,AA62-00051B,-	
⚠ 3	D414	0402-001296	DIODE-RECTIFIER;FMP-3FU,1.5KV,5A,TO-3PF,	
3	Q401	0502-001175	TR-POWER;2SC5446,NPN,200000mW,TO-3PL,BK	
3		6003-000333	SCREW-TAPTITE;RH,+,2S,M3,L10,ZPC(YEL),SW	
3		AA60-30001A	WASHER-PLATE;M3,ID3.5,15X8.5,T1.0,SBHG	
3		AA62-00092A	HEAT SINK;STB,A6063 EXTR.,T1.3,28*28,H12	
3	Q401	AA02-00007A	SUB ETC-MICA;,MICA,22X30X0.1MM	
3		6003-000334	SCREW-TAPTITE;RH,+,2S,M3,L6,ZPC(YEL),SWR	
3		0205-000129	GREASE-SILICON;SC102,JAPAN	
⚠ 2	D801S	0402-001399	DIODE-BRIDGE;GSIB660,600V,6A,SIP-4,BK	
2	IC602	HA96-50369B	ASSY-H/S;-,-,AA62-30181F,TDA7297,-	
3		1201-001064	IC-POWER AMP;7297,ZIP,15P,-,DUAL,32dB,PL	
3		AA62-30181F	HEAT SINK-ES;-,AL6063 EXTR.,2,WHT,50MM,-	
3		6003-000333	SCREW-TAPTITE;RH,+,2S,M3,L10,ZPC(YEL),SW	
3		0205-000129	GREASE-SILICON;SC102,JAPAN	
2	IC902	1103-001171	IC-EEPROM;L51DC,16KBit,DIP,8P,300MIL,10m	
2	C105	2301-000383	C-FILM,PEF;10nF,5%,50V,TP,6x7x3.2mm,5mm	
2	C103	2301-000383	C-FILM,PEF;10nF,5%,50V,TP,6x7x3.2mm,5mm	
2	C101	2301-000383	C-FILM,PEF;10nF,5%,50V,TP,6x7x3.2mm,5mm	
2	C416	2301-000383	C-FILM,PEF;10nF,5%,50V,TP,6x7x3.2mm,5mm	
2	C909	2301-000383	C-FILM,PEF;10nF,5%,50V,TP,6x7x3.2mm,5mm	
2	C228	2301-000356	C-FILM,PEF;47nF,5%,50V,TP,7.5x4.0x6.5,5m	
2	C230	2301-000356	C-FILM,PEF;47nF,5%,50V,TP,7.5x4.0x6.5,5m	
2	C809	2301-000356	C-FILM,PEF;47nF,5%,50V,TP,7.5x4.0x6.5,5m	
2	C810	2301-000356	C-FILM,PEF;47nF,5%,50V,TP,7.5x4.0x6.5,5m	
2	C811	2301-000356	C-FILM,PEF;47nF,5%,50V,TP,7.5x4.0x6.5,5m	
2	C202	2401-002235	C-AL;10uF,20%,16V,GP,TP,5x11mm,5mm	
2	C205	2401-002235	C-AL;10uF,20%,16V,GP,TP,5x11mm,5mm	
2	C920	2401-002235	C-AL;10uF,20%,16V,GP,TP,5x11mm,5mm	
2	C231	2401-002235	C-AL;10uF,20%,16V,GP,TP,5x11mm,5mm	
2	C215	2401-002235	C-AL;10uF,20%,16V,GP,TP,5x11mm,5mm	
2	C630	2401-002235	C-AL;10uF,20%,16V,GP,TP,5x11mm,5mm	
2	C631	2401-002235	C-AL;10uF,20%,16V,GP,TP,5x11mm,5mm	
2	C645	2401-002235	C-AL;10uF,20%,16V,GP,TP,5x11mm,5mm	
2	C652	2401-002235	C-AL;10uF,20%,16V,GP,TP,5x11mm,5mm	
2	C603	2401-002235	C-AL;10uF,20%,16V,GP,TP,5x11mm,5mm	
2	C207	2401-002235	C-AL;10uF,20%,16V,GP,TP,5x11mm,5mm	
2	C708	2401-002235	C-AL;10uF,20%,16V,GP,TP,5x11mm,5mm	
2	C239	2401-002235	C-AL;10uF,20%,16V,GP,TP,5x11mm,5mm	
2	C214	2305-000665	C-FILM,MPEF;100nF,5%,63V,TP,7.5x4.0x5.0m	
2	C605	2305-000665	C-FILM,MPEF;100nF,5%,63V,TP,7.5x4.0x5.0m	
2	C620	2305-000665	C-FILM,MPEF;100nF,5%,63V,TP,7.5x4.0x5.0m	
2	C635	2305-000665	C-FILM,MPEF;100nF,5%,63V,TP,7.5x4.0x5.0m	
2	C646	2305-000665	C-FILM,MPEF;100nF,5%,63V,TP,7.5x4.0x5.0m	
2	C829	2305-000665	C-FILM,MPEF;100nF,5%,63V,TP,7.5x4.0x5.0m	
2	C837	2305-000665	C-FILM,MPEF;100nF,5%,63V,TP,7.5x4.0x5.0m	
2	C839	2305-000665	C-FILM,MPEF;100nF,5%,63V,TP,7.5x4.0x5.0m	
2	C916	2305-000665	C-FILM,MPEF;100nF,5%,63V,TP,7.5x4.0x5.0m	
2	C914	2305-000665	C-FILM,MPEF;100nF,5%,63V,TP,7.5x4.0x5.0m	
2	C831	2305-000665	C-FILM,MPEF;100nF,5%,63V,TP,7.5x4.0x5.0m	
2	C825	2305-000665	C-FILM,MPEF;100nF,5%,63V,TP,7.5x4.0x5.0m	
2	C240	2305-000665	C-FILM,MPEF;100nF,5%,63V,TP,7.5x4.0x5.0m	
2	C208	2401-001026	C-AL;3.3UF,20%,50V,GP,TP,5X11,5	
2	C636	2401-001026	C-AL;3.3UF,20%,50V,GP,TP,5X11,5	
2	C905	2202-000796	C-CERAMIC,MLC-AXIAL;1NF,10%,50V,Y5P,TP,3	
2	C607	2202-000796	C-CERAMIC,MLC-AXIAL;1NF,10%,50V,Y5P,TP,3	
2	C608	2202-000796	C-CERAMIC,MLC-AXIAL;1NF,10%,50V,Y5P,TP,3	
2	C211	2202-000796	C-CERAMIC,MLC-AXIAL;1NF,10%,50V,Y5P,TP,3	
2	C212	2301-000224	C-FILM,PEF;22nF,5%,50V,TP,7.4x3.9x13mm,5	
2	C213	2301-000247	C-FILM,PEF;33nF,5%,50V,TP,8.1x4.5x13mm,5	
2	C218	2202-000632	C-CERAMIC,MLC-AXIAL;100nF,20%,50V,Z5U,TP	
2	C219	2202-000632	C-CERAMIC,MLC-AXIAL;100nF,20%,50V,Z5U,TP	
2	C220	2202-000632	C-CERAMIC,MLC-AXIAL;100nF,20%,50V,Z5U,TP	
2	C901	2202-000632	C-CERAMIC,MLC-AXIAL;100nF,20%,50V,Z5U,TP	
2	C921	2202-000632	C-CERAMIC,MLC-AXIAL;100nF,20%,50V,Z5U,TP	
2	C922	2202-000632	C-CERAMIC,MLC-AXIAL;100nF,20%,50V,Z5U,TP	
2	C919	2202-000632	C-CERAMIC,MLC-AXIAL;100nF,20%,50V,Z5U,TP	
2	C924	2202-000632	C-CERAMIC,MLC-AXIAL;100nF,20%,50V,Z5U,TP	
2	C907	2305-000412	C-FILM,MPEF;470nF,5%,63V,TP,-,5mm	
2	C308	2305-000412	C-FILM,MPEF;470nF,5%,63V,TP,-,5mm	
2	C237	2401-000914	C-AL;22uF,20%,16V,GP,TP,5x11,5	
2	C604	2401-000603	C-AL;1uF,20%,50V,GP,TP,5x11,5	
2	C201	2401-000603	C-AL;1uF,20%,50V,GP,TP,5x11,5	
2	C841	2401-000603	C-AL;1uF,20%,50V,GP,TP,5x11,5	
2	C304	2305-000285	C-FILM,MPEF;220NF,5%,100V,TP,10.5X5.5X15	
2	C305	2305-000149	C-FILM,MPEF;100nF,5%,100V,TP,12x12.5x6.5	
2	C821	2301-000192	C-FILM,PEF;1nF,5%,50V,TP,5.3x10mm,5mm	
2	C902	2301-000192	C-FILM,PEF;1nF,5%,50V,TP,5.3x10mm,5mm	
2	C307	2401-000360	C-AL;100uF,20%,50V,GP,TP,8x11.5,5	
2	C302	2401-000360	C-AL;100uF,20%,50V,GP,TP,8x11.5,5	
2	C401	2201-000556	C-CERAMIC,DISC;0.47nF,10%,500V,Y5P,TP,5.	
2	C403	2201-000556	C-CERAMIC,DISC;0.47nF,10%,500V,Y5P,TP,5.	
2	C421	2201-000556	C-CERAMIC,DISC;0.47nF,10%,500V,Y5P,TP,5.	
2	C402	2401-001397	C-AL;470uF,20%,25V,GP,TP,10x16,5	
2	C404	2401-001397	C-AL;470uF,20%,25V,GP,TP,10x16,5	
2	C408	2305-000382	C-FILM,MPEF;4.7nF,5%,400V,TP,-,5mm	
2	C414	2401-002597	C-AL;220uF,20%,35V,GP,TP,10x12.5,5	
2	C418	2401-002597	C-AL;220uF,20%,35V,GP,TP,10x12.5,5	
2	C422	2401-001527	C-AL;47uF,20%,250V,HR,TP,13x25mm,5m	
2	C424	2201-000132	C-CERAMIC,DISC;0.1NF,10%,500V,Y5P,TP,6.5	
2	C601	2201-000558	C-CERAMIC,DISC;0.47nF,10%,50V,Y5P,TP,5x3	
2	C610	2301-000445	C-FILM,PEF;4.7nF,5%,50V,TP,5.5x7x3mm,5mm	
2	C611	2301-000445	C-FILM,PEF;4.7nF,5%,50V,TP,5.5x7x3mm,5mm	
2	C612	2401-001914	C-AL;1uF,20%,50V,BP,TP,5x11,5	
2	C613	2401-001914	C-AL;1uF,20%,50V,BP,TP,5x11,5	
2	C209	2401-001914	C-AL;1uF,20%,50V,BP,TP,5x11,5	
2	C617	2401-000493	C-AL;10uF,20%,50V,LZ,TP,5x11mm,5mm	
2	C917	2401-000493	C-AL;10uF,20%,50V,LZ,TP,5x11mm,5mm	
2	C413	2401-000493	C-AL;10uF,20%,50V,LZ,TP,5x11mm,5mm	
2	C623	2202-000231	C-CERAMIC,MLC-AXIAL;330pF,10%,50V,Y5P,TP	
2	C624	2202-000231	C-CERAMIC,MLC-AXIAL;330pF,10%,50V,Y5P,TP	
2	C627	2202-000231	C-CERAMIC,MLC-AXIAL;330pF,10%,50V,Y5P,TP	
2	C629	2202-000231	C-CERAMIC,MLC-AXIAL;330pF,10%,50V,Y5P,TP	
2	C642	2202-000231	C-CERAMIC,MLC-AXIAL;330pF,10%,50V,Y5P,TP	
2	C644	2202-000231	C-CERAMIC,MLC-AXIAL;330pF,10%,50V,Y5P,TP	
2	C638	2202-000231	C-CERAMIC,MLC-AXIAL;330pF,10%,50V,Y5P,TP	
2	C639	2202-000231	C-CERAMIC,MLC-AXIAL;330pF,10%,50V,Y5P,TP	
2	C249	2202-000231	C-CERAMIC,MLC-AXIAL;330pF,10%,50V,Y5P,TP	

Level	Loc. No.	Code No.	Description ; Specification	Remark
2	C632	2202-000806	C-CERAMIC,MLC-AXIAL;220pF,10%,50V,Y5P,TP	
2	C634	2401-001840	C-AL;100uF,20%,16V,GP,TP,6.3x11,5	
2	C832	2401-001840	C-AL;100uF,20%,16V,GP,TP,6.3x11,5	
2	C838	2401-001840	C-AL;100uF,20%,16V,GP,TP,6.3x11,5	
2	C826	2401-001840	C-AL;100uF,20%,16V,GP,TP,6.3x11,5	
2	C637	2401-000027	C-AL;4.7uF,20%,50V,GP,TP,5x11,5	
2	C640	2401-000027	C-AL;4.7uF,20%,50V,GP,TP,5x11,5	
2	C641	2401-000027	C-AL;4.7uF,20%,50V,GP,TP,5x11,5	
2	C643	2401-000027	C-AL;4.7uF,20%,50V,GP,TP,5x11,5	
2	C647	2202-000286	C-CERAMIC,MLC-AXIAL;56pF,5%,50V,SL,TP,1.	
2	C649	2301-000108	C-FILM,PEF;1.5nF,5%,50V,TP,6.5x3.0x5.5mm	
2	C804	2201-000332	C-CERAMIC,DISC;2.2NF,20%,250V,Y5U,TP,9X4	
2	C805	2201-000332	C-CERAMIC,DISC;2.2NF,20%,250V,Y5U,TP,9X4	
2	C807	2301-001397	C-FILM,PPF;2.2nF,5%,1.2kV,TP,15x8.5x13.5	
2	C814	2201-000406	C-CERAMIC,DISC;0.27NF,10%,2KV,Y5P,TP,6.3	
2	C817	2201-000599	C-CERAMIC,DISC;0.56nF,10%,500V,Y5P,TP,5.	
2	C819	2201-000599	C-CERAMIC,DISC;0.56nF,10%,500V,Y5P,TP,5.	
2	C822	2201-000599	C-CERAMIC,DISC;0.56nF,10%,500V,Y5P,TP,5.	
2	C818	2401-000722	C-AL;2200uF,20%,25V,WT,TP,16x25,7.5	
2	C910	2201-000980	C-CERAMIC,DISC;0.03NF,5%,50V,C0G,TP,5X3M	
2	C911	2201-000980	C-CERAMIC,DISC;0.03NF,5%,50V,C0G,TP,5X3M	
2	D201	0401-000005	DIODE-SWITCHING;1N4148,100V,200mA,DO-35,	
2	D202	0401-000005	DIODE-SWITCHING;1N4148,100V,200mA,DO-35,	
2	D207	0401-000005	DIODE-SWITCHING;1N4148,100V,200mA,DO-35,	
2	D208	0401-000005	DIODE-SWITCHING;1N4148,100V,200mA,DO-35,	
2	D209	0401-000005	DIODE-SWITCHING;1N4148,100V,200mA,DO-35,	
2	D210	0401-000005	DIODE-SWITCHING;1N4148,100V,200mA,DO-35,	
2	D211	0401-000005	DIODE-SWITCHING;1N4148,100V,200mA,DO-35,	
2	D602	0401-000005	DIODE-SWITCHING;1N4148,100V,200mA,DO-35,	
⚠ 2	D804	0401-000005	DIODE-SWITCHING;1N4148,100V,200mA,DO-35,	
2	DZ402	0401-000005	DIODE-SWITCHING;1N4148,100V,200mA,DO-35,	
2	D906	0401-000005	DIODE-SWITCHING;1N4148,100V,200mA,DO-35,	
2	D405	0401-000005	DIODE-SWITCHING;1N4148,100V,200mA,DO-35,	
2	D604	0401-000005	DIODE-SWITCHING;1N4148,100V,200mA,DO-35,	
⚠ 2	D401	0402-000540	DIODE-RECTIFIER;RU20A,600V,1.5A,-,TP	
⚠ 2	D402	0402-000534	DIODE-RECTIFIER;RG10V,400V,1.2A,DO-201,T	
⚠ 2	D404	0402-000534	DIODE-RECTIFIER;RG10V,400V,1.2A,DO-201,T	
⚠ 2	D411	0402-000534	DIODE-RECTIFIER;RG10V,400V,1.2A,DO-201,T	
⚠ 2	D406	0402-000132	DIODE-RECTIFIER;1N4004,400V,1A,DO-41,TP	
⚠ 2	D808	0402-000132	DIODE-RECTIFIER;1N4004,400V,1A,DO-41,TP	
⚠ 2	D810	0402-000132	DIODE-RECTIFIER;1N4004,400V,1A,DO-41,TP	
⚠ 2	D811	0402-000132	DIODE-RECTIFIER;1N4004,400V,1A,DO-41,TP	
2	D907	0402-000132	DIODE-RECTIFIER;1N4004,400V,1A,DO-41,TP	
⚠ 2	D403	0402-000132	DIODE-RECTIFIER;1N4004,400V,1A,DO-41,TP	
⚠ 2	D801	0402-001111	DIODE-RECTIFIER;1N5397GP,600V,1.5A,DO-20	
2	DZ201	0403-000508	DIODE-ZENER;MTZJ5.6B,5.6V,5.45-5.73V,500	
2	DZ202	0403-000508	DIODE-ZENER;MTZJ5.6B,5.6V,5.45-5.73V,500	
2	DZ802	0403-000508	DIODE-ZENER;MTZJ5.6B,5.6V,5.45-5.73V,500	
2	DZ902	0403-000508	DIODE-ZENER;MTZJ5.6B,5.6V,5.45-5.73V,500	
2	DZ601	0403-000508	DIODE-ZENER;MTZJ5.6B,5.6V,5.45-5.73V,500	
2	DZ603	0403-000508	DIODE-ZENER;MTZJ5.6B,5.6V,5.45-5.73V,500	
2	DZ806	0403-000508	DIODE-ZENER;MTZJ5.6B,5.6V,5.45-5.73V,500	
2	DZ903	0403-000508	DIODE-ZENER;MTZJ5.6B,5.6V,5.45-5.73V,500	
2	DZ904	0403-000508	DIODE-ZENER;MTZJ5.6B,5.6V,5.45-5.73V,500	
2	DZ905	0403-000508	DIODE-ZENER;MTZJ5.6B,5.6V,5.45-5.73V,500	
2	DZ906	0403-000508	DIODE-ZENER;MTZJ5.6B,5.6V,5.45-5.73V,500	
2	DZ907	0403-000508	DIODE-ZENER;MTZJ5.6B,5.6V,5.45-5.73V,500	
2	DZ908	0403-000508	DIODE-ZENER;MTZJ5.6B,5.6V,5.45-5.73V,500	
2	DZ909	0403-000508	DIODE-ZENER;MTZJ5.6B,5.6V,5.45-5.73V,500	
2	DZ910	0403-000508	DIODE-ZENER;MTZJ5.6B,5.6V,5.45-5.73V,500	
2	DZ604	0403-000508	DIODE-ZENER;MTZJ5.6B,5.6V,5.45-5.73V,500	
2	DZ605	0403-000508	DIODE-ZENER;MTZJ5.6B,5.6V,5.45-5.73V,500	
2	DZ901	0403-000508	DIODE-ZENER;MTZJ5.6B,5.6V,5.45-5.73V,500	
2	DZ203	0403-001321	DIODE-ZENER;MTZJ6.8C,6.66-7.01V,500mW,DO	
2	DZ302	0403-001329	DIODE-ZENER;MTZJ24B,22.61-23.77V,500mW,D	
2	DZ303	0403-001329	DIODE-ZENER;MTZJ24B,22.61-23.77V,500mW,D	
2	DZ304	0403-001329	DIODE-ZENER;MTZJ24B,22.61-23.77V,500mW,D	
2	DZ305	0403-001221	DIODE-ZENER;UZ39BSB,35.36-37.19V,500MW,D	
2	DZ306	0403-000700	DIODE-ZENER;TZP33A,33V,31-35V,1W,DO-41,T	
2	DZ804	0403-000700	DIODE-ZENER;TZP33A,33V,31-35V,1W,DO-41,T	
2	DZ401	0403-001325	DIODE-ZENER;MTZJ15C,14.35-15.09V,500mW,D	
2	DZ801	0403-001322	DIODE-ZENER;MTZJ8.2B,7.78-8.19V,500mW,DO	
2	DZ808	0403-001322	DIODE-ZENER;MTZJ8.2B,7.78-8.19V,500mW,DO	
2	DZ204	0403-001322	DIODE-ZENER;MTZJ8.2B,7.78-8.19V,500mW,DO	
2	DZ205	0403-001322	DIODE-ZENER;MTZJ8.2B,7.78-8.19V,500mW,DO	
2	DZ805	1203-001217	IC-POSI.ADJUST REG.;431,TO-92,3P,4.58MIL	

Level	Loc. No.	Code No.	Description ; Specification	Remark
2	GT101	AA60-40014A	PIN-GT,ASSY;AUTO	
2	GT102	AA60-40014A	PIN-GT,ASSY;AUTO	
2	GT301	AA60-40014A	PIN-GT,ASSY;AUTO	
2	GT302	AA60-40014A	PIN-GT,ASSY;AUTO	
2	GT401	AA60-40014A	PIN-GT,ASSY;AUTO	
2	GT402	AA60-40014A	PIN-GT,ASSY;AUTO	
2	GT801	AA60-40014A	PIN-GT,ASSY;AUTO	
2	GT802	AA60-40014A	PIN-GT,ASSY;AUTO	
2	GT803	AA60-40014A	PIN-GT,ASSY;AUTO	
2	GT804	AA60-40014A	PIN-GT,ASSY;AUTO	
2	GT805	AA60-40014A	PIN-GT,ASSY;AUTO	
2	GT806	AA60-40014A	PIN-GT,ASSY;AUTO	
2	GT409	AA60-40014A	PIN-GT,ASSY;AUTO	
2	GT103	AA60-40014A	PIN-GT,ASSY;AUTO	
2	J102	3812-000219	WIRE-NO SHEATH CU;TCWA,300V,52mm(TAPING)	
2	J103	3812-000219	WIRE-NO SHEATH CU;TCWA,300V,52mm(TAPING)	
2	J105	3812-000219	WIRE-NO SHEATH CU;TCWA,300V,52mm(TAPING)	
2	J111	3812-000219	WIRE-NO SHEATH CU;TCWA,300V,52mm(TAPING)	
2	J112	3812-000219	WIRE-NO SHEATH CU;TCWA,300V,52mm(TAPING)	
2	J114	3812-000219	WIRE-NO SHEATH CU;TCWA,300V,52mm(TAPING)	
2	J115	3812-000219	WIRE-NO SHEATH CU;TCWA,300V,52mm(TAPING)	
2	J116	3812-000219	WIRE-NO SHEATH CU;TCWA,300V,52mm(TAPING)	
2	J117	3812-000219	WIRE-NO SHEATH CU;TCWA,300V,52mm(TAPING)	
2	J119	3812-000219	WIRE-NO SHEATH CU;TCWA,300V,52mm(TAPING)	
2	J122	3812-000219	WIRE-NO SHEATH CU;TCWA,300V,52mm(TAPING)	
2	J123	3812-000219	WIRE-NO SHEATH CU;TCWA,300V,52mm(TAPING)	
2	J124	3812-000219	WIRE-NO SHEATH CU;TCWA,300V,52mm(TAPING)	
2	J203	3812-000219	WIRE-NO SHEATH CU;TCWA,300V,52mm(TAPING)	
2	J205	3812-000219	WIRE-NO SHEATH CU;TCWA,300V,52mm(TAPING)	
2	J206	3812-000219	WIRE-NO SHEATH CU;TCWA,300V,52mm(TAPING)	
2	J207	3812-000219	WIRE-NO SHEATH CU;TCWA,300V,52mm(TAPING)	
2	J208	3812-000219	WIRE-NO SHEATH CU;TCWA,300V,52mm(TAPING)	
2	J209	3812-000219	WIRE-NO SHEATH CU;TCWA,300V,52mm(TAPING)	
2	J210	3812-000219	WIRE-NO SHEATH CU;TCWA,300V,52mm(TAPING)	
2	J211	3812-000219	WIRE-NO SHEATH CU;TCWA,300V,52mm(TAPING)	
2	J212	3812-000219	WIRE-NO SHEATH CU;TCWA,300V,52mm(TAPING)	
2	J213	3812-000219	WIRE-NO SHEATH CU;TCWA,300V,52mm(TAPING)	
2	J214	3812-000219	WIRE-NO SHEATH CU;TCWA,300V,52mm(TAPING)	
2	J215	3812-000219	WIRE-NO SHEATH CU;TCWA,300V,52mm(TAPING)	
2	J216	3812-000219	WIRE-NO SHEATH CU;TCWA,300V,52mm(TAPING)	
2	J217	3812-000219	WIRE-NO SHEATH CU;TCWA,300V,52mm(TAPING)	
2	J218	3812-000219	WIRE-NO SHEATH CU;TCWA,300V,52mm(TAPING)	
2	J219	3812-000219	WIRE-NO SHEATH CU;TCWA,300V,52mm(TAPING)	
2	J222	3812-000219	WIRE-NO SHEATH CU;TCWA,300V,52mm(TAPING)	
2	J223	3812-000219	WIRE-NO SHEATH CU;TCWA,300V,52mm(TAPING)	
2	J224	3812-000219	WIRE-NO SHEATH CU;TCWA,300V,52mm(TAPING)	
2	J225	3812-000219	WIRE-NO SHEATH CU;TCWA,300V,52mm(TAPING)	
2	J227	3812-000219	WIRE-NO SHEATH CU;TCWA,300V,52mm(TAPING)	
2	J228	3812-000219	WIRE-NO SHEATH CU;TCWA,300V,52mm(TAPING)	
2	J229	3812-000219	WIRE-NO SHEATH CU;TCWA,300V,52mm(TAPING)	
2	J230	3812-000219	WIRE-NO SHEATH CU;TCWA,300V,52mm(TAPING)	
2	J232	3812-000219	WIRE-NO SHEATH CU;TCWA,300V,52mm(TAPING)	
2	J234	3812-000219	WIRE-NO SHEATH CU;TCWA,300V,52mm(TAPING)	
2	J236	3812-000219	WIRE-NO SHEATH CU;TCWA,300V,52mm(TAPING)	
2	J237	3812-000219	WIRE-NO SHEATH CU;TCWA,300V,52mm(TAPING)	
2	J238	3812-000219	WIRE-NO SHEATH CU;TCWA,300V,52mm(TAPING)	
2	J239	3812-000219	WIRE-NO SHEATH CU;TCWA,300V,52mm(TAPING)	
2	J241	3812-000219	WIRE-NO SHEATH CU;TCWA,300V,52mm(TAPING)	
2	J244	3812-000219	WIRE-NO SHEATH CU;TCWA,300V,52mm(TAPING)	
2	J246	3812-000219	WIRE-NO SHEATH CU;TCWA,300V,52mm(TAPING)	
2	J247	3812-000219	WIRE-NO SHEATH CU;TCWA,300V,52mm(TAPING)	
2	J248	3812-000219	WIRE-NO SHEATH CU;TCWA,300V,52mm(TAPING)	
2	J401	3812-000219	WIRE-NO SHEATH CU;TCWA,300V,52mm(TAPING)	
2	J402	3812-000219	WIRE-NO SHEATH CU;TCWA,300V,52mm(TAPING)	
2	J404	3812-000219	WIRE-NO SHEATH CU;TCWA,300V,52mm(TAPING)	
2	J409	3812-000219	WIRE-NO SHEATH CU;TCWA,300V,52mm(TAPING)	
2	J416	3812-000219	WIRE-NO SHEATH CU;TCWA,300V,52mm(TAPING)	
2	J421	3812-000219	WIRE-NO SHEATH CU;TCWA,300V,52mm(TAPING)	
2	J422	3812-000219	WIRE-NO SHEATH CU;TCWA,300V,52mm(TAPING)	
2	J424	3812-000219	WIRE-NO SHEATH CU;TCWA,300V,52mm(TAPING)	
2	J428	3812-000219	WIRE-NO SHEATH CU;TCWA,300V,52mm(TAPING)	
2	J601	3812-000219	WIRE-NO SHEATH CU;TCWA,300V,52mm(TAPING)	
2	J602	3812-000219	WIRE-NO SHEATH CU;TCWA,300V,52mm(TAPING)	
2	J603	3812-000219	WIRE-NO SHEATH CU;TCWA,300V,52mm(TAPING)	
2	J604	3812-000219	WIRE-NO SHEATH CU;TCWA,300V,52mm(TAPING)	
2	J606	3812-000219	WIRE-NO SHEATH CU;TCWA,300V,52mm(TAPING)	

Level	Loc. No.	Code No.	Description ; Specification	Remark
2	J607	3812-000219	WIRE-NO SHEATH CU;TCWA,300V,52mm(TAPING)	
2	J611	3812-000219	WIRE-NO SHEATH CU;TCWA,300V,52mm(TAPING)	
2	J614	3812-000219	WIRE-NO SHEATH CU;TCWA,300V,52mm(TAPING)	
2	J615	3812-000219	WIRE-NO SHEATH CU;TCWA,300V,52mm(TAPING)	
2	J616	3812-000219	WIRE-NO SHEATH CU;TCWA,300V,52mm(TAPING)	
2	J617	3812-000219	WIRE-NO SHEATH CU;TCWA,300V,52mm(TAPING)	
2	J618	3812-000219	WIRE-NO SHEATH CU;TCWA,300V,52mm(TAPING)	
2	J619	3812-000219	WIRE-NO SHEATH CU;TCWA,300V,52mm(TAPING)	
2	J620	3812-000219	WIRE-NO SHEATH CU;TCWA,300V,52mm(TAPING)	
2	J621	3812-000219	WIRE-NO SHEATH CU;TCWA,300V,52mm(TAPING)	
2	J622	3812-000219	WIRE-NO SHEATH CU;TCWA,300V,52mm(TAPING)	
2	J624	3812-000219	WIRE-NO SHEATH CU;TCWA,300V,52mm(TAPING)	
2	J627	3812-000219	WIRE-NO SHEATH CU;TCWA,300V,52mm(TAPING)	
2	J629	3812-000219	WIRE-NO SHEATH CU;TCWA,300V,52mm(TAPING)	
2	J631	3812-000219	WIRE-NO SHEATH CU;TCWA,300V,52mm(TAPING)	
2	J632	3812-000219	WIRE-NO SHEATH CU;TCWA,300V,52mm(TAPING)	
2	J703	3812-000219	WIRE-NO SHEATH CU;TCWA,300V,52mm(TAPING)	
2	J704	3812-000219	WIRE-NO SHEATH CU;TCWA,300V,52mm(TAPING)	
2	J708	3812-000219	WIRE-NO SHEATH CU;TCWA,300V,52mm(TAPING)	
2	J715	3812-000219	WIRE-NO SHEATH CU;TCWA,300V,52mm(TAPING)	
2	J716	3812-000219	WIRE-NO SHEATH CU;TCWA,300V,52mm(TAPING)	
2	J717	3812-000219	WIRE-NO SHEATH CU;TCWA,300V,52mm(TAPING)	
2	J805	3812-000219	WIRE-NO SHEATH CU;TCWA,300V,52mm(TAPING)	
2	J806	3812-000219	WIRE-NO SHEATH CU;TCWA,300V,52mm(TAPING)	
2	J807	3812-000219	WIRE-NO SHEATH CU;TCWA,300V,52mm(TAPING)	
2	J810	3812-000219	WIRE-NO SHEATH CU;TCWA,300V,52mm(TAPING)	
2	J811	3812-000219	WIRE-NO SHEATH CU;TCWA,300V,52mm(TAPING)	
2	J816	3812-000219	WIRE-NO SHEATH CU;TCWA,300V,52mm(TAPING)	
2	J819	3812-000219	WIRE-NO SHEATH CU;TCWA,300V,52mm(TAPING)	
2	J820	3812-000219	WIRE-NO SHEATH CU;TCWA,300V,52mm(TAPING)	
2	J821	3812-000219	WIRE-NO SHEATH CU;TCWA,300V,52mm(TAPING)	
2	J824	3812-000219	WIRE-NO SHEATH CU;TCWA,300V,52mm(TAPING)	
2	J826	3812-000219	WIRE-NO SHEATH CU;TCWA,300V,52mm(TAPING)	
2	J829	3812-000219	WIRE-NO SHEATH CU;TCWA,300V,52mm(TAPING)	
2	J830	3812-000219	WIRE-NO SHEATH CU;TCWA,300V,52mm(TAPING)	
2	J831	3812-000219	WIRE-NO SHEATH CU;TCWA,300V,52mm(TAPING)	
2	J832	3812-000219	WIRE-NO SHEATH CU;TCWA,300V,52mm(TAPING)	
2	J833	3812-000219	WIRE-NO SHEATH CU;TCWA,300V,52mm(TAPING)	
2	J909	3812-000219	WIRE-NO SHEATH CU;TCWA,300V,52mm(TAPING)	
2	J911	3812-000219	WIRE-NO SHEATH CU;TCWA,300V,52mm(TAPING)	
2	J912	3812-000219	WIRE-NO SHEATH CU;TCWA,300V,52mm(TAPING)	
2	J913	3812-000219	WIRE-NO SHEATH CU;TCWA,300V,52mm(TAPING)	
2	J915	3812-000219	WIRE-NO SHEATH CU;TCWA,300V,52mm(TAPING)	
2	J916	3812-000219	WIRE-NO SHEATH CU;TCWA,300V,52mm(TAPING)	
2	J924	3812-000219	WIRE-NO SHEATH CU;TCWA,300V,52mm(TAPING)	
2	J925	3812-000219	WIRE-NO SHEATH CU;TCWA,300V,52mm(TAPING)	
2	J926	3812-000219	WIRE-NO SHEATH CU;TCWA,300V,52mm(TAPING)	
2	J927	3812-000219	WIRE-NO SHEATH CU;TCWA,300V,52mm(TAPING)	
2	J928	3812-000219	WIRE-NO SHEATH CU;TCWA,300V,52mm(TAPING)	
2	J931	3812-000219	WIRE-NO SHEATH CU;TCWA,300V,52mm(TAPING)	
2	J932	3812-000219	WIRE-NO SHEATH CU;TCWA,300V,52mm(TAPING)	
2	J933	3812-000219	WIRE-NO SHEATH CU;TCWA,300V,52mm(TAPING)	
2	J934	3812-000219	WIRE-NO SHEATH CU;TCWA,300V,52mm(TAPING)	
2	J936	3812-000219	WIRE-NO SHEATH CU;TCWA,300V,52mm(TAPING)	
2	J941	3812-000219	WIRE-NO SHEATH CU;TCWA,300V,52mm(TAPING)	
2	J942	3812-000219	WIRE-NO SHEATH CU;TCWA,300V,52mm(TAPING)	
2	R939	3812-000219	WIRE-NO SHEATH CU;TCWA,300V,52mm(TAPING)	
2	J714	3812-000219	WIRE-NO SHEATH CU;TCWA,300V,52mm(TAPING)	
2	J249	3812-000219	WIRE-NO SHEATH CU;TCWA,300V,52mm(TAPING)	
2	D908	3812-000219	WIRE-NO SHEATH CU;TCWA,300V,52mm(TAPING)	
2	J835	3812-000219	WIRE-NO SHEATH CU;TCWA,300V,52mm(TAPING)	
2	J425	3812-000219	WIRE-NO SHEATH CU;TCWA,300V,52mm(TAPING)	
2	J633	3812-000219	WIRE-NO SHEATH CU;TCWA,300V,52mm(TAPING)	
2	J818	3812-000219	WIRE-NO SHEATH CU;TCWA,300V,52mm(TAPING)	
2	J612	3812-000219	WIRE-NO SHEATH CU;TCWA,300V,52mm(TAPING)	
2	L610	3812-000219	WIRE-NO SHEATH CU;TCWA,300V,52mm(TAPING)	
2	J937	3812-000219	WIRE-NO SHEATH CU;TCWA,300V,52mm(TAPING)	
2	J918	3812-000219	WIRE-NO SHEATH CU;TCWA,300V,52mm(TAPING)	
2	J907	3812-000219	WIRE-NO SHEATH CU;TCWA,300V,52mm(TAPING)	
2	J626	3812-000219	WIRE-NO SHEATH CU;TCWA,300V,52mm(TAPING)	
2	J121	3812-000219	WIRE-NO SHEATH CU;TCWA,300V,52mm(TAPING)	
2	J118	3812-000219	WIRE-NO SHEATH CU;TCWA,300V,52mm(TAPING)	
2	J101	3812-000219	WIRE-NO SHEATH CU;TCWA,300V,52mm(TAPING)	
2	J253	3812-000219	WIRE-NO SHEATH CU;TCWA,300V,52mm(TAPING)	
2	J943	3812-000219	WIRE-NO SHEATH CU;TCWA,300V,52mm(TAPING)	
2	J944	3812-000219	WIRE-NO SHEATH CU;TCWA,300V,52mm(TAPING)	
2	J705	3812-000219	WIRE-NO SHEATH CU;TCWA,300V,52mm(TAPING)	
2	J707	3812-000219	WIRE-NO SHEATH CU;TCWA,300V,52mm(TAPING)	
2	J407	3812-000219	WIRE-NO SHEATH CU;TCWA,300V,52mm(TAPING)	
2	J605	3812-000219	WIRE-NO SHEATH CU;TCWA,300V,52mm(TAPING)	
2	J608	3812-000219	WIRE-NO SHEATH CU;TCWA,300V,52mm(TAPING)	
2	J609	3812-000219	WIRE-NO SHEATH CU;TCWA,300V,52mm(TAPING)	
2	J419	3812-000219	WIRE-NO SHEATH CU;TCWA,300V,52mm(TAPING)	
2	J420	3812-000219	WIRE-NO SHEATH CU;TCWA,300V,52mm(TAPING)	
2	J126	3812-000219	WIRE-NO SHEATH CU;TCWA,300V,52mm(TAPING)	
2	J108	3812-000219	WIRE-NO SHEATH CU;TCWA,300V,52mm(TAPING)	
2	J127	3812-000219	WIRE-NO SHEATH CU;TCWA,300V,52mm(TAPING)	
2	L107	3812-000219	WIRE-NO SHEATH CU;TCWA,300V,52mm(TAPING)	
2	R223	3812-000219	WIRE-NO SHEATH CU;TCWA,300V,52mm(TAPING)	
2	R234	3812-000219	WIRE-NO SHEATH CU;TCWA,300V,52mm(TAPING)	
2	J254	3812-000219	WIRE-NO SHEATH CU;TCWA,300V,52mm(TAPING)	
2	J914	3812-000219	WIRE-NO SHEATH CU;TCWA,300V,52mm(TAPING)	
2	J411	3812-000219	WIRE-NO SHEATH CU;TCWA,300V,52mm(TAPING)	
2	L410	3812-000219	WIRE-NO SHEATH CU;TCWA,300V,52mm(TAPING)	
2	J412	3812-000219	WIRE-NO SHEATH CU;TCWA,300V,52mm(TAPING)	
2	C221	3812-000219	WIRE-NO SHEATH CU;TCWA,300V,52mm(TAPING)	
2	C222	3812-000219	WIRE-NO SHEATH CU;TCWA,300V,52mm(TAPING)	
2	C223	3812-000219	WIRE-NO SHEATH CU;TCWA,300V,52mm(TAPING)	
2	L204	3812-000219	WIRE-NO SHEATH CU;TCWA,300V,52mm(TAPING)	
2	L804	3812-000219	WIRE-NO SHEATH CU;TCWA,300V,52mm(TAPING)	
2	J204	3812-000219	WIRE-NO SHEATH CU;TCWA,300V,52mm(TAPING)	
2	J701	3812-000219	WIRE-NO SHEATH CU;TCWA,300V,52mm(TAPING)	
2	J817	3812-000219	WIRE-NO SHEATH CU;TCWA,300V,52mm(TAPING)	
2	L413	3812-000219	WIRE-NO SHEATH CU;TCWA,300V,52mm(TAPING)	
2	R926	3812-000219	WIRE-NO SHEATH CU;TCWA,300V,52mm(TAPING)	
2	J902	3812-000219	WIRE-NO SHEATH CU;TCWA,300V,52mm(TAPING)	
2	J940	3812-000219	WIRE-NO SHEATH CU;TCWA,300V,52mm(TAPING)	
2	J935	3812-000219	WIRE-NO SHEATH CU;TCWA,300V,52mm(TAPING)	
2	J630	3812-000219	WIRE-NO SHEATH CU;TCWA,300V,52mm(TAPING)	
2	EY301	AA60-40011A	K EYELET;ID2.0,OD2.8,BST	
2	EY302	AA60-40011A	K EYELET;ID2.0,OD2.8,BST	
2	EY303	AA60-40011A	K EYELET;ID2.0,OD2.8,BST	
2	EY304	AA60-40011A	K EYELET;ID2.0,OD2.8,BST	
2	EY401	AA60-40011A	K EYELET;ID2.0,OD2.8,BST	
2	EY402	AA60-40011A	K EYELET;ID2.0,OD2.8,BST	
2	EY403	AA60-40011A	K EYELET;ID2.0,OD2.8,BST	
2	EY404	AA60-40011A	K EYELET;ID2.0,OD2.8,BST	
2	EY405	AA60-40011A	K EYELET;ID2.0,OD2.8,BST	
2	EY406	AA60-40011A	K EYELET;ID2.0,OD2.8,BST	
2	EY407	AA60-40011A	K EYELET;ID2.0,OD2.8,BST	
2	EY408	AA60-40011A	K EYELET;ID2.0,OD2.8,BST	
2	EY409	AA60-40011A	K EYELET;ID2.0,OD2.8,BST	
2	EY410	AA60-40011A	K EYELET;ID2.0,OD2.8,BST	
2	EY411	AA60-40011A	K EYELET;ID2.0,OD2.8,BST	
2	EY412	AA60-40011A	K EYELET;ID2.0,OD2.8,BST	
2	EY413	AA60-40011A	K EYELET;ID2.0,OD2.8,BST	
2	EY414	AA60-40011A	K EYELET;ID2.0,OD2.8,BST	
2	EY415	AA60-40011A	K EYELET;ID2.0,OD2.8,BST	
2	EY416	AA60-40011A	K EYELET;ID2.0,OD2.8,BST	
2	EY417	AA60-40011A	K EYELET;ID2.0,OD2.8,BST	
2	EY418	AA60-40011A	K EYELET;ID2.0,OD2.8,BST	
2	EY419	AA60-40011A	K EYELET;ID2.0,OD2.8,BST	
2	EY420	AA60-40011A	K EYELET;ID2.0,OD2.8,BST	
2	EY421	AA60-40011A	K EYELET;ID2.0,OD2.8,BST	
2	EY422	AA60-40011A	K EYELET;ID2.0,OD2.8,BST	
2	EY423	AA60-40011A	K EYELET;ID2.0,OD2.8,BST	
2	EY424	AA60-40011A	K EYELET;ID2.0,OD2.8,BST	
2	EY425	AA60-40011A	K EYELET;ID2.0,OD2.8,BST	
2	EY426	AA60-40011A	K EYELET;ID2.0,OD2.8,BST	
2	EY427	AA60-40011A	K EYELET;ID2.0,OD2.8,BST	
2	EY428	AA60-40011A	K EYELET;ID2.0,OD2.8,BST	
2	EY429	AA60-40011A	K EYELET;ID2.0,OD2.8,BST	
2	EY430	AA60-40011A	K EYELET;ID2.0,OD2.8,BST	
2	EY431	AA60-40011A	K EYELET;ID2.0,OD2.8,BST	
2	EY432	AA60-40011A	K EYELET;ID2.0,OD2.8,BST	
2	EY433	AA60-40011A	K EYELET;ID2.0,OD2.8,BST	
2	EY434	AA60-40011A	K EYELET;ID2.0,OD2.8,BST	
2	EY435	AA60-40011A	K EYELET;ID2.0,OD2.8,BST	
2	EY436	AA60-40011A	K EYELET;ID2.0,OD2.8,BST	
2	EY437	AA60-40011A	K EYELET;ID2.0,OD2.8,BST	
2	EY438	AA60-40011A	K EYELET;ID2.0,OD2.8,BST	
2	EY439	AA60-40011A	K EYELET;ID2.0,OD2.8,BST	
2	EY440	AA60-40011A	K EYELET;ID2.0,OD2.8,BST	
2	EY441	AA60-40011A	K EYELET;ID2.0,OD2.8,BST	

Level	Loc. No.	Code No.	Description ; Specification	Remark
2	EY442	AA60-40011A	K EYELET;ID2.0,OD2.8,BST	
2	EY443	AA60-40011A	K EYELET;ID2.0,OD2.8,BST	
2	EY444	AA60-40011A	K EYELET;ID2.0,OD2.8,BST	
2	EY445	AA60-40011A	K EYELET;ID2.0,OD2.8,BST	
2	EY446	AA60-40011A	K EYELET;ID2.0,OD2.8,BST	
2	EY447	AA60-40011A	K EYELET;ID2.0,OD2.8,BST	
2	EY448	AA60-40011A	K EYELET;ID2.0,OD2.8,BST	
2	EY449	AA60-40011A	K EYELET;ID2.0,OD2.8,BST	
2	EY450	AA60-40011A	K EYELET;ID2.0,OD2.8,BST	
2	EY451	AA60-40011A	K EYELET;ID2.0,OD2.8,BST	
2	EY452	AA60-40011A	K EYELET;ID2.0,OD2.8,BST	
2	EY453	AA60-40011A	K EYELET;ID2.0,OD2.8,BST	
2	EY454	AA60-40011A	K EYELET;ID2.0,OD2.8,BST	
2	EY455	AA60-40011A	K EYELET;ID2.0,OD2.8,BST	
2	EY456	AA60-40011A	K EYELET;ID2.0,OD2.8,BST	
2	EY457	AA60-40011A	K EYELET;ID2.0,OD2.8,BST	
2	EY458	AA60-40011A	K EYELET;ID2.0,OD2.8,BST	
2	EY601	AA60-40011A	K EYELET;ID2.0,OD2.8,BST	
2	EY602	AA60-40011A	K EYELET;ID2.0,OD2.8,BST	
2	EY603	AA60-40011A	K EYELET;ID2.0,OD2.8,BST	
2	EY604	AA60-40011A	K EYELET;ID2.0,OD2.8,BST	
2	EY701	AA60-40011A	K EYELET;ID2.0,OD2.8,BST	
2	EY702	AA60-40011A	K EYELET;ID2.0,OD2.8,BST	
2	EY703	AA60-40011A	K EYELET;ID2.0,OD2.8,BST	
2	EY704	AA60-40011A	K EYELET;ID2.0,OD2.8,BST	
2	EY801	AA60-40011A	K EYELET;ID2.0,OD2.8,BST	
2	EY802	AA60-40011A	K EYELET;ID2.0,OD2.8,BST	
2	EY803	AA60-40011A	K EYELET;ID2.0,OD2.8,BST	
2	EY804	AA60-40011A	K EYELET;ID2.0,OD2.8,BST	
2	EY805	AA60-40011A	K EYELET;ID2.0,OD2.8,BST	
2	EY806	AA60-40011A	K EYELET;ID2.0,OD2.8,BST	
2	EY807	AA60-40011A	K EYELET;ID2.0,OD2.8,BST	
2	EY808	AA60-40011A	K EYELET;ID2.0,OD2.8,BST	
2	EY809	AA60-40011A	K EYELET;ID2.0,OD2.8,BST	
2	EY810	AA60-40011A	K EYELET;ID2.0,OD2.8,BST	
2	EY811	AA60-40011A	K EYELET;ID2.0,OD2.8,BST	
2	EY812	AA60-40011A	K EYELET;ID2.0,OD2.8,BST	
2	EY813	AA60-40011A	K EYELET;ID2.0,OD2.8,BST	
2	EY814	AA60-40011A	K EYELET;ID2.0,OD2.8,BST	
2	EY815	AA60-40011A	K EYELET;ID2.0,OD2.8,BST	
2	EY816	AA60-40011A	K EYELET;ID2.0,OD2.8,BST	
2	EY817	AA60-40011A	K EYELET;ID2.0,OD2.8,BST	
2	EY818	AA60-40011A	K EYELET;ID2.0,OD2.8,BST	
2	EY819	AA60-40011A	K EYELET;ID2.0,OD2.8,BST	
2	EY820	AA60-40011A	K EYELET;ID2.0,OD2.8,BST	
2	EY822	AA60-40011A	K EYELET;ID2.0,OD2.8,BST	
2	EY823	AA60-40011A	K EYELET;ID2.0,OD2.8,BST	
2	EY824	AA60-40011A	K EYELET;ID2.0,OD2.8,BST	
2	EY825	AA60-40011A	K EYELET;ID2.0,OD2.8,BST	
2	EY826	AA60-40011A	K EYELET;ID2.0,OD2.8,BST	
2	EY827	AA60-40011A	K EYELET;ID2.0,OD2.8,BST	
2	EY828	AA60-40011A	K EYELET;ID2.0,OD2.8,BST	
2	EY829	AA60-40011A	K EYELET;ID2.0,OD2.8,BST	
2	EY830	AA60-40011A	K EYELET;ID2.0,OD2.8,BST	
2	EY831	AA60-40011A	K EYELET;ID2.0,OD2.8,BST	
2	EY832	AA60-40011A	K EYELET;ID2.0,OD2.8,BST	
2	EY833	AA60-40011A	K EYELET;ID2.0,OD2.8,BST	
2	EY834	AA60-40011A	K EYELET;ID2.0,OD2.8,BST	
2	EY835	AA60-40011A	K EYELET;ID2.0,OD2.8,BST	
2	EY836	AA60-40011A	K EYELET;ID2.0,OD2.8,BST	
2	EY837	AA60-40011A	K EYELET;ID2.0,OD2.8,BST	
2	EY838	AA60-40011A	K EYELET;ID2.0,OD2.8,BST	
2	EY839	AA60-40011A	K EYELET;ID2.0,OD2.8,BST	
2	EY840	AA60-40011A	K EYELET;ID2.0,OD2.8,BST	
2	EY841	AA60-40011A	K EYELET;ID2.0,OD2.8,BST	
2	EY842	AA60-40011A	K EYELET;ID2.0,OD2.8,BST	
2	EY844	AA60-40011A	K EYELET;ID2.0,OD2.8,BST	
2	EY845	AA60-40011A	K EYELET;ID2.0,OD2.8,BST	
2	EY846	AA60-40011A	K EYELET;ID2.0,OD2.8,BST	
2	EY847	AA60-40011A	K EYELET;ID2.0,OD2.8,BST	
2	EY848	AA60-40011A	K EYELET;ID2.0,OD2.8,BST	
2	EY849	AA60-40011A	K EYELET;ID2.0,OD2.8,BST	
2	EY850	AA60-40011A	K EYELET;ID2.0,OD2.8,BST	
2	EY851	AA60-40011A	K EYELET;ID2.0,OD2.8,BST	
2	EY852	AA60-40011A	K EYELET;ID2.0,OD2.8,BST	
2	EY853	AA60-40011A	K EYELET;ID2.0,OD2.8,BST	
2	EY854	AA60-40011A	K EYELET;ID2.0,OD2.8,BST	
2	EY855	AA60-40011A	K EYELET;ID2.0,OD2.8,BST	
2	EY856	AA60-40011A	K EYELET;ID2.0,OD2.8,BST	
2	EY857	AA60-40011A	K EYELET;ID2.0,OD2.8,BST	
2	EY858	AA60-40011A	K EYELET;ID2.0,OD2.8,BST	
2	EY859	AA60-40011A	K EYELET;ID2.0,OD2.8,BST	
2	EY860	AA60-40011A	K EYELET;ID2.0,OD2.8,BST	
2	EY861	AA60-40011A	K EYELET;ID2.0,OD2.8,BST	
2	TOP1	AA60-40011A	K EYELET;ID2.0,OD2.8,BST	
2	TOP2	AA60-40011A	K EYELET;ID2.0,OD2.8,BST	
2	EL401	AA60-40011B	K EYELET;ID2.2,OD3.2,BSP	
2	EL402	AA60-40011B	K EYELET;ID2.2,OD3.2,BSP	
2	EL403	AA60-40011B	K EYELET;ID2.2,OD3.2,BSP	
2	EL404	AA60-40011B	K EYELET;ID2.2,OD3.2,BSP	
2	EL405	AA60-40011B	K EYELET;ID2.2,OD3.2,BSP	
2	EL406	AA60-40011B	K EYELET;ID2.2,OD3.2,BSP	
2	EL407	AA60-40011B	K EYELET;ID2.2,OD3.2,BSP	
2	EL408	AA60-40011B	K EYELET;ID2.2,OD3.2,BSP	
2	EL802	AA60-40011B	K EYELET;ID2.2,OD3.2,BSP	
2	EL803	AA60-40011B	K EYELET;ID2.2,OD3.2,BSP	
2	EL805	AA60-40011B	K EYELET;ID2.2,OD3.2,BSP	
2	EL806	AA60-40011B	K EYELET;ID2.2,OD3.2,BSP	
2	EL807	AA60-40011B	K EYELET;ID2.2,OD3.2,BSP	
2	EL808	AA60-40011B	K EYELET;ID2.2,OD3.2,BSP	
2	EL809	AA60-40011B	K EYELET;ID2.2,OD3.2,BSP	
2	EL810	AA60-40011B	K EYELET;ID2.2,OD3.2,BSP	
2	EL811	AA60-40011B	K EYELET;ID2.2,OD3.2,BSP	
2	R236	2001-000515	R-CARBON;220OHM,5%,1/8W,AA,TP,1.8X3.2MM	
2	R237	2001-000515	R-CARBON;220OHM,5%,1/8W,AA,TP,1.8X3.2MM	
2	R238	2001-000515	R-CARBON;220OHM,5%,1/8W,AA,TP,1.8X3.2MM	
2	R247	2001-000515	R-CARBON;220OHM,5%,1/8W,AA,TP,1.8X3.2MM	
2	R235	2001-000515	R-CARBON;220OHM,5%,1/8W,AA,TP,1.8X3.2MM	
2	R622	2001-000577	R-CARBON;2KOHM,5%,1/8W,AA,TP,1.8X3.2MM	
2	R621	2001-000577	R-CARBON;2KOHM,5%,1/8W,AA,TP,1.8X3.2MM	
2	R915	2001-000577	R-CARBON;2KOHM,5%,1/8W,AA,TP,1.8X3.2MM	
2	R935	2001-000290	R-CARBON;10KOHM,5%,1/8W,AA,TP,1.8X3.2MM	
2	R202	2001-000290	R-CARBON;10KOHM,5%,1/8W,AA,TP,1.8X3.2MM	
2	R205	2001-000290	R-CARBON;10KOHM,5%,1/8W,AA,TP,1.8X3.2MM	
2	R243	2001-000290	R-CARBON;10KOHM,5%,1/8W,AA,TP,1.8X3.2MM	
2	R245	2001-000290	R-CARBON;10KOHM,5%,1/8W,AA,TP,1.8X3.2MM	
2	R246	2001-000290	R-CARBON;10KOHM,5%,1/8W,AA,TP,1.8X3.2MM	
2	R310	2001-000290	R-CARBON;10KOHM,5%,1/8W,AA,TP,1.8X3.2MM	
2	R716	2001-000290	R-CARBON;10KOHM,5%,1/8W,AA,TP,1.8X3.2MM	
2	R715	2001-000290	R-CARBON;10KOHM,5%,1/8W,AA,TP,1.8X3.2MM	
2	R606	2001-000290	R-CARBON;10KOHM,5%,1/8W,AA,TP,1.8X3.2MM	
2	R620	2001-000290	R-CARBON;10KOHM,5%,1/8W,AA,TP,1.8X3.2MM	
2	R629	2001-000290	R-CARBON;10KOHM,5%,1/8W,AA,TP,1.8X3.2MM	
2	R309	2001-000290	R-CARBON;10KOHM,5%,1/8W,AA,TP,1.8X3.2MM	
2	R206	2001-000290	R-CARBON;10KOHM,5%,1/8W,AA,TP,1.8X3.2MM	
2	R609	2001-000290	R-CARBON;10KOHM,5%,1/8W,AA,TP,1.8X3.2MM	
2	R211	2001-000290	R-CARBON;10KOHM,5%,1/8W,AA,TP,1.8X3.2MM	
2	R912	2001-000290	R-CARBON;10KOHM,5%,1/8W,AA,TP,1.8X3.2MM	
2	R952	2001-000290	R-CARBON;10KOHM,5%,1/8W,AA,TP,1.8X3.2MM	
2	R940	2001-000281	R-CARBON;100OHM,5%,1/8W,AA,TP,1.8X3.2MM	
2	R941	2001-000281	R-CARBON;100OHM,5%,1/8W,AA,TP,1.8X3.2MM	
2	R942	2001-000281	R-CARBON;100OHM,5%,1/8W,AA,TP,1.8X3.2MM	
2	R947	2001-000281	R-CARBON;100OHM,5%,1/8W,AA,TP,1.8X3.2MM	
2	R948	2001-000281	R-CARBON;100OHM,5%,1/8W,AA,TP,1.8X3.2MM	
2	R102	2001-000281	R-CARBON;100OHM,5%,1/8W,AA,TP,1.8X3.2MM	
2	R103	2001-000281	R-CARBON;100OHM,5%,1/8W,AA,TP,1.8X3.2MM	
2	R203	2001-000281	R-CARBON;100OHM,5%,1/8W,AA,TP,1.8X3.2MM	
2	R204	2001-000281	R-CARBON;100OHM,5%,1/8W,AA,TP,1.8X3.2MM	
2	R604	2001-000281	R-CARBON;100OHM,5%,1/8W,AA,TP,1.8X3.2MM	
2	R605	2001-000281	R-CARBON;100OHM,5%,1/8W,AA,TP,1.8X3.2MM	
2	R610	2001-000281	R-CARBON;100OHM,5%,1/8W,AA,TP,1.8X3.2MM	
2	R611	2001-000281	R-CARBON;100OHM,5%,1/8W,AA,TP,1.8X3.2MM	
2	R612	2001-000281	R-CARBON;100OHM,5%,1/8W,AA,TP,1.8X3.2MM	
2	R613	2001-000281	R-CARBON;100OHM,5%,1/8W,AA,TP,1.8X3.2MM	
2	R628	2001-000281	R-CARBON;100OHM,5%,1/8W,AA,TP,1.8X3.2MM	
2	R627	2001-000281	R-CARBON;100OHM,5%,1/8W,AA,TP,1.8X3.2MM	
2	R723	2001-000281	R-CARBON;100OHM,5%,1/8W,AA,TP,1.8X3.2MM	
2	R909	2001-000281	R-CARBON;100OHM,5%,1/8W,AA,TP,1.8X3.2MM	
2	R907	2001-000281	R-CARBON;100OHM,5%,1/8W,AA,TP,1.8X3.2MM	
2	J904	2001-000281	R-CARBON;100OHM,5%,1/8W,AA,TP,1.8X3.2MM	
2	R925	2001-000281	R-CARBON;100OHM,5%,1/8W,AA,TP,1.8X3.2MM	
2	J920	2001-000281	R-CARBON;100OHM,5%,1/8W,AA,TP,1.8X3.2MM	

Level	Loc. No.	Code No.	Description ; Specification	Remark
2	R955	2001-000281	R-CARBON;100OHM,5%,1/8W,AA,TP,1.8X3.2MM	
⚠ 2	RY801S	2002-001011	R-COMPOSITION;3.3Mohm,5%,1/2W,AA,TP,3.7x	
⚠ 2	RY802S	2002-001013	R-COMPOSITION;4.7Mohm,5%,1/2W,AA,TP,3.7x	
⚠ 2	VP801S	1405-000187	VARISTOR;750V,1250A,12.5x7mm,TP	
⚠ 2	VX801S	1405-000187	VARISTOR;750V,1250A,12.5x7mm,TP	
2	X901	2801-003728	CRYSTAL-UNIT;6MHz,30ppm,28-AAM,20pF,40oh	
2	L103	2701-000115	INDUCTOR-AXIAL;10uH,10%,3x7mm	
2		0203-001123	TAPE-PAPER;#53131,T0.15,W6.0,L200000,YEL	
2	C707	2401-000939	C-AL;22uF,20%,25V,GP,TP,5x11,5	
2	L202	2701-000114	INDUCTOR-AXIAL;10uH,10%,2.5x3.4mm	
2	L301	2701-000114	INDUCTOR-AXIAL;10uH,10%,2.5x3.4mm	
2	L406	2701-000114	INDUCTOR-AXIAL;10uH,10%,2.5x3.4mm	
2	L907	2701-000114	INDUCTOR-AXIAL;10uH,10%,2.5x3.4mm	
2	L711	2701-000114	INDUCTOR-AXIAL;10uH,10%,2.5x3.4mm	
2	L108	2701-000114	INDUCTOR-AXIAL;10uH,10%,2.5x3.4mm	
2	L109	2701-000114	INDUCTOR-AXIAL;10uH,10%,2.5x3.4mm	
2	R706	2701-000114	INDUCTOR-AXIAL;10uH,10%,2.5x3.4mm	
2	R707	2701-000114	INDUCTOR-AXIAL;10uH,10%,2.5x3.4mm	
2	R708	2701-000114	INDUCTOR-AXIAL;10uH,10%,2.5x3.4mm	
2	L302	3301-000287	CORE-FERRITE BEAD;AA,3.5x1.0x6.0mm,1500,	
2	L802	3301-000287	CORE-FERRITE BEAD;AA,3.5x1.0x6.0mm,1500,	
2	L803	3301-000287	CORE-FERRITE BEAD;AA,3.5x1.0x6.0mm,1500,	
2	L809	3301-000287	CORE-FERRITE BEAD;AA,3.5x1.0x6.0mm,1500,	
2	J901	3301-000287	CORE-FERRITE BEAD;AA,3.5x1.0x6.0mm,1500,	
2	L303	3301-000287	CORE-FERRITE BEAD;AA,3.5x1.0x6.0mm,1500,	
2	L207	3301-000287	CORE-FERRITE BEAD;AA,3.5x1.0x6.0mm,1500,	
2	J406	3301-000287	CORE-FERRITE BEAD;AA,3.5x1.0x6.0mm,1500,	
2	L412	3301-000287	CORE-FERRITE BEAD;AA,3.5x1.0x6.0mm,1500,	
2	L407	2901-000297	FILTER-EMI ON BOARD;-,3A,-,-,3.5x5,TP,-	
2	L807	2901-000297	FILTER-EMI ON BOARD;-,3A,-,-,3.5x5,TP,-	
2	L601	2901-000297	FILTER-EMI ON BOARD;-,3A,-,-,3.5x5,TP,-	
2	L609	2901-000297	FILTER-EMI ON BOARD;-,3A,-,-,3.5x5,TP,-	
2	R233	2901-000297	FILTER-EMI ON BOARD;-,3A,-,-,3.5x5,TP,-	
2	L201	2901-000297	FILTER-EMI ON BOARD;-,3A,-,-,3.5x5,TP,-	
2	C233	2901-000297	FILTER-EMI ON BOARD;-,3A,-,-,3.5x5,TP,-	
2	C234	2901-000297	FILTER-EMI ON BOARD;-,3A,-,-,3.5x5,TP,-	
2	C235	2901-000297	FILTER-EMI ON BOARD;-,3A,-,-,3.5x5,TP,-	
2	L604	2701-000169	INDUCTOR-AXIAL;3.9uH,10%,2.5x3.4mm	
2	Q201	0501-000389	TR-SMALL SIGNAL;KSC815,NPN,400mW,TO-92,T	
2	Q202	0501-000389	TR-SMALL SIGNAL;KSC815,NPN,400mW,TO-92,T	
2	Q203	0501-000389	TR-SMALL SIGNAL;KSC815,NPN,400mW,TO-92,T	
2	Q901	0501-000389	TR-SMALL SIGNAL;KSC815,NPN,400mW,TO-92,T	
2	Q906	0501-000389	TR-SMALL SIGNAL;KSC815,NPN,400mW,TO-92,T	
2	Q908	0501-000389	TR-SMALL SIGNAL;KSC815,NPN,400mW,TO-92,T	
2	Q701	0501-000389	TR-SMALL SIGNAL;KSC815,NPN,400mW,TO-92,T	
2	Q204	0501-000389	TR-SMALL SIGNAL;KSC815,NPN,400mW,TO-92,T	
2	Q601	0501-000389	TR-SMALL SIGNAL;KSC815,NPN,400mW,TO-92,T	
2	Q907	0501-000389	TR-SMALL SIGNAL;KSC815,NPN,400mW,TO-92,T	
2	R244	2001-000786	R-CARBON;47KOHM,5%,1/8W,AA,TP,1.8X3.2MM	
2	R954	2001-000786	R-CARBON;47KOHM,5%,1/8W,AA,TP,1.8X3.2MM	
2	R215	2001-000522	R-CARBON;22KOHM,5%,1/8W,AA,TP,1.8X3.2MM	
2	R823	2001-000522	R-CARBON;22KOHM,5%,1/8W,AA,TP,1.8X3.2MM	
2	R910	2001-000522	R-CARBON;22KOHM,5%,1/8W,AA,TP,1.8X3.2MM	
2	R216	2001-000429	R-CARBON;1KOHM,5%,1/8W,AA,TP,1.8X3.2MM	
2	R603	2001-000429	R-CARBON;1KOHM,5%,1/8W,AA,TP,1.8X3.2MM	
2	R817	2001-000429	R-CARBON;1KOHM,5%,1/8W,AA,TP,1.8X3.2MM	
2	R924	2001-000429	R-CARBON;1KOHM,5%,1/8W,AA,TP,1.8X3.2MM	
2	R914	2001-000429	R-CARBON;1KOHM,5%,1/8W,AA,TP,1.8X3.2MM	
2	R936	2001-000429	R-CARBON;1KOHM,5%,1/8W,AA,TP,1.8X3.2MM	
2	R252	2001-000429	R-CARBON;1KOHM,5%,1/8W,AA,TP,1.8X3.2MM	
2	R726	2001-000429	R-CARBON;1KOHM,5%,1/8W,AA,TP,1.8X3.2MM	
2	R209	2001-000429	R-CARBON;1KOHM,5%,1/8W,AA,TP,1.8X3.2MM	
2	R254	2001-000429	R-CARBON;1KOHM,5%,1/8W,AA,TP,1.8X3.2MM	
2	R601	2001-000429	R-CARBON;1KOHM,5%,1/8W,AA,TP,1.8X3.2MM	
2	R602	2001-000429	R-CARBON;1KOHM,5%,1/8W,AA,TP,1.8X3.2MM	
2	R902	2001-000429	R-CARBON;1KOHM,5%,1/8W,AA,TP,1.8X3.2MM	
2	R816	2001-000429	R-CARBON;1KOHM,5%,1/8W,AA,TP,1.8X3.2MM	
2	R228	2001-000117	R-CARBON(S);68OHM,5%,1/2W,AA,TP,2.4X6.4M	
2	R303	2001-000016	R-CARBON(S);1OHM,5%,1/2W,AA,TP,2.4X6.4MM	
2	R404	2001-000016	R-CARBON(S);1OHM,5%,1/2W,AA,TP,2.4X6.4MM	
2	R828	2008-000266	R-FUSIBLE(S);1ohm,5%,2W,AF,TP,3.9x10mm	
2	R314	2004-001984	R-METAL(S);26.7Kohm,1%,1/2W,AA,TP,2.4x6.	
2	R411	2001-000028	R-CARBON(S);100OHM,5%,1/2W,AA,TP,2.4X6.4	
2	R412	2001-000020	R-CARBON(S);22OHM,5%,1/2W,AA,TP,2.4X6.4M	
2	R422	2001-000020	R-CARBON(S);22OHM,5%,1/2W,AA,TP,2.4X6.4M	
2	R421	2001-001093	R-CARBON(S);2.2KOHM,5%,1/2W,AA,TP,2.4X6.	
2	R415	2001-001093	R-CARBON(S);2.2KOHM,5%,1/2W,AA,TP,2.4X6.	
2	R913	2001-000947	R-CARBON;7.5KOHM,5%,1/8W,AA,TP,1.8X3.2M	
2	R426	2003-000540	R-METAL OXIDE(S);1Kohm,5%,2W,AF,TP,4x12m	
2	R614	2001-000780	R-CARBON;470OHM,5%,1/8W,AA,TP,1.8X3.2MM	
2	R615	2001-000780	R-CARBON;470OHM,5%,1/8W,AA,TP,1.8X3.2MM	
2	R616	2001-000780	R-CARBON;470OHM,5%,1/8W,AA,TP,1.8X3.2MM	
2	R617	2001-000780	R-CARBON;470OHM,5%,1/8W,AA,TP,1.8X3.2MM	
2	R920	2001-000780	R-CARBON;470OHM,5%,1/8W,AA,TP,1.8X3.2MM	
2	R226	2001-000780	R-CARBON;470OHM,5%,1/8W,AA,TP,1.8X3.2MM	
2	R224	2001-000780	R-CARBON;470OHM,5%,1/8W,AA,TP,1.8X3.2MM	
2	R225	2001-000780	R-CARBON;470OHM,5%,1/8W,AA,TP,1.8X3.2MM	
2	R812	2001-000780	R-CARBON;470OHM,5%,1/8W,AA,TP,1.8X3.2MM	
2	R831	2001-000780	R-CARBON;470OHM,5%,1/8W,AA,TP,1.8X3.2MM	
2	R931	2001-000780	R-CARBON;470OHM,5%,1/8W,AA,TP,1.8X3.2MM	
2	R956	2001-000780	R-CARBON;470OHM,5%,1/8W,AA,TP,1.8X3.2MM	
2	R919	2001-000780	R-CARBON;470OHM,5%,1/8W,AA,TP,1.8X3.2MM	
2	R214	2001-000411	R-CARBON;18KOHM,5%,1/8W,AA,TP,1.8X3.2MM	
2	R704	2001-000969	R-CARBON;75OHM,5%,1/8W,AA,TP,1.8X3.2MM	
2	R242	2001-000969	R-CARBON;75OHM,5%,1/8W,AA,TP,1.8X3.2MM	
2	R802	2003-001025	R-METAL OXIDE(S);15Kohm,5%,2W,AF,TP,3.9x	
2	R803	2003-001025	R-METAL OXIDE(S);15Kohm,5%,2W,AF,TP,3.9x	
2	R804	2003-001025	R-METAL OXIDE(S);15Kohm,5%,2W,AF,TP,3.9x	
2	R805	2001-001150	R-CARBON(S);470KOHM,5%,1/2W,AA,TP,2.4X6.	
2	R806	2001-001150	R-CARBON(S);470KOHM,5%,1/2W,AA,TP,2.4X6.	
2	R813	2001-001153	R-CARBON(S);47OHM,5%,1/2W,AA,TP,2.4X6.4M	
2	R832	2001-001153	R-CARBON(S);47OHM,5%,1/2W,AA,TP,2.4X6.4M	
2	R810	2001-001178	R-CARBON(S);680OHM,5%,1/2W,AA,TP,2.4X6.4	
2	R418	2001-001178	R-CARBON(S);680OHM,5%,1/2W,AA,TP,2.4X6.4	
2	R819	2004-001983	R-METAL(S);2.49Kohm,1%,1/2W,AA,TP,2.4x6.	
2	R820	2001-001096	R-CARBON(S);2.2OHM,5%,1/2W,AA,TP,2.4X6.4	
2	R822	2001-000273	R-CARBON;100KOHM,5%,1/8W,AA,TP,1.8X3.2M	
2	R824	2001-000273	R-CARBON;100KOHM,5%,1/8W,AA,TP,1.8X3.2M	
2	R825	2001-000066	R-CARBON(S);10KOHM,5%,1/2W,AA,TP,2.4X6.4	
2	R901	2001-000734	R-CARBON;4.7KOHM,5%,1/8W,AA,TP,1.8X3.2M	
2	R903	2001-000734	R-CARBON;4.7KOHM,5%,1/8W,AA,TP,1.8X3.2M	
2	R904	2001-000734	R-CARBON;4.7KOHM,5%,1/8W,AA,TP,1.8X3.2M	
2	R905	2001-000734	R-CARBON;4.7KOHM,5%,1/8W,AA,TP,1.8X3.2M	
2	R906	2001-000734	R-CARBON;4.7KOHM,5%,1/8W,AA,TP,1.8X3.2M	
2	R908	2001-000734	R-CARBON;4.7KOHM,5%,1/8W,AA,TP,1.8X3.2M	
2	R921	2001-000734	R-CARBON;4.7KOHM,5%,1/8W,AA,TP,1.8X3.2M	
2	R927	2001-000734	R-CARBON;4.7KOHM,5%,1/8W,AA,TP,1.8X3.2M	
2	R928	2001-000734	R-CARBON;4.7KOHM,5%,1/8W,AA,TP,1.8X3.2M	
2	R937	2001-000734	R-CARBON;4.7KOHM,5%,1/8W,AA,TP,1.8X3.2M	
2	R833	2001-000734	R-CARBON;4.7KOHM,5%,1/8W,AA,TP,1.8X3.2M	
2	R724	2001-000734	R-CARBON;4.7KOHM,5%,1/8W,AA,TP,1.8X3.2M	
2	R725	2001-000734	R-CARBON;4.7KOHM,5%,1/8W,AA,TP,1.8X3.2M	
2	R253	2001-000734	R-CARBON;4.7KOHM,5%,1/8W,AA,TP,1.8X3.2M	
2	R248	2001-000003	R-CARBON;330ohm,5%,1/8W,AA,TP,1.8x3.2mm	
2	R249	2001-000003	R-CARBON;330ohm,5%,1/8W,AA,TP,1.8x3.2mm	
2	R250	2001-000003	R-CARBON;330ohm,5%,1/8W,AA,TP,1.8x3.2mm	
2	R911	2001-000003	R-CARBON;330ohm,5%,1/8W,AA,TP,1.8x3.2mm	
2	R922	2001-000924	R-CARBON;680OHM,5%,1/8W,AA,TP,1.8X3.2MM	
2	R923	2001-000924	R-CARBON;680OHM,5%,1/8W,AA,TP,1.8X3.2MM	
2	C833	2401-002619	C-AL;47uF,20%,25V,GP,TP,5x11,5	
2	C229	2401-002619	C-AL;47uF,20%,25V,GP,TP,5x11,5	
2	CN602	3711-002644	CONNECTOR-HEADER;BOX,5P,1R,2.5mm,STRAIGH	
2	CW901	2503-000156	C-NETWORK;100pFx4,20%,50V	
2	D203	0404-000156	DIODE-SCHOTTKY;RB441Q,10V,100mA,DO-34,TP	
2	D204	0404-000156	DIODE-SCHOTTKY;RB441Q,10V,100mA,DO-34,TP	
2	D205	0404-000156	DIODE-SCHOTTKY;RB441Q,10V,100mA,DO-34,TP	
2	D206	0404-000156	DIODE-SCHOTTKY;RB441Q,10V,100mA,DO-34,TP	
2	D901	0404-000156	DIODE-SCHOTTKY;RB441Q,10V,100mA,DO-34,TP	
2	D902	0404-000156	DIODE-SCHOTTKY;RB441Q,10V,100mA,DO-34,TP	
2	D903	0404-000156	DIODE-SCHOTTKY;RB441Q,10V,100mA,DO-34,TP	
2	D904	0404-000156	DIODE-SCHOTTKY;RB441Q,10V,100mA,DO-34,TP	
2	DZ803	0403-001167	DIODE-ZENER;MTZJ30D,30V,29.02-30.51V,500	
⚠ 2	FA802S	3601-001086	FUSE-AXIAL LEAD;125V,5A,FAST-ACTING,GLAS	
2	HIC201	AA13-00093A	IC HYBRID;-,DRGB001A,SIP,5P,-,TP	
2	HIC202	AA13-00093A	IC HYBRID;-,DRGB001A,SIP,5P,-,TP	
2	HIC203	AA13-00093A	IC HYBRID;-,DRGB001A,SIP,5P,-,TP	
2	HIC204	AA13-00093A	IC HYBRID;-,DRGB001A,SIP,5P,-,TP	
2	R409	2003-001018	R-METAL OXIDE(S);220ohm,5%,2W,AF,TP,3.9x	
2	R410	2003-001018	R-METAL OXIDE(S);220ohm,5%,2W,AF,TP,3.9x	
2	R413	2008-001018	R-FUSIBLE(S);0.47ohm,10%,2W,AF,TP,3.9x10	
2	R424	2008-001018	R-FUSIBLE(S);0.47ohm,10%,2W,AF,TP,3.9x10	
2	R304	2008-001018	R-FUSIBLE(S);0.47ohm,10%,2W,AF,TP,3.9x10	
2	R827	2008-000284	R-FUSIBLE(S);0.1OHM,10%,2W,AF,TP,3.9X10M	
2	R829	2008-001029	R-FUSIBLE(S);5.6ohm,5%,2W,AF,TP,3.9x10mm	

Level	Loc. No.	Code No.	Description ; Specification	Remark
2	R835	2003-002181	R-METAL OXIDE(S);68Kohm,5%,2W,AG,TP,3.9x	
2	R836	2003-002181	R-METAL OXIDE(S);68Kohm,5%,2W,AG,TP,3.9x	
2	R433	2003-001042	R-METAL OXIDE(S);5.6Kohm,5%,2W,AF,TP,3.9	
2	R717	2001-000702	R-CARBON;39KOHM,5%,1/8W,AA,TP,1.8X3.2MM	
2	R718	2001-000702	R-CARBON;39KOHM,5%,1/8W,AA,TP,1.8X3.2MM	
2	R105	2001-000702	R-CARBON;39KOHM,5%,1/8W,AA,TP,1.8X3.2MM	
2	X601	2801-003903	CRYSTAL-UNIT;18.432MHz,25ppm,28-AAM,12pF	
2	IC904	1203-001943	IC-VOL. DETECTOR;7025,TO-92,3P-,PLASTIC	
2	PCB	AA41-00168H	PCB-MAIN;CS29A6,FR-1,1L,H,1.6T,330X245,K	
2	Q802	0501-000369	TR-SMALL SIGNAL;KSC2331-Y,NPN,1000mW,TO-	
2	Q909	0505-000109	FET-SILICON;2N7000,N,60V,200mA,5ohm,400m	
2	Q910	0505-000109	FET-SILICON;2N7000,N,60V,200mA,5ohm,400m	
2	R434	2003-001091	R-METAL OXIDE(S);10ohm,5%,2W,AF,TP,4x12m	
2	R403	2003-001091	R-METAL OXIDE(S);10ohm,5%,2W,AF,TP,4x12m	
2	C113	2202-000127	C-CERAMIC,MLC-AXIAL;10nF,+80-20%,25V,Y5V	
2	C925	2202-000127	C-CERAMIC,MLC-AXIAL;10nF,+80-20%,25V,Y5V	
2	L605	2701-000180	INDUCTOR-AXIAL;33uH,5%,2.5x3.4mm	
2	L606	2701-000180	INDUCTOR-AXIAL;33uH,5%,2.5x3.4mm	
2	L607	2701-000180	INDUCTOR-AXIAL;33uH,5%,2.5x3.4mm	
2	L608	2701-000180	INDUCTOR-AXIAL;33uH,5%,2.5x3.4mm	
2	L701	2701-000180	INDUCTOR-AXIAL;33uH,5%,2.5x3.4mm	
2	L702	2701-000180	INDUCTOR-AXIAL;33uH,5%,2.5x3.4mm	
2	L705	2701-000180	INDUCTOR-AXIAL;33uH,5%,2.5x3.4mm	
2	L706	2701-000180	INDUCTOR-AXIAL;33uH,5%,2.5x3.4mm	
2	R106	2001-000864	R-CARBON;56KOHM,5%,1/8W,AA,TP,1.8X3.2MM	
2	R313	2004-001137	R-METAL;6.8Kohm,1%,1/8W,AA,TP,1.8x3.2m	
2	R710	2001-000938	R-CARBON;68OHM,5%,1/8W,AA,TP,1.8X3.2MM	
2	R709	2001-000938	R-CARBON;68OHM,5%,1/8W,AA,TP,1.8X3.2MM	
2	R241	2001-000938	R-CARBON;68OHM,5%,1/8W,AA,TP,1.8X3.2MM	
2	R811	2004-001408	R-METAL(S);91Kohm,1%,1/2W,AA,TP,2.4x6.4m	
2	R809	2001-000022	R-CARBON(S);33OHM,5%,1/2W,AA,TP,2.4X6.4M	
2	L901	2702-001094	INDUCTOR-RADIAL;10uH,10%,6x4mm	
2	L903	2702-001094	INDUCTOR-RADIAL;10uH,10%,6x4mm	
2	L904	2702-001094	INDUCTOR-RADIAL;10uH,10%,6x4mm	
2	L909	2701-000191	INDUCTOR-AXIAL;47uH,10%,2.5x3.4mm	
2	L908	2701-000191	INDUCTOR-AXIAL;47uH,10%,2.5x3.4mm	
2	R818	2001-001113	R-CARBON(S);270KOHM,5%,1/2W,AA,TP,2.4X6.	
2	CN702	3711-002647	CONNECTOR-HEADER;BOX,8P,1R,2.5mm,STRAIGH	
2	C656	2201-000304	C-CERAMIC,DISC;0.001NF,0.25PF,50V,C0G,TP	
2	C657	2201-000304	C-CERAMIC,DISC;0.001NF,0.25PF,50V,C0G,TP	
2	C306	2301-000342	C-FILM,PEF;2.2nF,5%,50V,TP,7.4x3.9x13mm,	
2	C415	2301-000342	C-FILM,PEF;2.2nF,5%,50V,TP,7.4x3.9x13mm,	
2	C621	2401-002458	C-AL;1000uF,20%,35V,GP,TP,16x25,7.5	
2	C824	2401-003046	C-AL;47uF,20%,50V,WT,TP,6.3x11,2.5	
2	C823	2401-003046	C-AL;47uF,20%,50V,WT,TP,6.3x11,2.5	
2	C115	2202-000121	C-CERAMIC,MLC-AXIAL;100pF,10%,50V,Y5P,TP	
2	C116	2202-000121	C-CERAMIC,MLC-AXIAL;100pF,10%,50V,Y5P,TP	
2	C701	2202-000121	C-CERAMIC,MLC-AXIAL;100pF,10%,50V,Y5P,TP	
2	L209	2701-000168	INDUCTOR-AXIAL;3.3uH,5%,2.5x3.4mm	
2	L210	2701-000168	INDUCTOR-AXIAL;3.3uH,5%,2.5x3.4mm	
2	L801	3301-001223	CORE-FERRITE BEAD;AA,62ohm,3.5x0.8x5mm,-	
2	L806	3301-001223	CORE-FERRITE BEAD;AA,62ohm,3.5x0.8x5mm,-	
2	R945	2001-000449	R-CARBON;2.2KOHM,5%,1/8W,AA,TP,1.8X3.2M	
2	R946	2001-000449	R-CARBON;2.2KOHM,5%,1/8W,AA,TP,1.8X3.2M	
⚠ 2	RX801S	2002-001010	R-COMPOSITION;1.8Mohm,5%,1/2W,AA,TP,3.7x	
2	R821	2004-004999	R-METAL(S);143Kohm,1%,1/2W,AA,TP,2.4X6.5	
2	R210	2001-000812	R-CARBON;5.6KOHM,5%,1/8W,AA,TP,1.8X3.2M	
⚠ 2	FP801S	3601-000297	FUSE-CARTRIDGE;250V,5A,TIME-LAG,GLASS,5.	
2	F801A	3602-000114	FUSE-HOLDER;-,-,30mohm	
2	F801B	3602-000114	FUSE-HOLDER;-,-,30mohm	
2	C835	2401-002289	C-AL;470uF,20%,35V,WT,TP,10x20,5	
2	C840	2401-002212	C-AL;10uF,20%,25V,WT,TP,5x11,5	
2	C827	2401-002212	C-AL;10uF,20%,25V,WT,TP,5x11,5	
2	R417	2004-001397	R-METAL(S);4.7Kohm,1%,1/2W,AA,TP,2.4x6.4	
2	CN502	3711-002646	CONNECTOR-HEADER;BOX,7P,1R,2.5mm,STRAIGH	
2	R808	2001-001079	R-CARBON(S);15OHM,5%,1/2W,AA,TP,2.4X6.4M	
2	R405	2008-000254	R-FUSIBLE(S);0.68ohm,5%,2W,AF,TP,3.9x10m	
2	R425	2008-001011	R-FUSIBLE(S);0.18ohm,10%,2W,AF,TP,3.9x10	
2		HA68-02176A	LABEL;LABEL	
2	R423	2001-001122	R-CARBON(S);3.9KOHM,5%,1/2W,AA,TP,2.4X6.	
2	C654	2201-000611	C-CERAMIC,DISC;0.056NF,5%,50V,C0G,TP,7X3	
2	C425	2301-001259	C-FILM,MPPF;100nF,5%,400V,TP,19x8x16,7.5	
2	C622	2401-001989	C-AL;4.7uF,20%,50V,BP,TP,5x11,5	
2	C625	2401-001989	C-AL;4.7uF,20%,50V,BP,TP,5x11,5	
2	C626	2401-001989	C-AL;4.7uF,20%,50V,BP,TP,5x11,5	
2	C628	2401-001989	C-AL;4.7uF,20%,50V,BP,TP,5x11,5	

Level	Loc. No.	Code No.	Description ; Specification	Remark
2	C104	2401-002463	C-AL;470uF,20%,16V,GP,TP,8x11.5,5	
2	C808	2401-003046	C-AL;47uF,20%,50V,WT,TP,6.3x11,2.5	
⚠ 2	D301	0402-001105	DIODE-RECTIFIER;ERB43-04SV1,400V,1.0A,-,	
⚠ 2	D803	0402-001105	DIODE-RECTIFIER;ERB43-04SV1,400V,1.0A,-,	
2	D816	0402-001105	DIODE-RECTIFIER;ERB43-04SV1,400V,1.0A,-,	
2	DZ602	0403-000720	DIODE-ZENER;MTZJ9.1B,9.1V,8.57-9.01V,500	
2	R207	2001-000221	R-CARBON;1.2KOHM,5%,1/8W,AA,TP,1.8X3.2M	
2	R208	2001-000405	R-CARBON;180OHM,5%,1/8W,AA,TP,1.8X3.2MM	
2	R414	2008-000253	R-FUSIBLE(S);0.47ohm,5%,1W,AF,TP,3.9x10m	
2	HIC401	AA13-00094A	IC HYBRID;-,DDRI001A,SIP,5P,-,TP	
2	C102	2401-001513	C-AL;47uF,20%,16V,WT,TP,5x11,5	
2	C913	2401-000287	C-AL;100uF,20%,16V,WT,TP,6.3x11,5	
2	C915	2401-000287	C-AL;100uF,20%,16V,WT,TP,6.3x11,5	
2	C918	2401-000287	C-AL;100uF,20%,16V,WT,TP,6.3x11,5	
2	C210	2401-000287	C-AL;100uF,20%,16V,WT,TP,6.3x11,5	
2	L102	2701-000159	INDUCTOR-AXIAL;22uH,10%,4.2x9.8mm	
2	R420	2004-004015	R-METAL(S);9.1Kohm,1%,1/2W,AA,TP,2.5x6.5	
2	C106	2401-000611	C-AL;1uF,20%,50V,WT,TP,5x11,5	
2	C303	2201-002103	C-CERAMIC,DISC;0.015NF,5%,500V,C0G,TP,6.	
2	C409	2303-001001	C-FILM,PPF;22nF,5%,630V,TP,18x14.5x8.5mm	
2	C411	2301-000445	C-FILM,PEF;4.7nF,5%,50V,TP,5.5x7x3mm,5mm	
2	C412	2301-000148	C-FILM,PEF;10nF,5%,100V,TP,7x3.2x7mm,5mm	
2	L905	2001-000995	R-CARBON;820OHM,5%,1/8W,AA,TP,1.8X3.2MM	
2	R302	2004-004029	R-METAL(S);10Kohm,1%,1/2W,AA,TP,2.5x6.5m	
2	R305	2003-002157	R-METAL OXIDE;220OHM,5%,2W,AG,TP,6X16MM	
2	R306	2003-002157	R-METAL OXIDE;220OHM,5%,2W,AG,TP,6X16MM	
2	R401	2003-000586	R-METAL OXIDE(S);22Kohm,5%,2W,AF,TP,4x12	
2	R402	2003-000586	R-METAL OXIDE(S);22Kohm,5%,2W,AF,TP,4x12	
2	R607	2001-000007	R-CARBON;3KOHM,5%,1/8W,AA,TP,1.8X3.2MM	
2	R608	2001-000007	R-CARBON;3KOHM,5%,1/8W,AA,TP,1.8X3.2MM	
2	R916	2001-000007	R-CARBON;3KOHM,5%,1/8W,AA,TP,1.8X3.2MM	
2	R212	2004-000218	R-METAL;10Kohm,1%,1/8W,AA,TP,1.8x3.2mm	
⚠ 2	FA803S	3601-001228	FUSE-AXIAL LEAD;125V,10A,FAST-ACTING,EPO	
2	R407	2001-001114	R-CARBON(S);270OHM,5%,1/2W,AA,TP,2.4X6.4	
2	C828	2201-000376	C-CERAMIC,DISC;0.22NF,5%,50V,SL,TP,6.3X3	
2	J919	2701-000183	INDUCTOR-AXIAL;39uH,5%,2.5x3.4mm	
2	D408	0402-000493	DIODE-RECTIFIER;1R5GU41,400V,1.5A,DO-15L	
2	R826	2003-001035	R-METAL OXIDE(S);27ohm,5%,2W,AF,TP,3.9x1	
2	KEZI	2303-000296	C-FILM,PPF;18nF,0.05,630V,BK,20x16x9.5mm	
2	C410	2301-000213	C-FILM,PEF;220nF,5%,250V,TP,21.5x11,7.5	
⚠ 2	L401	2001-001040	R-CARBON(S);0.68OHM,5%,1/2W,AA,TP,2.4X6.	
2	C427	2401-002267	C-AL;2.2uF,20%,250V,GP,TP,8x11.5,5	
⚠ 2	D413	0402-000537	DIODE-RECTIFIER;RH1A,600V,0.6A,DO-204AC	
2	R436	2003-002008	R-METAL OXIDE(S);18Kohm,5%,2W,AF,TP,3.9x	
2	C203	2401-000480	C-AL;10uF,20%,50V,GP,TP,5x11,5	
2	R944	2001-000613	R-CARBON;3.9KOHM,5%,1/8W,AA,TP,1.8X3.2M	
2	L910	2701-000215	INDUCTOR-AXIAL;8.2uH,10%,2.5x3.4mm	
2	C926	2202-000154	C-CERAMIC,MLC-AXIAL;150pF,10%,50V,Y5P,TP	
2	L222	2701-000184	INDUCTOR-AXIAL;4.7uH,10%,2.5x3.4mm	
2	L208	2701-000147	INDUCTOR-AXIAL;2.2uH,5%,2.4x3.4mm	
2	C246	2202-000210	C-CERAMIC,MLC-AXIAL;270pF,10%,50V,Y5P,TP	
2	C248	2202-000210	C-CERAMIC,MLC-AXIAL;270pF,10%,50V,Y5P,TP	
2	C247	2202-000849	C-CERAMIC,MLC-AXIAL;18pF,5%,50V,CH,TP,3.	
2	C904	2401-002144	C-AL;47uF,20%,16V,GP,TP,5x11,5	
2	R917	2001-000878	R-CARBON;6.2KOHM,5%,1/8W,AA,TP,1.8X3.2M	
2	R918	2001-000009	R-CARBON;20KOHM,5%,1/8W,AA,TP,1.8X3.2MM	
2	SW901	3404-000244	SWITCH-TACT;15V,20mA,90-170gf,7.5x7mm,SP	
2	SW902	3404-000244	SWITCH-TACT;15V,20mA,90-170gf,7.5x7mm,SP	
2	SW903	3404-000244	SWITCH-TACT;15V,20mA,90-170gf,7.5x7mm,SP	
2	SW904	3404-000244	SWITCH-TACT;15V,20mA,90-170gf,7.5x7mm,SP	
2	SW905	3404-000244	SWITCH-TACT;15V,20mA,90-170gf,7.5x7mm,SP	
2	KEZI	2004-001987	R-METAL(S);4.3Kohm,1%,1/2W,AA,TP,2.4x6.4	
2	R301	2004-001371	R-METAL(S);1.5Kohm,1%,1/2W,AA,TP,2.4x6.4	
2	IC901	AA09-00221A	IC MICOM;SIM806HEW2-A042,SIM806HEW2-A042	
2	IC601	1204-001661	IC-SOUND PROCESSOR;MSP3411G-A2,DIP,52P,-	
⚠ 2	T401	AA26-50001S	TRANS-HORIZ.DRIVE;-,-,-,6.0mH,-,-,44uH,-	
⚠ 2	TU01S	AA40-00079A	TUNER;TCPW3001PD16A(S),PAL,181CH,38.	
2		AA98-00245A	ASSY SUB PART;S51A,PCB MAIN(OPT)	
3		0202-000008	SOLDER-WIRE;S63S-W3.0,S63S,D3,63Sn/37Pb,	
3		0202-000187	SOLDER-WIRE FLUX;-,RS60S,D1.2,63Sn/37Pb	
3		0202-001046	FLUX;CF-110VH-2A,-,-,-,-	
3		0204-001095	THINNER;#4520,-,-,-	
⚠ 2	T801S	AA26-00046B	TRANS SWITCHING;CODE-NO,CW6844N8X/XEF,-,	
⚠ 2	IC804	HA96-00243C	ASSY-H/S;-,REGULATOR,AA62-00045A,KA7806	
3		1203-000284	IC-POSI.FIXED REG.;7806,TO-220,3P,-,PLAS	
3		6003-000334	SCREW-TAPTITE;RH,+,2S,M3,L6,ZPC(YEL),SWR	

Level	Loc. No.	Code No.	Description ; Specification	Remark
3		AA62-00065A	HEAT SINK-PS;DP,-,-,-,AA62-00045A,-,-,-	
3		0205-000129	GREASE-SILICON;SC102,JAPAN	
2	L408	AA27-40003P	COIL HORIZ. WIDTH;-,120uH/180uH,Th8x20,U	
⚠ 2	LX801S	AA29-00015A	FILTER LINE NOISE;WS32W8,28-20MH 1.5A,+-	
2	L405	AA27-00057A	COIL HORIZ. WIDTH;-,10mH,YL-9N 15x27.5 C	
⚠ 2	IC803	1203-001697	IC-VOLTAGE REGULATOR;78R08,TO-220,4P,-,P	
2	Q404	HA96-00437A	ASSY-H/S;ASSY-H/S;AA62-00076A,IRF620	
3		0505-000156	FET-SILICON;IRF620,N,200V,5A,0.8ohm,50W,	
3		6003-000334	SCREW-TAPTITE;RH,+,2S,M3,L6,ZPC(YEL),SWR	
3		HA62-00076A	HEAT SINK;AL,100Hz,T1.0,10,40	
2	Q402	0505-001116	FET-SILICON;BUZ73A,N,200V,22A,0.6ohm,40W	
⚠ 2	CY802S	2201-002002	C-CERAMIC,DISC;4.7nF,20%,400V,Y5U,TP,16x	
2	C407	2301-001338	C-FILM,MPE-PPF;0.68nF,5%,1.6kV,TP,28x7x1	
2	C405	2303-001015	C-FILM,PPF;5.5nF,5%,1.6kV,TP,29x9.5x17,2	
2	C406	2303-001015	C-FILM,PPF;5.5nF,5%,1.6kV,TP,29x9.5x17,2	
2	C426	2306-000204	C-FILM,MPPF;430nF,5%,400V,TP,26x20.5x12.	
2	IC903	1203-001944	IC-POSI.FIXED REG.;78RM33,TO-220,3P,-,PL	
2	IC202	1203-001944	IC-POSI.FIXED REG.;78RM33,TO-220,3P,-,PL	
2	C806	2401-003031	C-AL;470uF,20%,450V,GP,BK,35x45mm,1	
2	C820	2401-003076	C-AL;3300uF,20%,50V,WP,BK,18x35.5mm	
2	R807	2006-001083	R-CEMENT;120ohm,5%,5W,CJ,TP,14x10x27mm	
2	C423	2301-001192	C-FILM,MPPF;820nF,5%,400V,TP,29x18.5x25.	
2	TOP	AA39-20010B	LEAD CONNECTOR-ASSY;,1P,YFH800-01,S,500,	
2	L808	AA27-10002L	COIL CHOKE;-,24uH,K,-,2A,-,24UH-K,10x10m	
2	L402	AA27-10004F	COIL CHOKE;-,56uH,K,-,2.5A,BK,-,DR12x15,	
⚠ 2	T444S	AA26-00132A	TRANS FBT;1372.0074A,CT29A6,1.8MH,135V	
⚠ 2	L403	AA27-00015A	COIL LINEARITY;-,7.3UH,L81 DR15X18,-,-,B	
⚠ 2	IC201S	HA98-00134B	ASSY-SIPADOSS MODULE;DP,KS3A,100HZ,SDA94	
3		AA95-00989A	ASSY ETC-CHROMA BODY;DP,-,KS3A,-,-,100HZ	
4	P1	3711-004782	CONNECTOR-HEADER;NOWALL,32P,1R,1.778MM,S	
4	P2	3711-004782	CONNECTOR-HEADER;NOWALL,32P,1R,1.778MM,S	
4	PCB	AA41-00411A	PCB-SIPADOS BODY;CS29A5,FR-4,2L,A,1.6T,1	
3	IC3	1204-001909	IC-VIDEO PROCESS;DDP3310B-F6,PLCC,68P,-,	
3	IC1	1204-001789	IC-VIDEO PROCESS;VPC3230D-B3,QFP,80P,787	
3	IC2	1204-001858	IC-PICTURE PROCESS;SDA9401,QFP,64P,-,PLA	
3	JP1	2007-000070	R-CHIP;0ohm,5%,1/16W,DA,TP,1608	
3	R17	2007-000070	R-CHIP;0ohm,5%,1/16W,DA,TP,1608	
3	R19	2007-000070	R-CHIP;0ohm,5%,1/16W,DA,TP,1608	
3	R7	2007-000070	R-CHIP;0ohm,5%,1/16W,DA,TP,1608	
3	L1	2007-000070	R-CHIP;0ohm,5%,1/16W,DA,TP,1608	
3	R10	2007-000084	R-CHIP;4.7Kohm,5%,1/16W,DA,TP,1608	
3	R1	2007-000090	R-CHIP;10KOHM,5%,1/16W,DA,TP,1608	
3	R2	2007-000090	R-CHIP;10KOHM,5%,1/16W,DA,TP,1608	
3	R3	2007-000090	R-CHIP;10KOHM,5%,1/16W,DA,TP,1608	
3	R4	2007-000090	R-CHIP;10KOHM,5%,1/16W,DA,TP,1608	
3	R5	2007-000090	R-CHIP;10KOHM,5%,1/16W,DA,TP,1608	
3	R13	2007-001166	R-CHIP;75OHM,5%,1/10W,DA,TP,2012	
3	R14	2007-001166	R-CHIP;75OHM,5%,1/10W,DA,TP,2012	
3	R15	2007-001166	R-CHIP;75OHM,5%,1/10W,DA,TP,2012	
3	R6	2007-001167	R-CHIP;75ohm,5%,1/16W,DA,TP,1608	
3	R9	2007-001167	R-CHIP;75ohm,5%,1/16W,DA,TP,1608	
3	CD3	2203-000041	C-CERAMIC,CHIP;0.01nF,0.25pF,50V,NP0,TP,	
3	CD4	2203-000041	C-CERAMIC,CHIP;0.01nF,0.25pF,50V,NP0,TP,	
3	C21	2203-000181	C-CERAMIC,CHIP;100nF,+80-20%,25V,Y5V,TP,	
3	C39	2203-000181	C-CERAMIC,CHIP;100nF,+80-20%,25V,Y5V,TP,	
3	C42	2203-000181	C-CERAMIC,CHIP;100nF,+80-20%,25V,Y5V,TP,	
3	C43	2203-000181	C-CERAMIC,CHIP;100nF,+80-20%,25V,Y5V,TP,	
3	C44	2203-000181	C-CERAMIC,CHIP;100nF,+80-20%,25V,Y5V,TP,	
3	C51	2203-000181	C-CERAMIC,CHIP;100nF,+80-20%,25V,Y5V,TP,	
3	C52	2203-000181	C-CERAMIC,CHIP;100nF,+80-20%,25V,Y5V,TP,	
3	C53	2203-000181	C-CERAMIC,CHIP;100nF,+80-20%,25V,Y5V,TP,	
3	C54	2203-000181	C-CERAMIC,CHIP;100nF,+80-20%,25V,Y5V,TP,	
3	C55	2203-000181	C-CERAMIC,CHIP;100nF,+80-20%,25V,Y5V,TP,	
3	C56	2203-000181	C-CERAMIC,CHIP;100nF,+80-20%,25V,Y5V,TP,	
3	C57	2203-000181	C-CERAMIC,CHIP;100nF,+80-20%,25V,Y5V,TP,	
3	C27	2203-000236	C-CERAMIC,CHIP;0.1nF,5%,50V,NP0,TP,1608	
3	C33	2203-000236	C-CERAMIC,CHIP;0.1nF,5%,50V,NP0,TP,1608	
3	C37	2203-000236	C-CERAMIC,CHIP;0.1nF,5%,50V,NP0,TP,1608	
3	C16	2203-000257	C-CERAMIC,CHIP;10nF,10%,50V,X7R,TP,1608	
3	C1	2203-000491	C-CERAMIC,CHIP;2.2nF,10%,50V,X7R,TP,1608	
3	C13	2203-000491	C-CERAMIC,CHIP;2.2nF,10%,50V,X7R,TP,1608	
3	C17	2203-000491	C-CERAMIC,CHIP;2.2nF,10%,50V,X7R,TP,1608	
3	C18	2203-000491	C-CERAMIC,CHIP;2.2nF,10%,50V,X7R,TP,1608	
3	C2	2203-000491	C-CERAMIC,CHIP;2.2nF,10%,50V,X7R,TP,1608	
3	C24	2203-000491	C-CERAMIC,CHIP;2.2nF,10%,50V,X7R,TP,1608	
3	C25	2203-000491	C-CERAMIC,CHIP;2.2nF,10%,50V,X7R,TP,1608	
3	C26	2203-000491	C-CERAMIC,CHIP;2.2nF,10%,50V,X7R,TP,1608	
3	C5	2203-000491	C-CERAMIC,CHIP;2.2nF,10%,50V,X7R,TP,1608	
3	C7	2203-000491	C-CERAMIC,CHIP;2.2nF,10%,50V,X7R,TP,1608	
3	C8	2203-000491	C-CERAMIC,CHIP;2.2nF,10%,50V,X7R,TP,1608	
3	C9	2203-000491	C-CERAMIC,CHIP;2.2nF,10%,50V,X7R,TP,1608	
3	C20	2203-000552	C-CERAMIC,CHIP;0.02nF,5%,50V,NP0,TP,1608	
3	C6	2203-000659	C-CERAMIC,CHIP;0.27nF,5%,50V,NP0,TP,1608	
3	C23	2203-000975	C-CERAMIC,CHIP;47nF,10%,25V,X7R,TP,1608,	
3	C3	2203-000975	C-CERAMIC,CHIP;47nF,10%,25V,X7R,TP,1608,	
3	C11	2203-001052	C-CERAMIC,CHIP;0.56nF,10%,50V,X7R,TP,160	
3	C14	2203-001052	C-CERAMIC,CHIP;0.56nF,10%,50V,X7R,TP,160	
3	C19	2203-001052	C-CERAMIC,CHIP;0.56nF,10%,50V,X7R,TP,160	
3	C4	2203-001052	C-CERAMIC,CHIP;0.56nF,10%,50V,X7R,TP,160	
3	C22	2203-001256	C-CERAMIC,CHIP;0.008nF,0.25pF,50V,NP0,TP	
3	C38	2203-001603	C-CERAMIC,CHIP;220nF,10%,16V,X7R,TP,2012	
3	C28	2203-002494	C-CERAMIC,CHIP;470nF,10%,16V,X7R,TP,2012	
3	C32	2203-002494	C-CERAMIC,CHIP;470nF,10%,16V,X7R,TP,2012	
3	C34	2203-002494	C-CERAMIC,CHIP;470nF,10%,16V,X7R,TP,2012	
3	C36	2203-002494	C-CERAMIC,CHIP;470nF,10%,16V,X7R,TP,2012	
3	CE1	2401-000480	C-AL;10uF,20%,50V,GP,TP,5x11,5	
3	CE2	2401-000480	C-AL;10uF,20%,50V,GP,TP,5x11,5	
3	CE4	2401-000480	C-AL;10uF,20%,50V,GP,TP,5x11,5	
3	CE5	2401-000480	C-AL;10uF,20%,50V,GP,TP,5x11,5	
3	CE3	2401-001026	C-AL;3.3UF,20%,50V,GP,TP,5X11,5	
3	L2	2702-001092	INDUCTOR-RADIAL;2.2uH,10%,6x4mm	
3	X2	2801-003432	CRYSTAL-UNIT;20.25MHZ,30PPM,28-AAM,13PF,	
3	L3	3301-001324	CORE-FERRITE BEAD;AB,15OHM,2X1.25X0.9MM,	
3	L4	3301-001324	CORE-FERRITE BEAD;AB,15OHM,2X1.25X0.9MM,	
3	CN64	3711-004778	CONNECTOR-HEADER;NOWALL,64P,2R,2MM,ANGLE	
3	PCB	AA41-00475A	PCB-SIPADOS TOP;CS29A5,FR-4,4L,A,1.6T,18	
2	CN801	3711-004721	CONNECTOR-HEADER;3WALL,2P,1R,12.5mm,STRA	
2	CN802	3711-004720	CONNECTOR-HEADER;3WALL,2P,1R,12.5mm,STRA	
2	CN701A	AA39-00306A	LEAD CONNECTOR-ASSY;KS3A,UL2547#26,UL/CS	
2	SW801	3403-001107	SWITCH-PUSH;250V,5A,DPST,-,KDC-A04	
2	RM901	AA32-00015A	MODULE REMOCON;FRP-3521H31,38KHZ,940MM,M	
2	LD901	AA96-00461A	ASSY LED GUIDE;-,-,SL-255D,RED/GRN	
2	BOT	AA39-20536G	LEAD CONNECTOR ASSY;,1P,F,F,60MM,1617#22	
1		AA95-01541A	ASSY PCB CRT;,KS3A,28,C7-C9,100HZ	
2		AA63-10002A	BAND-TIE;NYLON66 V2,L100,NTR	
2	CN501A	3711-002641	CONNECTOR-HEADER;BOX,10P,1R,2.54mm,STRAI	
2	CN501A	AA39-00225A	LEAD CONNECTOR-ASSY;,10P,67096-010,S,600	
2	CN502A	3711-002646	CONNECTOR-HEADER;BOX,7P,1R,2.5mm,STRAIGH	
2	CN502E	AA39-20029K	LEAD CONNECTOR-ASSY;,7P,67096-007,S,400,	
2	IC501	HA96-50151B	ASSY-H/S;-,AMP,AA61-10060A,TDA6111Q,-	
2	IC502	HA96-50151B	ASSY-H/S;-,AMP,AA61-10060A,TDA6111Q,-	
2	IC503	HA96-50151B	ASSY-H/S;-,AMP,AA61-10060A,TDA6111Q,-	
3		1201-001131	IC-VIDEO AMP;6111,SIP,9P,-,SINGLE,-,PLAS	
3		6001-000057	SCREW-MACHINE;RH,+,M3,L6,ZPC(BLK),SWRCH1	
3		6021-000154	NUT-HEXAGON;2C,M3,ZPC(YEL),SM20C	
3		AA61-10060A	BRACKET-TR;W3220,CUS-1 1/2H,T0.5,-,-,-,-	
2	VA999	3704-000114	SOCKET-CRT;14P,29.1,35.5,SN,ISH09S/BK	
2		HA68-02176A	LABEL;LABEL	
2	C502	2305-000704	C-FILM,MPEF;100nF,5%,250V,TP,16.5x10.3x5	
2	C505	2305-000704	C-FILM,MPEF;100nF,5%,250V,TP,16.5x10.3x5	
2	C508	2305-000704	C-FILM,MPEF;100nF,5%,250V,TP,16.5x10.3x5	
2	C503	2201-000599	C-CERAMIC,DISC;0.56nF,10%,500V,Y5P,TP,5.	
2	C506	2201-000599	C-CERAMIC,DISC;0.56nF,10%,500V,Y5P,TP,5.	
2	C509	2201-000599	C-CERAMIC,DISC;0.56nF,10%,500V,Y5P,TP,5.	
2	C511	2401-001232	C-AL;4.7uF,20%,250V,GP,TP,10x12.5,5	
2	C512	2401-000914	C-AL;22uF,20%,16V,GP,TP,5x11,5	
2	C515	2401-000914	C-AL;22uF,20%,16V,GP,TP,5x11,5	
2	C526	2401-000914	C-AL;22uF,20%,16V,GP,TP,5x11,5	
2	C518	2301-000224	C-FILM,PEF;22nF,5%,50V,TP,7.4x3.9x13mm,5	
2	C519	2301-000224	C-FILM,PEF;22nF,5%,50V,TP,7.4x3.9x13mm,5	
2	C520	2301-000224	C-FILM,PEF;22nF,5%,50V,TP,7.4x3.9x13mm,5	
2	C521	2301-000224	C-FILM,PEF;22nF,5%,50V,TP,7.4x3.9x13mm,5	
2	C522	2301-000224	C-FILM,PEF;22nF,5%,50V,TP,7.4x3.9x13mm,5	
2	C523	2301-000224	C-FILM,PEF;22nF,5%,50V,TP,7.4x3.9x13mm,5	
2	C516	2301-000192	C-FILM,PEF;1nF,5%,50V,TP,5.3x10mm,5mm	
2	D502	0402-000132	DIODE-RECTIFIER;1N4004,400V,1A,DO-41,TP	
2	D507	0402-001105	DIODE-RECTIFIER;ERB43-04SV1,400V,1.0A,-,	
2	D508	0402-001105	DIODE-RECTIFIER;ERB43-04SV1,400V,1.0A,-,	
2	D509	0402-001105	DIODE-RECTIFIER;ERB43-04SV1,400V,1.0A,-,	
2	D510	0402-001105	DIODE-RECTIFIER;ERB43-04SV1,400V,1.0A,-,	
2	D511	0402-001105	DIODE-RECTIFIER;ERB43-04SV1,400V,1.0A,-,	
2	D512	0402-001105	DIODE-RECTIFIER;ERB43-04SV1,400V,1.0A,-,	
2	DZ503	0403-001211	DIODE-ZENER;MTZJ12B,11.44-12.03V,500MW,D	
2	EL82	AA60-40011B	K EYELET;ID2.2,OD3.2,BSP	

Level	Loc. No.	Code No.	Description ; Specification	Remark
2	EL83	AA60-40011B	K EYELET;ID2.2,OD3.2,BSP	
2	EL84	AA60-40011B	K EYELET;ID2.2,OD3.2,BSP	
2	EL85	AA60-40011B	K EYELET;ID2.2,OD3.2,BSP	
2	EL86	AA60-40011B	K EYELET;ID2.2,OD3.2,BSP	
2	EL87	AA60-40011B	K EYELET;ID2.2,OD3.2,BSP	
2	EL88	AA60-40011B	K EYELET;ID2.2,OD3.2,BSP	
2	EL89	AA60-40011B	K EYELET;ID2.2,OD3.2,BSP	
2	EL90	AA60-40011B	K EYELET;ID2.2,OD3.2,BSP	
2	EL91	AA60-40011B	K EYELET;ID2.2,OD3.2,BSP	
2	EL92	AA60-40011B	K EYELET;ID2.2,OD3.2,BSP	
2	EL94	AA60-40011B	K EYELET;ID2.2,OD3.2,BSP	
2	GT504	AA60-40014A	PIN-GT,ASSY;AUTO	
2	GT505	AA60-40014A	PIN-GT,ASSY;AUTO	
2	GT507	AA60-40014A	PIN-GT,ASSY;AUTO	
2	GT508	AA60-40014A	PIN-GT,ASSY;AUTO	
2	J501	3812-000219	WIRE-NO SHEATH CU;TCWA,300V,52mm(TAPING)	
2	J503	3812-000219	WIRE-NO SHEATH CU;TCWA,300V,52mm(TAPING)	
2	J505	3812-000219	WIRE-NO SHEATH CU;TCWA,300V,52mm(TAPING)	
2	J507	3812-000219	WIRE-NO SHEATH CU;TCWA,300V,52mm(TAPING)	
2	J508	3812-000219	WIRE-NO SHEATH CU;TCWA,300V,52mm(TAPING)	
2	J509	3812-000219	WIRE-NO SHEATH CU;TCWA,300V,52mm(TAPING)	
2	J510	3812-000219	WIRE-NO SHEATH CU;TCWA,300V,52mm(TAPING)	
2	J511	3812-000219	WIRE-NO SHEATH CU;TCWA,300V,52mm(TAPING)	
2	J512	3812-000219	WIRE-NO SHEATH CU;TCWA,300V,52mm(TAPING)	
2	J513	3812-000219	WIRE-NO SHEATH CU;TCWA,300V,52mm(TAPING)	
2	J514	3812-000219	WIRE-NO SHEATH CU;TCWA,300V,52mm(TAPING)	
2	J515	3812-000219	WIRE-NO SHEATH CU;TCWA,300V,52mm(TAPING)	
2	J516	3812-000219	WIRE-NO SHEATH CU;TCWA,300V,52mm(TAPING)	
2	J520	3812-000219	WIRE-NO SHEATH CU;TCWA,300V,52mm(TAPING)	
2	J524	3812-000219	WIRE-NO SHEATH CU;TCWA,300V,52mm(TAPING)	
2	J526	3812-000219	WIRE-NO SHEATH CU;TCWA,300V,52mm(TAPING)	
2	J527	3812-000219	WIRE-NO SHEATH CU;TCWA,300V,52mm(TAPING)	
2	J528	3812-000219	WIRE-NO SHEATH CU;TCWA,300V,52mm(TAPING)	
2	J529	3812-000219	WIRE-NO SHEATH CU;TCWA,300V,52mm(TAPING)	
2	J530	3812-000219	WIRE-NO SHEATH CU;TCWA,300V,52mm(TAPING)	
2	J521	3812-000219	WIRE-NO SHEATH CU;TCWA,300V,52mm(TAPING)	
2	J523	3812-000219	WIRE-NO SHEATH CU;TCWA,300V,52mm(TAPING)	
2	J531	3812-000219	WIRE-NO SHEATH CU;TCWA,300V,52mm(TAPING)	
2	L505	3301-000287	CORE-FERRITE BEAD;AA,3.5x1.0x6.0mm,1500,	
2	L506	3301-000287	CORE-FERRITE BEAD;AA,3.5x1.0x6.0mm,1500,	
2	LF03	3301-000287	CORE-FERRITE BEAD;AA,3.5x1.0x6.0mm,1500,	
2	PCB	AA41-00210D	PCB-CRT;CS29A6,FR-1,1L,D,1.6T,330x245,KS	
2	Q502	0501-000283	TR-SMALL SIGNAL;KSA539,PNP,400mW,TO-92,T	
2	Q503	0501-000283	TR-SMALL SIGNAL;KSA539,PNP,400mW,TO-92,T	
2	Q504	0501-000283	TR-SMALL SIGNAL;KSA539,PNP,400mW,TO-92,T	
2	R505	2002-001017	R-COMPOSITION;1Kohm,10%,1/2W,AA,TP,3.7x9	
2	R510	2002-001017	R-COMPOSITION;1Kohm,10%,1/2W,AA,TP,3.7x9	
2	R515	2002-001017	R-COMPOSITION;1Kohm,10%,1/2W,AA,TP,3.7x9	
2	R517	2001-001062	R-CARBON(S);10MOHM,5%,1/2W,AA,TP,2.4X6.4	
2	R519	2002-001009	R-COMPOSITION;2.7Kohm,10%,1/2W,AA,TP,3.7	
2	R501	2001-000429	R-CARBON;1KOHM,5%,1/8W,AA,TP,1.8X3.2MM	
2	R506	2001-000429	R-CARBON;1KOHM,5%,1/8W,AA,TP,1.8X3.2MM	
2	R511	2001-000429	R-CARBON;1KOHM,5%,1/8W,AA,TP,1.8X3.2MM	
2	R522	2001-000449	R-CARBON;2.2KOHM,5%,1/8W,AA,TP,1.8X3.2M	
2	L503	2901-000297	FILTER-EMI ON BOARD;-,3A,-,-,3.5x5,TP,-	
2	L504	2901-000297	FILTER-EMI ON BOARD;-,3A,-,-,3.5x5,TP,-	
2	R502	2001-001093	R-CARBON(S);2.2KOHM,5%,1/2W,AA,TP,2.4X6.	
2	R507	2001-001093	R-CARBON(S);2.2KOHM,5%,1/2W,AA,TP,2.4X6.	
2	R512	2001-001093	R-CARBON(S);2.2KOHM,5%,1/2W,AA,TP,2.4X6.	
2	R503	2001-000085	R-CARBON(S);100KOHM,5%,1/2W,AA,TP,2.4X6.	
2	R508	2001-000085	R-CARBON(S);100KOHM,5%,1/2W,AA,TP,2.4X6.	
2	R513	2001-000085	R-CARBON(S);100KOHM,5%,1/2W,AA,TP,2.4X6.	
2	R526	2004-000500	R-METAL;2.7Kohm,1%,1/8W,AA,TP,1.8x3.2m	
2	R527	2004-000433	R-METAL;1Kohm,1%,1/8W,AA,TP,1.8x3.2mm	
2	R518	2003-002171	R-METAL OXIDE(S);150ohm,5%,2W,AG,TP,3.9x	
2	R542	2001-000832	R-CARBON;510OHM,5%,1/8W,AA,TP,1.8X3.2MM	
2	R543	2001-000832	R-CARBON;510OHM,5%,1/8W,AA,TP,1.8X3.2MM	
2	R544	2001-000832	R-CARBON;510OHM,5%,1/8W,AA,TP,1.8X3.2MM	
2	R546	2001-000832	R-CARBON;510OHM,5%,1/8W,AA,TP,1.8X3.2MM	
2	L501	2701-000178	INDUCTOR-AXIAL;33uH,10%,3x7mm	
2	R521	2001-000660	R-CARBON;33KOHM,5%,1/8W,AA,TP,1.8X3.2MM	
2	R504	2001-000515	R-CARBON;220OHM,5%,1/8W,AA,TP,1.8X3.2MM	
2	R509	2001-000515	R-CARBON;220OHM,5%,1/8W,AA,TP,1.8X3.2MM	
2	R539	2001-000515	R-CARBON;220OHM,5%,1/8W,AA,TP,1.8X3.2MM	
2	SG501	AA27-00084A	COIL;S-23,-,-,-,-,-,-,S-23,5000Mohm	
2	SG502	AA27-00084A	COIL;S-23,-,-,-,-,-,-,S-23,5000Mohm	
2	SG503	AA27-00084A	COIL;S-23,-,-,-,-,-,-,S-23,5000Mohm	
2	SG504	AA27-00084A	COIL;S-23,-,-,-,-,-,-,S-23,5000Mohm	
2	SG505	AA27-00084A	COIL;S-23,-,-,-,-,-,-,S-23,5000Mohm	
2	L507	2701-000215	INDUCTOR-AXIAL;8.2uH,10%,2.5x3.4mm	
2		HA98-00054A	ASSY SUB PART;ASSY SUB PART;KS3A,PCB,CRT	
3		0202-000008	SOLDER-WIRE;S63S-W3.0,S63S,D3,63Sn/37Pb,	
3		0202-000187	SOLDER-WIRE FLUX;-,RS60S,D1.2,63Sn/37Pb	
3		0204-001095	THINNER;#4520,-,-,-	
3		0202-001046	FLUX;CF-110VH-2A,-,-,-	
2	C510	2401-001525	C-AL;47uF,20%,250V,GP,BK,16x25mm,7.	
2	R523	2008-000267	R-FUSIBLE(S);2.4ohm,5%,2W,AA,TP,3.9x10mm	
2	JA501	3722-001503	JACK-PIN;1P,1PI,NI,RED,SCR-JACK	
2	C513	2201-000723	C-CERAMIC,DISC;4.7nF,20%,3KV,Y5U,TP,16x5	

ASSYPCB-PFC

Level	Loc. No.	Code No.	Description ; Specification	Remark
1		HA94-05784B	ASSYPCB-PFC;25-28,4:3,5784A	
2	EYP05	AA60-40011A	K EYELET;ID2.0,OD2.8,BST	
2	EYP07	AA60-40011A	K EYELET;ID2.0,OD2.8,BST	
2	EYP09	AA60-40011A	K EYELET;ID2.0,OD2.8,BST	
2	EYP10	AA60-40011A	K EYELET;ID2.0,OD2.8,BST	
2	EYP11	AA60-40011A	K EYELET;ID2.0,OD2.8,BST	
2	EYP12	AA60-40011A	K EYELET;ID2.0,OD2.8,BST	
2	EYP13	AA60-40011A	K EYELET;ID2.0,OD2.8,BST	
2	EYP14	AA60-40011A	K EYELET;ID2.0,OD2.8,BST	
2	EYP15	AA60-40011A	K EYELET;ID2.0,OD2.8,BST	
2	EYP16	AA60-40011A	K EYELET;ID2.0,OD2.8,BST	
2	EYP17	AA60-40011A	K EYELET;ID2.0,OD2.8,BST	
2	EYP18	AA60-40011A	K EYELET;ID2.0,OD2.8,BST	
2	EYP01	AA60-40011A	K EYELET;ID2.0,OD2.8,BST	
2	EYP02	AA60-40011A	K EYELET;ID2.0,OD2.8,BST	
2	EYP03	AA60-40011A	K EYELET;ID2.0,OD2.8,BST	
2	EYP04	AA60-40011A	K EYELET;ID2.0,OD2.8,BST	
2	EYP06	AA60-40011A	K EYELET;ID2.0,OD2.8,BST	
2	EYP08	AA60-40011A	K EYELET;ID2.0,OD2.8,BST	
2	JP01	3812-000219	WIRE-NO SHEATH CU;TCWA,300V,52mm(TAPING)	
2	JP02	3812-000219	WIRE-NO SHEATH CU;TCWA,300V,52mm(TAPING)	
2	PCB	AA41-00403A	PCB-PFC;CS2939,CEM-1,1L,A,1.6T,245x245,K	
2	CNP02	AA39-00236A	LEAD CONNECTOR-ASSY;,3(2)P,YHL500-03A BL	
2	PFT01	AA27-00116A	COIL CHOKE;CODE_NO,-,35mH,-0, +5%,-,2.8O	
2		HA61-00995A	HOLDER-PFC;ALLMODELL,HIPS	
3		HA83-00006A	LP-RESIN HIPS;,BASF495F,NTR,HB	
3		HA83-00011A	LP-RESIN;,M BATCH,WILSON 6007-GY-60,GRY	
2		HA98-600020	ASSY-SUB,PART;KS4A,PFC PCB	
3		0202-000008	SOLDER-WIRE;S63S-W3.0,S63S,D3,63Sn/37Pb,	
3		0202-000187	SOLDER-WIRE FLUX;-,RS60S,D1.2,63Sn/37Pb	
3		0202-001046	FLUX;CF-110VH-2A,-,-,-	
3		0204-001095	THINNER;#4520,-,-,-	
2		6003-001023	SCREW-TAPTITE;RWH,+,B,M3,L10,ZPC(YEL),SW	
2	CNP02	3711-004721	CONNECTOR-HEADER;3WALL,2P,1R,12.5mm,STRA	
2	CNP01	3711-004720	CONNECTOR-HEADER;3WALL,2P,1R,12.5mm,STRA	
2	CNP01	AA39-00235A	LEAD CONNECTOR-ASSY;,3(2)P,YHL500-03A BL	
⚠ 2	LX803S	AA29-00015A	FILTER LINE NOISE;WS32W8,28-20MH 1.5A,+-	
⚠ 2	CX803S	2306-000318	C-FILM,MPPF;220nF,20%,250V,TP,-,22.5mm	

ASSY CRT

Level	Loc. No.	Code No.	Description ; Specification	Remark
1		AA94-07273B	ASSY CRT;A66EHJ13X12,+450MG,28,4:3,100	
⚠ 2		AA03-00278A	CRT COLOR;A66EHJ13X12,+450MG,0.295MH,7.7	
2		AA39-20518A	LEAD CONNECTOR-ASSY;,6(4)P,YFH806-06,350	
2		AA27-20004K	COIL DEGAUSSING;-,29,19.0ohm,45T,3000mm,	
2		AA63-10002A	BAND-TIE;NYLON66 V2,L100,NTR	
2		AA98-70008D	ASSY TBC WIRE(P);-,28WIDE,PAL,2P,-	

Level	Loc. No.	Code No.	Description ; Specification	Remark

ASSY SUB-PCB,A/V SIDE

1		AA95-01788P	ASSY SUB-PCB,A/V SIDE;CT-29H1D,KS2ANTSC,	
2		0202-000008	SOLDER-WIRE;S63S-W3.0,S63S,D3,63Sn/37Pb,	
2		0202-000187	SOLDER-WIRE FLUX;-,RS60S,D1.2,63Sn/37Pb	
2		0204-001095	THINNER;#4520,-,-,-	
2		0202-001046	FLUX;CF-110VH-2A,-,-,-,-	
2	JE01	3722-000143	JACK-PHONE;1P(VER),3.4PI,AG,BLK,NO	
2	JA01	3722-001031	JACK-PIN;3P,3.6mm,#18,AU	
2	CN06A	AA39-00070A	LEAD CONNECTOR-ASSY;,4P,YBNH250-04,35184	
2	CN01A	AA39-20068E	LEAD CONNECTOR-ASSY;,8P,YBNH025-08,67096	
2	CN05A	AA39-20069C	LEAD CONNECTOR-ASSY;,5P,YBNH025-05,67096	
2		AA63-10002A	BAND-TIE;NYLON66 V2,L100,NTR	
2	RA01	2001-000028	R-CARBON(S);100OHM,5%,1/2W,AA,TP,2.4X6.4	
2	RA02	2001-000028	R-CARBON(S);100OHM,5%,1/2W,AA,TP,2.4X6.4	
2	CA06	2401-001840	C-AL;100uF,20%,16V,GP,TP,6.3x11,5	
2	CA07	2401-001840	C-AL;100uF,20%,16V,GP,TP,6.3x11,5	
2	JA101	3812-000219	WIRE-NO SHEATH CU;TCWA,300V,52mm(TAPING)	
2	PCB	AA41-11017D	PCB-A/V SIDE;CT-29U1,FR-1,1L,D,1.6T,245X	

ASSY COVER REAR

1		AA90-04473A	ASSY COVER REAR;28V5,SEH	
2		HA64-02313A	CABINET-BACK;;28D8(SEH),HIPS,HB,GRY	
3		HA83-00013A	LP-RESIN HIPS;,NTR,HB,DOW A-TECH,IEC65	
3		HA83-00011A	LP-RESIN;,M BATCH,WILSON 6007-GY-60,GRY	
2		AA65-30008A	CLAMPER CORE-CORD;-,PE,HB,-,BLK,-	

ASSY COVER FRONT

1		AA90-04472B	ASSY COVER FRONT;28V5H,VDS,4:3	
2	CB+CF	6002-000515	SCREW-TAPPING;RH,+,2,M4,L15,ZPC(WHT),SWR	
2	CB+SCR	6002-000515	SCREW-TAPPING;RH,+,2,M4,L15,ZPC(WHT),SWR	
2	CF+PCB	6003-001019	SCREW-TAPTITE;RH,+,B,M4,L12,ZPC(BLK),SWR	
2	CRT+CF	AA60-10050Q	SCREW-ASSY;-,SWRCH18A,M5,L26.5,HH,+,WC,-	
2		AA63-10002A	BAND-TIE;NYLON66 V2,L100,NTR	
2		AA65-30008A	CLAMPER CORE-CORD;-,PE,HB,-,BLK,-	
2		AA65-30009A	CLAMPER CORE-FBT;-,ABS,V0,-,BLK,-	
2		AA65-30018A	CLAMPER CORE-WIRE;DONG-A,NYLON-66,-,-,-	
2		AA65-30110A	CLAMPER CORE-WIRE;ALL MODEL,NYLON 66,V2,	
2		AA65-30110A	CLAMPER CORE-WIRE;ALL MODEL,NYLON 66,V2,	
2	qms	HA83-00052A	LP-TAPE-INK;,WIDTH 55 MM	
2	rating	HA83-00052A	LP-TAPE-INK;,WIDTH 55 MM	
2		AA65-30007A	CLAMPER CORE-D,COIL;-,NYLON-66,V0,-,NTR,	
2		HA68-02177B	LABEL-POS;ALL,30MM,65MM,WHITE,AA68-02177	
2		AA96-01294B	ASSY COVER P-FRONT;28V5H,VDS,HIPS HB,SIL	
3	CF+KC	6003-001019	SCREW-TAPTITE;RH,+,B,M4,L12,ZPC(BLK),SWR	
3	CF+SPK	6003-001019	SCREW-TAPTITE;RH,+,B,M4,L12,ZPC(BLK),SWR	
3	CF+WR	6003-001019	SCREW-TAPTITE;RH,+,B,M4,L12,ZPC(BLK),SWR	
3		AA61-60003J	SPRING ETC-CS;-,SUS304,-,-,OD6,N7,OD6,-,	
3		AA64-03134A	KNOB-CONTROL;28V5(SEH),ABS,HB,G3676,SVM3	
4		HA83-00012A	LP-RESIN;,M BATCH,WILSON 6053-GY-60,GRY	
4		HA83-00040A	LP-MARKING PAINT;,METALLIC SILVER,SV-012	
4		HA83-00006A	LP-RESIN HIPS;,BASF495F,NTR,HB	
3		AA64-03136A	WINDOW-RMC,LED;28V5(SEH),PC,CLR	
4		HA83-00010A	LP-RESIN;,OROGLAS,VM-100 ZHN 2	
3		AA64-70117B	BADGE-BRAND;-,AL,-,-,L65,R2000,SILVER,SS	
3		AA65-30105A	CLAMPER CORE-WIRE;ALL MODEL,NYLON 66,V2,	
3		HA83-00049A	LP-ADHESIVE-HM;12MM,NTR	
3		AA64-03133B	CABINET-FRONT;28V5H,VDS,HIPS,HB,G4309,SV	
4		HA83-00012A	LP-RESIN;,M BATCH,WILSON 6053-GY-60,GRY	
4		HA83-00040A	LP-MARKING PAINT;,METALLIC SILVER,SV-012	
4		HA83-00006A	LP-RESIN HIPS;,BASF495F,NTR,HB	
4		AA81-00106A	A/S-MARKING PAINT;,P432U,DARK GREY,TPC	
3		AA64-03135A	KNOB-POWER;28V5(SEH),ABS,HB,G3676,SVM301	
4		HA83-00012A	LP-RESIN;,M BATCH,WILSON 6053-GY-60,GRY	
4		HA83-00040A	LP-MARKING PAINT;,METALLIC SILVER,SV-012	
4		HA83-00006A	LP-RESIN HIPS;,BASF495F,NTR,HB	
3		HA61-00711C	HOLDER-PCB;29K8,HIPS,HB,GRY	
4		HA83-00006A	LP-RESIN HIPS;,BASF495F,NTR,HB	
4		HA83-00011A	LP-RESIN;,M BATCH,WILSON 6007-GY-60,GRY	
3		AA61-40113A	STOPPER-PCB;501H,HIPS,-,-,HB,NTR,-	
3		AA39-00102C	LEAD CONNECTOR-ASSY;,4P,35155-0402,REC,3	
3		3001-001092	SPEAKER;10W,8OHM,87DB,150HZ	
3	holder	HA83-00049A	LP-ADHESIVE-HM;12MM,NTR	
3		0203-001290	TAPE-OPP MASKING;ANT 100C,T0.073,W30,L50	
3		AA64-01309E	INLAY AV;PS SHEET,29D7,T0.3,-,-,-,KS2A S	
2		HA68-02179A	LABEL-RATING;58MM,53MM,WHITE	

REMOCON

1		AA59-00116B	REMOCON;-,TM57,37,D3/D4,L/GRAY,S/S,GRA	

ASSY POWER CORD

⚠ 1	P/CORD	AA96-01127B	ASSY POWER CORD;DP,AA39-10001M,CP2,H/C40	
2		AA39-10001M	CBF POWER CORD;-,KJP-140,KLCE-2F,2.4m,HO	
2		AA61-20284A	HOLDER;P-CORD,PP,-,-,-,BLK,VO,KE-002	

ASSY ACCESSORY

1		AA94-05823A	ASSY ACCESSORY;50HZ;D,FLAT,100HZ,KS3A,XE	
2		4301-000121	BATTERY-MN;1.5V,-,AAA,10.5x44.5m,HOLDER	
2		HA69-00276A	BAG VINYL;HDPE,T0.025,L400,W240,-,W/O LO	
2		HA83-00047A	LP-TAPEACETATE;T0.1MM,W20MM,L200MM	
2		HA68-02124A	LABEL;A/P120(G),70,69,WHITE,XECCO	
2		HA68-00971A	LABEL-BACK,DOLBY;A/P100(G),SILVER-BLACK	
2		HA68-00336B	CARD-WARRANTY;A/P100(G),A5,NEW VERSION,I	

7-4 WS24W63NS8XXEC

ASSY PCB MAIN(OPT)

Level	Loc. No.	Code No.	Description ; Specification	Remark
1		AA94-05606B	ASSY PCB MAIN(OPT);WS24W6N,KS3A/H,PH,AK	
⚠ 2	V999S	3704-001105	SOCKET-CRT;11P,20PI,26.5PI,NI,-	
2	CN501A	AA39-00241A	LEAD CONNECTOR-ASSY;,6P,YBNH250-06,S,500	
2	CN502A	AA39-20053B	LEAD CONNECTOR-ASSY;,5P,YBNH025-05,S,500	
2	IC501	HA96-00276B	ASSY H/S;-,VIDEO AMP,AA62-00052A,STV510	
3		1201-001687	IC-VIDEO AMP;STV5109,ZIP,15P,-,SINGLE,50	
3		AA62-00052A	HEAT SINK-PS;-,-,-,SILVER,HOLE 18.5mm, 2	
3		6003-000334	SCREW-TAPTITE;RH,+,2S,M3,L6,ZPC(YEL),SWR	
3		0205-000129	GREASE-SILICON;SC102,JAPAN	
⚠ 2	T801S	AA26-00046A	TRANS SWITCHING;-,-,-,AC90~260V,DC135/16	
⚠ 2	IC201S	1204-001634	IC-VIDEO PROCESS;VDP3120B-C3,DIP,64P,-,P	
2	HC401	HA96-00275A	ASSY-H/S;-,COMPLEX,AA62-00051A,KSD5703,	
3		AA62-00051A	HEAT SINK-PS;-,-,-,SILVER,HOLE 31mm,ALL,	
⚠ 3	D414	0402-001296	DIODE-RECTIFIER;FMP-3FU,1.5KV,5A,TO-3PF,	
3	Q401	0502-001136	TR-POWER;KSD5703,NPN,70W,TO-3PF,ST,8-	
3		6003-000333	SCREW-TAPTITE;RH,+,2S,M3,L10,ZPC(YEL),SW	
3		AA60-30001A	WASHER-PLATE;M3,ID3.5,15X8.5,T1.0,SBHG	
3		0205-000129	GREASE-SILICON;SC102,JAPAN	
⚠ 2	T401	AA26-50001L	TRANS-HORIZ.DRIVE;-,-,-,29mH,-,-,133uH,-	
⚠ 2	TU01S	AA40-00079A	TUNER;TCPW3001PD16A(S),PAL,181CH,38.	
2	IC602	HA96-50398B	ASSY H/S;AA62-30182E,TDA7266S,-	
3		1201-001308	IC-POWER AMP;7266,ZIP,15P,-,DUAL,26dB,PL	
3		AA62-30181F	HEAT SINK-ES;-,AL6063 EXTR.,2,WHT,50MM,-	
3		6003-000333	SCREW-TAPTITE;RH,+,2S,M3,L10,ZPC(YEL),SW	
3		0205-000129	GREASE-SILICON;SC102,JAPAN	
2	IC601	1204-001775	IC-SOUND PROCESSOR;MSP3410D-C5 9458 ,SDI	
⚠ 2	PT801S	1404-001156	THERMISTOR-PTC;9OHM,+30%/-20%,220VRMS,27	
2	C806	2401-001137	C-AL;330uF,20%,400V,GP,BK,30x45mm,1	
2	C426	2306-000235	C-FILM,MPPF;560nF,5%,400V,TP,26*22.5*14,	
2	L411	AA27-30001F	COIL LINEARITY;-,22uH,DR1011,PI0.45,25.5	
2	L408	AA27-40003L	COIL HORIZ. WIDTH;-,1.0mH,DR14x20,2UEW0.	
⚠ 2	CX801S	2306-000318	C-FILM,MPPF;220nF,20%,250V,TP,-,22.5mm	
⚠ 2	CX802S	2306-000318	C-FILM,MPPF;220nF,20%,250V,TP,-,22.5mm	
⚠ 2	LX801S	AA29-00015A	FILTER LINE NOISE;WS32W8,28-20MH 1.5A,+	
⚠ 2	LX802S	AA29-00015A	FILTER LINE NOISE;WS32W8,28-20MH 1.5A,+	
2	IC301	HA96-50406A	ASSY H/S;AA62-30180K,LA7845,-	
3		1204-000517	IC-VERTICAL DEF.;LA7845,SIP,7P,-,PLASTIC	
3		AA62-30180K	HEAT SINK-ES;-,A6063 EXTR,-,WHT,50/13,-,	
3		6003-000333	SCREW-TAPTITE;RH,+,2S,M3,L10,ZPC(YEL),SW	
3		0205-000129	GREASE-SILICON;SC102,JAPAN	
2	HC801	HA96-00274A	ASSY-H/S;-,COMPLEX,AA62-00053A,FMLG12S	
3		6003-000334	SCREW-TAPTITE;RH,+,2S,M3,L6,ZPC(YEL),SWR	
3		AA62-00053A	HEAT SINK-PS;-,-,-,SILVER,HOLE 22mm,ALL,	
⚠ 3	D802	0402-001230	DIODE-RECTIFIER;FMG-G2CS,1000V,3A,TO-220	
⚠ 3	D805	0402-000233	DIODE-RECTIFIER;FML-G12S,200V,5A,-,-	
⚠ 3	D806	0402-000233	DIODE-RECTIFIER;FML-G12S,200V,5A,-,-	
⚠ 3	D807	0402-000233	DIODE-RECTIFIER;FML-G12S,200V,5A,-,-	
⚠ 3	IC802	1203-001006	IC-VOLTAGE REGULATOR;78R05,TO-220F,4P,-,	
3		0205-000129	GREASE-SILICON;SC102,JAPAN	
⚠ 2	IC803	1203-001697	IC-VOLTAGE REGULATOR;78R08,TO-220,4P,-,P	
⚠ 2	IC804	HA96-00243C	ASSY-H/S;-,REGULATOR,AA62-00045A,KA7806	
3		1203-000284	IC-POSI.FIXED REG.;7806,TO-220,3P,-,PLAS	
3		6003-000334	SCREW-TAPTITE;RH,+,2S,M3,L6,ZPC(YEL),SWR	
3		AA62-00065A	HEAT SINK-PS;DP,-,-,-,AA62-00045A,-,-,-,	
3		0205-000129	GREASE-SILICON;SC102,JAPAN	
2	IC902	1103-001171	IC-EEPROM;L51DC,16KBit,DIP,8P,300MIL,10m	
2	IC901	AA09-00181A	IC MICOM;SIM806EW3-A035,SIM806EW3-A035,5	
⚠ 2	IC801S	HA96-50371C	ASSY H/S;-,-,AA62-30181H,KA3A1265R,-	
3		AA13-00101A	IC HYBRID;KA3S1265RD,CN5039,5PIN,-50TO12	
3		AA61-10386A	BRACKET-IC;-,SECC 100,T1.0,-,-,-,KA2S068	
3		AA62-30197D	HEAT SINK-ES;DP,-,-,-,AA62-30181H,-,-,-	
3		6003-000333	SCREW-TAPTITE;RH,+,2S,M3,L10,ZPC(YEL),SW	
3		HA68-02189A	LABEL-WARNING;,33MM,18MM,WHITE	
3		0205-000129	GREASE-SILICON;SC102,JAPAN	
2	IC903	1203-001944	IC-POSI.FIXED REG.;78RM33,TO-220,3P,-,PL	
2	C407	2301-001338	C-FILM,MPE-PPF;0.68nF,5%,1.6kV,TP,28x7x1	
⚠ 2	D801S	0402-001399	DIODE-BRIDGE;GSIB660,600V,6A,SIP-4,BK	
2	Q402	0502-001007	TR-POWER;KSC2073-H2,NPN,25W,TO-220,ST,6	
⚠ 2	PC801S	0604-001038	PHOTO-COUPLER;TR,130-260%,200mW,DIP-4,ST	
⚠ 2	NT802S	1404-001045	THERMISTOR-NTC;4.7ohm,15%,2900K,35.0mW,T	
2	C815	2401-003602	C-AL;220uF,20%,160V,GP,BK,22x25mm,1	
⚠ 2	CY802S	2201-002002	C-CERAMIC,DISC;4.7nF,20%,400V,Y5U,TP,16x	
2	JA701	3722-000195	JACK-SCART;42P,-,SN,BLK,NO	
2	C820	2401-003076	C-AL;3300uF,20%,50V,WP,BK,18x35.5mm	
2	R807	2006-001083	R-CEMENT;120ohm,5%,5W,CJ,TP,14x10x27mm	
2	L808	AA27-10002L	COIL CHOKE;-,24uH,K,-,2A,-,24UH-K,10x10m	
⚠ 2	IC401	1202-000103	IC-VOLTAGE COMP;393,DIP,8P,300MIL,DUAL,	
2	Q404	0505-000156	FET-SILICON;IRF620,N,200V,5A,0.8ohm,50W,	
2		AA98-00245A	ASSY SUB PART;S51A,PCB MAIN(OPT)	
3		0202-000008	SOLDER-WIRE;S63S-W3.0,S63S,D3,63Sn/37Pb,	
3		0202-000187	SOLDER-WIRE FLUX;-,RS60S,D1.2,63Sn/37Pb	
3		0202-001046	FLUX;CF-110VH-2A,-,-,-,-	
3		0204-001095	THINNER;#4520,-,-,-	
2	C105	2301-000383	C-FILM,PEF;10nF,5%,50V,TP,6x7x3.2mm,5mm	
2	C101	2301-000383	C-FILM,PEF;10nF,5%,50V,TP,6x7x3.2mm,5mm	
2	C103	2301-000383	C-FILM,PEF;10nF,5%,50V,TP,6x7x3.2mm,5mm	
2	C228	2301-000356	C-FILM,PEF;47nF,5%,50V,TP,7.5x4.0x6.5,5m	
2	C230	2301-000356	C-FILM,PEF;47nF,5%,50V,TP,7.5x4.0x6.5,5m	
2	C809	2301-000356	C-FILM,PEF;47nF,5%,50V,TP,7.5x4.0x6.5,5m	
2	C810	2301-000356	C-FILM,PEF;47nF,5%,50V,TP,7.5x4.0x6.5,5m	
2	C811	2301-000356	C-FILM,PEF;47nF,5%,50V,TP,7.5x4.0x6.5,5m	
2	C202	2401-002235	C-AL;10uF,20%,16V,GP,TP,5x11mm,5mm	
2	C205	2401-002235	C-AL;10uF,20%,16V,GP,TP,5x11mm,5mm	
2	C920	2401-002235	C-AL;10uF,20%,16V,GP,TP,5x11mm,5mm	
2	C231	2401-002235	C-AL;10uF,20%,16V,GP,TP,5x11mm,5mm	
2	C215	2401-002235	C-AL;10uF,20%,16V,GP,TP,5x11mm,5mm	
2	C630	2401-002235	C-AL;10uF,20%,16V,GP,TP,5x11mm,5mm	
2	C631	2401-002235	C-AL;10uF,20%,16V,GP,TP,5x11mm,5mm	
2	C645	2401-002235	C-AL;10uF,20%,16V,GP,TP,5x11mm,5mm	
2	C652	2401-002235	C-AL;10uF,20%,16V,GP,TP,5x11mm,5mm	
2	C603	2401-002235	C-AL;10uF,20%,16V,GP,TP,5x11mm,5mm	
2	C708	2401-002235	C-AL;10uF,20%,16V,GP,TP,5x11mm,5mm	
2	C214	2305-000665	C-FILM,MPEF;100nF,5%,63V,TP,7.5x4.0x5.0m	
2	C216	2305-000665	C-FILM,MPEF;100nF,5%,63V,TP,7.5x4.0x5.0m	
2	C605	2305-000665	C-FILM,MPEF;100nF,5%,63V,TP,7.5x4.0x5.0m	
2	C620	2305-000665	C-FILM,MPEF;100nF,5%,63V,TP,7.5x4.0x5.0m	
2	C635	2305-000665	C-FILM,MPEF;100nF,5%,63V,TP,7.5x4.0x5.0m	
2	C646	2305-000665	C-FILM,MPEF;100nF,5%,63V,TP,7.5x4.0x5.0m	
2	C829	2305-000665	C-FILM,MPEF;100nF,5%,63V,TP,7.5x4.0x5.0m	
2	C837	2305-000665	C-FILM,MPEF;100nF,5%,63V,TP,7.5x4.0x5.0m	
2	C839	2305-000665	C-FILM,MPEF;100nF,5%,63V,TP,7.5x4.0x5.0m	
2	C916	2305-000665	C-FILM,MPEF;100nF,5%,63V,TP,7.5x4.0x5.0m	
2	C308	2305-000665	C-FILM,MPEF;100nF,5%,63V,TP,7.5x4.0x5.0m	
2	C914	2305-000665	C-FILM,MPEF;100nF,5%,63V,TP,7.5x4.0x5.0m	
2	C831	2305-000665	C-FILM,MPEF;100nF,5%,63V,TP,7.5x4.0x5.0m	
2	C825	2305-000665	C-FILM,MPEF;100nF,5%,63V,TP,7.5x4.0x5.0m	
2	C208	2401-001026	C-AL;3.3UF,20%,50V,GP,TP,5X11,5	
2	C217	2401-001026	C-AL;3.3UF,20%,50V,GP,TP,5X11,5	
2	C636	2401-001026	C-AL;3.3UF,20%,50V,GP,TP,5X11,5	
2	C905	2202-000796	C-CERAMIC,MLC-AXIAL;1NF,10%,50V,Y5P,TP,3	
2	C607	2202-000796	C-CERAMIC,MLC-AXIAL;1NF,10%,50V,Y5P,TP,3	
2	C608	2202-000796	C-CERAMIC,MLC-AXIAL;1NF,10%,50V,Y5P,TP,3	
2	C903	2202-000796	C-CERAMIC,MLC-AXIAL;1NF,10%,50V,Y5P,TP,3	
2	C211	2202-000796	C-CERAMIC,MLC-AXIAL;1NF,10%,50V,Y5P,TP,3	
2	C212	2301-000224	C-FILM,PEF;22nF,5%,50V,TP,7.4x3.9x13mm,5	
2	C213	2301-000247	C-FILM,PEF;33nF,5%,50V,TP,8.1x4.5x13mm,5	
2	C218	2202-000632	C-CERAMIC,MLC-AXIAL;100nF,20%,50V,Z5U,TP	
2	C219	2202-000632	C-CERAMIC,MLC-AXIAL;100nF,20%,50V,Z5U,TP	
2	C220	2202-000632	C-CERAMIC,MLC-AXIAL;100nF,20%,50V,Z5U,TP	
2	C221	2202-000632	C-CERAMIC,MLC-AXIAL;100nF,20%,50V,Z5U,TP	
2	C222	2202-000632	C-CERAMIC,MLC-AXIAL;100nF,20%,50V,Z5U,TP	
2	C223	2202-000632	C-CERAMIC,MLC-AXIAL;100nF,20%,50V,Z5U,TP	
2	C901	2202-000632	C-CERAMIC,MLC-AXIAL;100nF,20%,50V,Z5U,TP	
2	C921	2202-000632	C-CERAMIC,MLC-AXIAL;100nF,20%,50V,Z5U,TP	
2	C922	2202-000632	C-CERAMIC,MLC-AXIAL;100nF,20%,50V,Z5U,TP	
2	C919	2202-000632	C-CERAMIC,MLC-AXIAL;100nF,20%,50V,Z5U,TP	
2	C924	2202-000632	C-CERAMIC,MLC-AXIAL;100nF,20%,50V,Z5U,TP	
2	C233	2305-000412	C-FILM,MPEF;470nF,5%,63V,TP,-,5mm	
2	C234	2305-000412	C-FILM,MPEF;470nF,5%,63V,TP,-,5mm	
2	C235	2305-000412	C-FILM,MPEF;470nF,5%,63V,TP,-,5mm	

Level	Loc. No.	Code No.	Description ; Specification	Remark
2	C907	2305-000412	C-FILM,MPEF;470nF,5%,63V,TP,-,5mm	
2	C909	2305-000412	C-FILM,MPEF;470nF,5%,63V,TP,-,5mm	
2	C237	2401-000914	C-AL;22uF,20%,16V,GP,TP,5x11,5	
2	C841	2401-000603	C-AL;1uF,20%,50V,GP,TP,5x11,5	
2	C604	2401-000603	C-AL;1uF,20%,50V,GP,TP,5x11,5	
2	C201	2401-000603	C-AL;1uF,20%,50V,GP,TP,5x11,5	
2	C303	2201-002031	C-CERAMIC,DISC;0.005NF,0.5PF,50V,C0G,TP,	
2	C224	2201-002031	C-CERAMIC,DISC;0.005NF,0.5PF,50V,C0G,TP,	
2	C225	2201-002031	C-CERAMIC,DISC;0.005NF,0.5PF,50V,C0G,TP,	
2	C304	2305-000285	C-FILM,MPEF;220NF,5%,100V,TP,10.5X5.5X15	
2	C305	2305-000149	C-FILM,MPEF;100nF,5%,100V,TP,12x12.5x6.5	
2	C821	2301-000192	C-FILM,PEF;1nF,5%,50V,TP,5.3x10mm,5mm	
2	C902	2301-000192	C-FILM,PEF;1nF,5%,50V,TP,5.3x10mm,5mm	
2	C307	2401-000360	C-AL;100uF,20%,50V,GP,TP,8x11.5,5	
2	C302	2401-000360	C-AL;100uF,20%,50V,GP,TP,8x11.5,5	
2	C401	2201-000556	C-CERAMIC,DISC;0.47nF,10%,500V,Y5P,TP,5.	
2	C403	2201-000556	C-CERAMIC,DISC;0.47nF,10%,500V,Y5P,TP,5.	
2	C421	2201-000556	C-CERAMIC,DISC;0.47nF,10%,500V,Y5P,TP,5.	
2	C402	2401-001397	C-AL;470uF,20%,25V,GP,TP,10x16,5	
2	C404	2401-001397	C-AL;470uF,20%,25V,GP,TP,10x16,5	
2	C408	2305-000382	C-FILM,MPEF;4.7nF,5%,400V,TP,-,5mm	
2	C414	2401-002597	C-AL;220uF,20%,35V,GP,TP,10x12.5,5	
2	C418	2401-002597	C-AL;220uF,20%,35V,GP,TP,10x12.5,5	
2	C422	2401-001527	C-AL;47uF,20%,250V,HR,TP,13x25mm,5m	
2	C424	2201-000132	C-CERAMIC,DISC;0.1NF,10%,500V,Y5P,TP,6.5	
2	C601	2201-000558	C-CERAMIC,DISC;0.47nF,10%,50V,Y5P,TP,5x3	
2	C610	2301-000445	C-FILM,PEF;4.7nF,5%,50V,TP,5.5x7x3mm,5mm	
2	C611	2301-000445	C-FILM,PEF;4.7nF,5%,50V,TP,5.5x7x3mm,5mm	
2	C415	2301-000445	C-FILM,PEF;4.7nF,5%,50V,TP,5.5x7x3mm,5mm	
2	C612	2401-001914	C-AL;1uF,20%,50V,BP,TP,5x11,5	
2	C613	2401-001914	C-AL;1uF,20%,50V,BP,TP,5x11,5	
2	C617	2401-000493	C-AL;10uF,20%,50V,LZ,TP,5x11mm,5mm	
2	C917	2401-000493	C-AL;10uF,20%,50V,LZ,TP,5x11mm,5mm	
2	C413	2401-000493	C-AL;10uF,20%,50V,LZ,TP,5x11mm,5mm	
2	C622	2401-001989	C-AL;4.7uF,20%,50V,BP,TP,5x11,5	
2	C625	2401-001989	C-AL;4.7uF,20%,50V,BP,TP,5x11,5	
2	C626	2401-001989	C-AL;4.7uF,20%,50V,BP,TP,5x11,5	
2	C628	2401-001989	C-AL;4.7uF,20%,50V,BP,TP,5x11,5	
2	C623	2202-000231	C-CERAMIC,MLC-AXIAL;330pF,10%,50V,Y5P,TP	
2	C624	2202-000231	C-CERAMIC,MLC-AXIAL;330pF,10%,50V,Y5P,TP	
2	C627	2202-000231	C-CERAMIC,MLC-AXIAL;330pF,10%,50V,Y5P,TP	
2	C629	2202-000231	C-CERAMIC,MLC-AXIAL;330pF,10%,50V,Y5P,TP	
2	C642	2202-000231	C-CERAMIC,MLC-AXIAL;330pF,10%,50V,Y5P,TP	
2	C644	2202-000231	C-CERAMIC,MLC-AXIAL;330pF,10%,50V,Y5P,TP	
2	C701	2202-000231	C-CERAMIC,MLC-AXIAL;330pF,10%,50V,Y5P,TP	
2	C638	2202-000231	C-CERAMIC,MLC-AXIAL;330pF,10%,50V,Y5P,TP	
2	C639	2202-000231	C-CERAMIC,MLC-AXIAL;330pF,10%,50V,Y5P,TP	
2	C249	2202-000231	C-CERAMIC,MLC-AXIAL;330pF,10%,50V,Y5P,TP	
2	C632	2202-000806	C-CERAMIC,MLC-AXIAL;220pF,10%,50V,Y5P,TP	
2	C504	2202-000806	C-CERAMIC,MLC-AXIAL;220pF,10%,50V,Y5P,TP	
2	C505	2202-000806	C-CERAMIC,MLC-AXIAL;220pF,10%,50V,Y5P,TP	
2	C506	2202-000806	C-CERAMIC,MLC-AXIAL;220pF,10%,50V,Y5P,TP	
2	C634	2401-001840	C-AL;100uF,20%,16V,GP,TP,6.3x11,5	
2	C826	2401-001840	C-AL;100uF,20%,16V,GP,TP,6.3x11,5	
2	C832	2401-001840	C-AL;100uF,20%,16V,GP,TP,6.3x11,5	
2	C838	2401-001840	C-AL;100uF,20%,16V,GP,TP,6.3x11,5	
2	C637	2401-000027	C-AL;4.7uF,20%,50V,GP,TP,5x11,5	
2	C640	2401-000027	C-AL;4.7uF,20%,50V,GP,TP,5x11,5	
2	C641	2401-000027	C-AL;4.7uF,20%,50V,GP,TP,5x11,5	
2	C643	2401-000027	C-AL;4.7uF,20%,50V,GP,TP,5x11,5	
2	C647	2202-000286	C-CERAMIC,MLC-AXIAL;56pF,5%,50V,SL,TP,1.	
2	C649	2301-000108	C-FILM,PEF;1.5nF,5%,50V,TP,6.5x3.0x5.5mm	
2	C804	2201-000332	C-CERAMIC,DISC;2.2NF,20%,250V,Y5U,TP,9X4	
2	C805	2201-000332	C-CERAMIC,DISC;2.2NF,20%,250V,Y5U,TP,9X4	
2	C807	2301-001397	C-FILM,PPF;2.2nF,5%,1.2kV,TP,15x8.5x13.5	
2	C814	2201-000406	C-CERAMIC,DISC;0.27NF,10%,2KV,Y5P,TP,6.3	
2	C816	2401-000262	C-AL;100uF,20%,160V,HR,TP,16x25,7.5	
2	C817	2201-000599	C-CERAMIC,DISC;0.56nF,10%,500V,Y5P,TP,5.	
2	C819	2201-000599	C-CERAMIC,DISC;0.56nF,10%,500V,Y5P,TP,5.	
2	C822	2201-000599	C-CERAMIC,DISC;0.56nF,10%,500V,Y5P,TP,5.	
2	C818	2401-000722	C-AL;2200uF,20%,25V,WT,TP,16x25,7.5	
2	C910	2201-000980	C-CERAMIC,DISC;0.03NF,5%,50V,C0G,TP,5X3M	
2	C911	2201-000980	C-CERAMIC,DISC;0.03NF,5%,50V,C0G,TP,5X3M	
2	C913	2401-000287	C-AL;100uF,20%,16V,WT,TP,6.3x11,5	
2	C915	2401-000287	C-AL;100uF,20%,16V,WT,TP,6.3x11,5	
2	C918	2401-000287	C-AL;100uF,20%,16V,WT,TP,6.3x11,5	
2	C210	2401-000287	C-AL;100uF,20%,16V,WT,TP,6.3x11,5	

Level	Loc. No.	Code No.	Description ; Specification	Remark
2	D201	0401-000005	DIODE-SWITCHING;1N4148,100V,200mA,DO-35,	
2	D202	0401-000005	DIODE-SWITCHING;1N4148,100V,200mA,DO-35,	
2	D207	0401-000005	DIODE-SWITCHING;1N4148,100V,200mA,DO-35,	
2	D208	0401-000005	DIODE-SWITCHING;1N4148,100V,200mA,DO-35,	
2	D209	0401-000005	DIODE-SWITCHING;1N4148,100V,200mA,DO-35,	
2	D210	0401-000005	DIODE-SWITCHING;1N4148,100V,200mA,DO-35,	
2	D211	0401-000005	DIODE-SWITCHING;1N4148,100V,200mA,DO-35,	
2	D602	0401-000005	DIODE-SWITCHING;1N4148,100V,200mA,DO-35,	
⚠ 2	D804	0401-000005	DIODE-SWITCHING;1N4148,100V,200mA,DO-35,	
2	DZ402	0401-000005	DIODE-SWITCHING;1N4148,100V,200mA,DO-35,	
2	D906	0401-000005	DIODE-SWITCHING;1N4148,100V,200mA,DO-35,	
⚠ 2	D405	0401-000005	DIODE-SWITCHING;1N4148,100V,200mA,DO-35,	
2	D501	0401-000005	DIODE-SWITCHING;1N4148,100V,200mA,DO-35,	
2	D502	0401-000005	DIODE-SWITCHING;1N4148,100V,200mA,DO-35,	
2	D508	0401-000005	DIODE-SWITCHING;1N4148,100V,200mA,DO-35,	
2	D503	0401-000005	DIODE-SWITCHING;1N4148,100V,200mA,DO-35,	
2	D604	0401-000005	DIODE-SWITCHING;1N4148,100V,200mA,DO-35,	
2	D301	0402-001105	DIODE-RECTIFIER;ERB43-04SV1,400V,1.0A,-,	
⚠ 2	D411	0402-001105	DIODE-RECTIFIER;ERB43-04SV1,400V,1.0A,-,	
⚠ 2	D803	0402-001105	DIODE-RECTIFIER;ERB43-04SV1,400V,1.0A,-,	
⚠ 2	D816	0402-001105	DIODE-RECTIFIER;ERB43-04SV1,400V,1.0A,-,	
⚠ 2	D401	0402-000540	DIODE-RECTIFIER;RU20A,600V,1.5A,-,TP	
⚠ 2	D404	0402-000540	DIODE-RECTIFIER;RU20A,600V,1.5A,-,TP	
⚠ 2	D402	0402-000534	DIODE-RECTIFIER;RG10V,400V,1.2A,DO-201,T	
⚠ 2	D403	0402-000132	DIODE-RECTIFIER;1N4004,400V,1A,DO-41,TP	
⚠ 2	D406	0402-000132	DIODE-RECTIFIER;1N4004,400V,1A,DO-41,TP	
⚠ 2	D810	0402-000132	DIODE-RECTIFIER;1N4004,400V,1A,DO-41,TP	
⚠ 2	D811	0402-000132	DIODE-RECTIFIER;1N4004,400V,1A,DO-41,TP	
2	D907	0402-000132	DIODE-RECTIFIER;1N4004,400V,1A,DO-41,TP	
2	D504	0402-000132	DIODE-RECTIFIER;1N4004,400V,1A,DO-41,TP	
⚠ 2	D413	0402-000537	DIODE-RECTIFIER;RH1A,600V,0.6A,DO-204AC	
⚠ 2	D801	0402-001111	DIODE-RECTIFIER;1N5397GP,600V,1.5A,DO-20	
2	DZ201	0403-000508	DIODE-ZENER;MTZJ5.6B,5.6V,5.45-5.73V,500	
2	DZ202	0403-000508	DIODE-ZENER;MTZJ5.6B,5.6V,5.45-5.73V,500	
2	DZ802	0403-000508	DIODE-ZENER;MTZJ5.6B,5.6V,5.45-5.73V,500	
2	DZ902	0403-000508	DIODE-ZENER;MTZJ5.6B,5.6V,5.45-5.73V,500	
2	DZ601	0403-000508	DIODE-ZENER;MTZJ5.6B,5.6V,5.45-5.73V,500	
2	DZ603	0403-000508	DIODE-ZENER;MTZJ5.6B,5.6V,5.45-5.73V,500	
2	DZ903	0403-000508	DIODE-ZENER;MTZJ5.6B,5.6V,5.45-5.73V,500	
2	DZ904	0403-000508	DIODE-ZENER;MTZJ5.6B,5.6V,5.45-5.73V,500	
2	DZ905	0403-000508	DIODE-ZENER;MTZJ5.6B,5.6V,5.45-5.73V,500	
2	DZ906	0403-000508	DIODE-ZENER;MTZJ5.6B,5.6V,5.45-5.73V,500	
2	DZ907	0403-000508	DIODE-ZENER;MTZJ5.6B,5.6V,5.45-5.73V,500	
2	DZ909	0403-000508	DIODE-ZENER;MTZJ5.6B,5.6V,5.45-5.73V,500	
2	DZ910	0403-000508	DIODE-ZENER;MTZJ5.6B,5.6V,5.45-5.73V,500	
2	DZ604	0403-000508	DIODE-ZENER;MTZJ5.6B,5.6V,5.45-5.73V,500	
2	DZ605	0403-000508	DIODE-ZENER;MTZJ5.6B,5.6V,5.45-5.73V,500	
2	DZ908	0403-000508	DIODE-ZENER;MTZJ5.6B,5.6V,5.45-5.73V,500	
2	DZ203	0403-001321	DIODE-ZENER;MTZJ6.8C,6.66-7.01V,500mW,DO	
2	DZ302	0403-001329	DIODE-ZENER;MTZJ24B,22.61-23.77V,500mW,D	
2	DZ303	0403-001329	DIODE-ZENER;MTZJ24B,22.61-23.77V,500mW,D	
2	DZ304	0403-001329	DIODE-ZENER;MTZJ24B,22.61-23.77V,500mW,D	
2	DZ305	0403-001221	DIODE-ZENER;UZ39BSB,35.36-37.19V,500MW,D	
2	DZ306	0403-000700	DIODE-ZENER;TZP33A,33V,31-35V,1W,DO-41,T	
2	DZ804	0403-000700	DIODE-ZENER;TZP33A,33V,31-35V,1W,DO-41,T	
2	DZ401	0403-001325	DIODE-ZENER;MTZJ15C,14.35-15.09V,500mW,D	
2	DZ801	0403-001322	DIODE-ZENER;MTZJ8.2B,7.78-8.19V,500mW,DO	
2	DZ808	0403-001322	DIODE-ZENER;MTZJ8.2B,7.78-8.19V,500mW,DO	
2	DZ204	0403-001322	DIODE-ZENER;MTZJ8.2B,7.78-8.19V,500mW,DO	
2	DZ205	0403-001322	DIODE-ZENER;MTZJ8.2B,7.78-8.19V,500mW,DO	
2	DZ805	1203-001217	IC-POSI.ADJUST REG.;431,TO-92,3P,4.58MIL	
2	GT101	AA60-40014A	PIN-GT,ASSY;AUTO	
2	GT102	AA60-40014A	PIN-GT,ASSY;AUTO	
2	GT301	AA60-40014A	PIN-GT,ASSY;AUTO	
2	GT302	AA60-40014A	PIN-GT,ASSY;AUTO	
2	GT401	AA60-40014A	PIN-GT,ASSY;AUTO	
2	GT402	AA60-40014A	PIN-GT,ASSY;AUTO	
2	GT801	AA60-40014A	PIN-GT,ASSY;AUTO	
2	GT802	AA60-40014A	PIN-GT,ASSY;AUTO	
2	GT803	AA60-40014A	PIN-GT,ASSY;AUTO	
2	GT804	AA60-40014A	PIN-GT,ASSY;AUTO	
2	GT805	AA60-40014A	PIN-GT,ASSY;AUTO	
2	GT806	AA60-40014A	PIN-GT,ASSY;AUTO	
2	GT103	AA60-40014A	PIN-GT,ASSY;AUTO	
2	GT409	AA60-40014A	PIN-GT,ASSY;AUTO	
2	GT501	AA60-40014A	PIN-GT,ASSY;AUTO	
2	GT502	AA60-40014A	PIN-GT,ASSY;AUTO	

Level	Loc. No.	Code No.	Description ; Specification	Remark
2	GT503	AA60-40014A	PIN-GT,ASSY;AUTO	
2	J102	3812-000219	WIRE-NO SHEATH CU;TCWA,300V,52mm(TAPING)	
2	J103	3812-000219	WIRE-NO SHEATH CU;TCWA,300V,52mm(TAPING)	
2	J105	3812-000219	WIRE-NO SHEATH CU;TCWA,300V,52mm(TAPING)	
2	J108	3812-000219	WIRE-NO SHEATH CU;TCWA,300V,52mm(TAPING)	
2	J111	3812-000219	WIRE-NO SHEATH CU;TCWA,300V,52mm(TAPING)	
2	J112	3812-000219	WIRE-NO SHEATH CU;TCWA,300V,52mm(TAPING)	
2	J113	3812-000219	WIRE-NO SHEATH CU;TCWA,300V,52mm(TAPING)	
2	J114	3812-000219	WIRE-NO SHEATH CU;TCWA,300V,52mm(TAPING)	
2	J115	3812-000219	WIRE-NO SHEATH CU;TCWA,300V,52mm(TAPING)	
2	J116	3812-000219	WIRE-NO SHEATH CU;TCWA,300V,52mm(TAPING)	
2	J117	3812-000219	WIRE-NO SHEATH CU;TCWA,300V,52mm(TAPING)	
2	J119	3812-000219	WIRE-NO SHEATH CU;TCWA,300V,52mm(TAPING)	
2	J122	3812-000219	WIRE-NO SHEATH CU;TCWA,300V,52mm(TAPING)	
2	J123	3812-000219	WIRE-NO SHEATH CU;TCWA,300V,52mm(TAPING)	
2	J124	3812-000219	WIRE-NO SHEATH CU;TCWA,300V,52mm(TAPING)	
2	J203	3812-000219	WIRE-NO SHEATH CU;TCWA,300V,52mm(TAPING)	
2	J205	3812-000219	WIRE-NO SHEATH CU;TCWA,300V,52mm(TAPING)	
2	J206	3812-000219	WIRE-NO SHEATH CU;TCWA,300V,52mm(TAPING)	
2	J207	3812-000219	WIRE-NO SHEATH CU;TCWA,300V,52mm(TAPING)	
2	J208	3812-000219	WIRE-NO SHEATH CU;TCWA,300V,52mm(TAPING)	
2	J209	3812-000219	WIRE-NO SHEATH CU;TCWA,300V,52mm(TAPING)	
2	J210	3812-000219	WIRE-NO SHEATH CU;TCWA,300V,52mm(TAPING)	
2	J212	3812-000219	WIRE-NO SHEATH CU;TCWA,300V,52mm(TAPING)	
2	J213	3812-000219	WIRE-NO SHEATH CU;TCWA,300V,52mm(TAPING)	
2	J214	3812-000219	WIRE-NO SHEATH CU;TCWA,300V,52mm(TAPING)	
2	J216	3812-000219	WIRE-NO SHEATH CU;TCWA,300V,52mm(TAPING)	
2	J217	3812-000219	WIRE-NO SHEATH CU;TCWA,300V,52mm(TAPING)	
2	J218	3812-000219	WIRE-NO SHEATH CU;TCWA,300V,52mm(TAPING)	
2	J219	3812-000219	WIRE-NO SHEATH CU;TCWA,300V,52mm(TAPING)	
2	J222	3812-000219	WIRE-NO SHEATH CU;TCWA,300V,52mm(TAPING)	
2	J223	3812-000219	WIRE-NO SHEATH CU;TCWA,300V,52mm(TAPING)	
2	J224	3812-000219	WIRE-NO SHEATH CU;TCWA,300V,52mm(TAPING)	
2	J225	3812-000219	WIRE-NO SHEATH CU;TCWA,300V,52mm(TAPING)	
2	J226	3812-000219	WIRE-NO SHEATH CU;TCWA,300V,52mm(TAPING)	
2	J227	3812-000219	WIRE-NO SHEATH CU;TCWA,300V,52mm(TAPING)	
2	J228	3812-000219	WIRE-NO SHEATH CU;TCWA,300V,52mm(TAPING)	
2	J229	3812-000219	WIRE-NO SHEATH CU;TCWA,300V,52mm(TAPING)	
2	J230	3812-000219	WIRE-NO SHEATH CU;TCWA,300V,52mm(TAPING)	
2	J232	3812-000219	WIRE-NO SHEATH CU;TCWA,300V,52mm(TAPING)	
2	J234	3812-000219	WIRE-NO SHEATH CU;TCWA,300V,52mm(TAPING)	
2	J236	3812-000219	WIRE-NO SHEATH CU;TCWA,300V,52mm(TAPING)	
2	J237	3812-000219	WIRE-NO SHEATH CU;TCWA,300V,52mm(TAPING)	
2	J238	3812-000219	WIRE-NO SHEATH CU;TCWA,300V,52mm(TAPING)	
2	J239	3812-000219	WIRE-NO SHEATH CU;TCWA,300V,52mm(TAPING)	
2	J242	3812-000219	WIRE-NO SHEATH CU;TCWA,300V,52mm(TAPING)	
2	J244	3812-000219	WIRE-NO SHEATH CU;TCWA,300V,52mm(TAPING)	
2	J246	3812-000219	WIRE-NO SHEATH CU;TCWA,300V,52mm(TAPING)	
2	J247	3812-000219	WIRE-NO SHEATH CU;TCWA,300V,52mm(TAPING)	
2	J248	3812-000219	WIRE-NO SHEATH CU;TCWA,300V,52mm(TAPING)	
2	J401	3812-000219	WIRE-NO SHEATH CU;TCWA,300V,52mm(TAPING)	
2	J402	3812-000219	WIRE-NO SHEATH CU;TCWA,300V,52mm(TAPING)	
2	J404	3812-000219	WIRE-NO SHEATH CU;TCWA,300V,52mm(TAPING)	
2	J409	3812-000219	WIRE-NO SHEATH CU;TCWA,300V,52mm(TAPING)	
2	J412	3812-000219	WIRE-NO SHEATH CU;TCWA,300V,52mm(TAPING)	
2	J414	3812-000219	WIRE-NO SHEATH CU;TCWA,300V,52mm(TAPING)	
2	J416	3812-000219	WIRE-NO SHEATH CU;TCWA,300V,52mm(TAPING)	
2	J421	3812-000219	WIRE-NO SHEATH CU;TCWA,300V,52mm(TAPING)	
2	J422	3812-000219	WIRE-NO SHEATH CU;TCWA,300V,52mm(TAPING)	
2	J424	3812-000219	WIRE-NO SHEATH CU;TCWA,300V,52mm(TAPING)	
2	J428	3812-000219	WIRE-NO SHEATH CU;TCWA,300V,52mm(TAPING)	
2	J601	3812-000219	WIRE-NO SHEATH CU;TCWA,300V,52mm(TAPING)	
2	J602	3812-000219	WIRE-NO SHEATH CU;TCWA,300V,52mm(TAPING)	
2	J603	3812-000219	WIRE-NO SHEATH CU;TCWA,300V,52mm(TAPING)	
2	J604	3812-000219	WIRE-NO SHEATH CU;TCWA,300V,52mm(TAPING)	
2	J606	3812-000219	WIRE-NO SHEATH CU;TCWA,300V,52mm(TAPING)	
2	J607	3812-000219	WIRE-NO SHEATH CU;TCWA,300V,52mm(TAPING)	
2	J611	3812-000219	WIRE-NO SHEATH CU;TCWA,300V,52mm(TAPING)	
2	J614	3812-000219	WIRE-NO SHEATH CU;TCWA,300V,52mm(TAPING)	
2	J615	3812-000219	WIRE-NO SHEATH CU;TCWA,300V,52mm(TAPING)	
2	J616	3812-000219	WIRE-NO SHEATH CU;TCWA,300V,52mm(TAPING)	
2	J617	3812-000219	WIRE-NO SHEATH CU;TCWA,300V,52mm(TAPING)	
2	J618	3812-000219	WIRE-NO SHEATH CU;TCWA,300V,52mm(TAPING)	
2	J619	3812-000219	WIRE-NO SHEATH CU;TCWA,300V,52mm(TAPING)	
2	J620	3812-000219	WIRE-NO SHEATH CU;TCWA,300V,52mm(TAPING)	
2	J621	3812-000219	WIRE-NO SHEATH CU;TCWA,300V,52mm(TAPING)	
2	J622	3812-000219	WIRE-NO SHEATH CU;TCWA,300V,52mm(TAPING)	
2	J624	3812-000219	WIRE-NO SHEATH CU;TCWA,300V,52mm(TAPING)	
2	J627	3812-000219	WIRE-NO SHEATH CU;TCWA,300V,52mm(TAPING)	
2	J629	3812-000219	WIRE-NO SHEATH CU;TCWA,300V,52mm(TAPING)	
2	J631	3812-000219	WIRE-NO SHEATH CU;TCWA,300V,52mm(TAPING)	
2	J632	3812-000219	WIRE-NO SHEATH CU;TCWA,300V,52mm(TAPING)	
2	J703	3812-000219	WIRE-NO SHEATH CU;TCWA,300V,52mm(TAPING)	
2	J704	3812-000219	WIRE-NO SHEATH CU;TCWA,300V,52mm(TAPING)	
2	J708	3812-000219	WIRE-NO SHEATH CU;TCWA,300V,52mm(TAPING)	
2	J715	3812-000219	WIRE-NO SHEATH CU;TCWA,300V,52mm(TAPING)	
2	J716	3812-000219	WIRE-NO SHEATH CU;TCWA,300V,52mm(TAPING)	
2	J717	3812-000219	WIRE-NO SHEATH CU;TCWA,300V,52mm(TAPING)	
2	J805	3812-000219	WIRE-NO SHEATH CU;TCWA,300V,52mm(TAPING)	
2	J806	3812-000219	WIRE-NO SHEATH CU;TCWA,300V,52mm(TAPING)	
2	J807	3812-000219	WIRE-NO SHEATH CU;TCWA,300V,52mm(TAPING)	
2	J810	3812-000219	WIRE-NO SHEATH CU;TCWA,300V,52mm(TAPING)	
2	J811	3812-000219	WIRE-NO SHEATH CU;TCWA,300V,52mm(TAPING)	
2	J816	3812-000219	WIRE-NO SHEATH CU;TCWA,300V,52mm(TAPING)	
2	J819	3812-000219	WIRE-NO SHEATH CU;TCWA,300V,52mm(TAPING)	
2	J820	3812-000219	WIRE-NO SHEATH CU;TCWA,300V,52mm(TAPING)	
2	J821	3812-000219	WIRE-NO SHEATH CU;TCWA,300V,52mm(TAPING)	
2	J824	3812-000219	WIRE-NO SHEATH CU;TCWA,300V,52mm(TAPING)	
2	J826	3812-000219	WIRE-NO SHEATH CU;TCWA,300V,52mm(TAPING)	
2	J829	3812-000219	WIRE-NO SHEATH CU;TCWA,300V,52mm(TAPING)	
2	J830	3812-000219	WIRE-NO SHEATH CU;TCWA,300V,52mm(TAPING)	
2	J831	3812-000219	WIRE-NO SHEATH CU;TCWA,300V,52mm(TAPING)	
2	J832	3812-000219	WIRE-NO SHEATH CU;TCWA,300V,52mm(TAPING)	
2	J833	3812-000219	WIRE-NO SHEATH CU;TCWA,300V,52mm(TAPING)	
2	J909	3812-000219	WIRE-NO SHEATH CU;TCWA,300V,52mm(TAPING)	
2	J911	3812-000219	WIRE-NO SHEATH CU;TCWA,300V,52mm(TAPING)	
2	J912	3812-000219	WIRE-NO SHEATH CU;TCWA,300V,52mm(TAPING)	
2	J913	3812-000219	WIRE-NO SHEATH CU;TCWA,300V,52mm(TAPING)	
2	J915	3812-000219	WIRE-NO SHEATH CU;TCWA,300V,52mm(TAPING)	
2	J916	3812-000219	WIRE-NO SHEATH CU;TCWA,300V,52mm(TAPING)	
2	J917	3812-000219	WIRE-NO SHEATH CU;TCWA,300V,52mm(TAPING)	
2	J924	3812-000219	WIRE-NO SHEATH CU;TCWA,300V,52mm(TAPING)	
2	J925	3812-000219	WIRE-NO SHEATH CU;TCWA,300V,52mm(TAPING)	
2	J926	3812-000219	WIRE-NO SHEATH CU;TCWA,300V,52mm(TAPING)	
2	J927	3812-000219	WIRE-NO SHEATH CU;TCWA,300V,52mm(TAPING)	
2	J928	3812-000219	WIRE-NO SHEATH CU;TCWA,300V,52mm(TAPING)	
2	J932	3812-000219	WIRE-NO SHEATH CU;TCWA,300V,52mm(TAPING)	
2	J933	3812-000219	WIRE-NO SHEATH CU;TCWA,300V,52mm(TAPING)	
2	J934	3812-000219	WIRE-NO SHEATH CU;TCWA,300V,52mm(TAPING)	
2	J936	3812-000219	WIRE-NO SHEATH CU;TCWA,300V,52mm(TAPING)	
2	J939	3812-000219	WIRE-NO SHEATH CU;TCWA,300V,52mm(TAPING)	
2	J941	3812-000219	WIRE-NO SHEATH CU;TCWA,300V,52mm(TAPING)	
2	J942	3812-000219	WIRE-NO SHEATH CU;TCWA,300V,52mm(TAPING)	
2	R939	3812-000219	WIRE-NO SHEATH CU;TCWA,300V,52mm(TAPING)	
2	J714	3812-000219	WIRE-NO SHEATH CU;TCWA,300V,52mm(TAPING)	
2	J249	3812-000219	WIRE-NO SHEATH CU;TCWA,300V,52mm(TAPING)	
2	D908	3812-000219	WIRE-NO SHEATH CU;TCWA,300V,52mm(TAPING)	
2	J835	3812-000219	WIRE-NO SHEATH CU;TCWA,300V,52mm(TAPING)	
2	J425	3812-000219	WIRE-NO SHEATH CU;TCWA,300V,52mm(TAPING)	
2	J633	3812-000219	WIRE-NO SHEATH CU;TCWA,300V,52mm(TAPING)	
2	J818	3812-000219	WIRE-NO SHEATH CU;TCWA,300V,52mm(TAPING)	
2	J612	3812-000219	WIRE-NO SHEATH CU;TCWA,300V,52mm(TAPING)	
2	L610	3812-000219	WIRE-NO SHEATH CU;TCWA,300V,52mm(TAPING)	
2	J937	3812-000219	WIRE-NO SHEATH CU;TCWA,300V,52mm(TAPING)	
2	J918	3812-000219	WIRE-NO SHEATH CU;TCWA,300V,52mm(TAPING)	
2	J626	3812-000219	WIRE-NO SHEATH CU;TCWA,300V,52mm(TAPING)	
2	J126	3812-000219	WIRE-NO SHEATH CU;TCWA,300V,52mm(TAPING)	
2	J118	3812-000219	WIRE-NO SHEATH CU;TCWA,300V,52mm(TAPING)	
2	J101	3812-000219	WIRE-NO SHEATH CU;TCWA,300V,52mm(TAPING)	
2	J253	3812-000219	WIRE-NO SHEATH CU;TCWA,300V,52mm(TAPING)	
2	J943	3812-000219	WIRE-NO SHEATH CU;TCWA,300V,52mm(TAPING)	
2	J944	3812-000219	WIRE-NO SHEATH CU;TCWA,300V,52mm(TAPING)	
2	J705	3812-000219	WIRE-NO SHEATH CU;TCWA,300V,52mm(TAPING)	
2	J707	3812-000219	WIRE-NO SHEATH CU;TCWA,300V,52mm(TAPING)	
2	J127	3812-000219	WIRE-NO SHEATH CU;TCWA,300V,52mm(TAPING)	
2	J605	3812-000219	WIRE-NO SHEATH CU;TCWA,300V,52mm(TAPING)	
2	J608	3812-000219	WIRE-NO SHEATH CU;TCWA,300V,52mm(TAPING)	
2	J609	3812-000219	WIRE-NO SHEATH CU;TCWA,300V,52mm(TAPING)	
2	J902	3812-000219	WIRE-NO SHEATH CU;TCWA,300V,52mm(TAPING)	
⚠ 2	D407	3812-000219	WIRE-NO SHEATH CU;TCWA,300V,52mm(TAPING)	
2	J503	3812-000219	WIRE-NO SHEATH CU;TCWA,300V,52mm(TAPING)	
2	J504	3812-000219	WIRE-NO SHEATH CU;TCWA,300V,52mm(TAPING)	

Level	Loc. No.	Code No.	Description ; Specification	Remark
2	J501	3812-000219	WIRE-NO SHEATH CU;TCWA,300V,52mm(TAPING)	
2	J502	3812-000219	WIRE-NO SHEATH CU;TCWA,300V,52mm(TAPING)	
2	J407	3812-000219	WIRE-NO SHEATH CU;TCWA,300V,52mm(TAPING)	
2	J419	3812-000219	WIRE-NO SHEATH CU;TCWA,300V,52mm(TAPING)	
2	J801	3812-000219	WIRE-NO SHEATH CU;TCWA,300V,52mm(TAPING)	
2	J802	3812-000219	WIRE-NO SHEATH CU;TCWA,300V,52mm(TAPING)	
2	J803	3812-000219	WIRE-NO SHEATH CU;TCWA,300V,52mm(TAPING)	
2	J804	3812-000219	WIRE-NO SHEATH CU;TCWA,300V,52mm(TAPING)	
2	J245	3812-000219	WIRE-NO SHEATH CU;TCWA,300V,52mm(TAPING)	
2	J630	3812-000219	WIRE-NO SHEATH CU;TCWA,300V,52mm(TAPING)	
2	L107	3812-000219	WIRE-NO SHEATH CU;TCWA,300V,52mm(TAPING)	
2	L410	3812-000219	WIRE-NO SHEATH CU;TCWA,300V,52mm(TAPING)	
2	R508	3812-000219	WIRE-NO SHEATH CU;TCWA,300V,52mm(TAPING)	
2	D509	3812-000219	WIRE-NO SHEATH CU;TCWA,300V,52mm(TAPING)	
2	J507	3812-000219	WIRE-NO SHEATH CU;TCWA,300V,52mm(TAPING)	
2	J508	3812-000219	WIRE-NO SHEATH CU;TCWA,300V,52mm(TAPING)	
2	J509	3812-000219	WIRE-NO SHEATH CU;TCWA,300V,52mm(TAPING)	
2	J834	3812-000219	WIRE-NO SHEATH CU;TCWA,300V,52mm(TAPING)	
2	J940	3812-000219	WIRE-NO SHEATH CU;TCWA,300V,52mm(TAPING)	
2	J204	3812-000219	WIRE-NO SHEATH CU;TCWA,300V,52mm(TAPING)	
2	J701	3812-000219	WIRE-NO SHEATH CU;TCWA,300V,52mm(TAPING)	
2	J817	3812-000219	WIRE-NO SHEATH CU;TCWA,300V,52mm(TAPING)	
2	L413	3812-000219	WIRE-NO SHEATH CU;TCWA,300V,52mm(TAPING)	
2	R926	3812-000219	WIRE-NO SHEATH CU;TCWA,300V,52mm(TAPING)	
2	R427	3812-000219	WIRE-NO SHEATH CU;TCWA,300V,52mm(TAPING)	
2	EY301	AA60-40011A	K EYELET;ID2.0,OD2.8,BST	
2	EY302	AA60-40011A	K EYELET;ID2.0,OD2.8,BST	
2	EY303	AA60-40011A	K EYELET;ID2.0,OD2.8,BST	
2	EY304	AA60-40011A	K EYELET;ID2.0,OD2.8,BST	
2	EY401	AA60-40011A	K EYELET;ID2.0,OD2.8,BST	
2	EY402	AA60-40011A	K EYELET;ID2.0,OD2.8,BST	
2	EY403	AA60-40011A	K EYELET;ID2.0,OD2.8,BST	
2	EY404	AA60-40011A	K EYELET;ID2.0,OD2.8,BST	
2	EY405	AA60-40011A	K EYELET;ID2.0,OD2.8,BST	
2	EY406	AA60-40011A	K EYELET;ID2.0,OD2.8,BST	
2	EY407	AA60-40011A	K EYELET;ID2.0,OD2.8,BST	
2	EY408	AA60-40011A	K EYELET;ID2.0,OD2.8,BST	
2	EY409	AA60-40011A	K EYELET;ID2.0,OD2.8,BST	
2	EY410	AA60-40011A	K EYELET;ID2.0,OD2.8,BST	
2	EY411	AA60-40011A	K EYELET;ID2.0,OD2.8,BST	
2	EY412	AA60-40011A	K EYELET;ID2.0,OD2.8,BST	
2	EY413	AA60-40011A	K EYELET;ID2.0,OD2.8,BST	
2	EY414	AA60-40011A	K EYELET;ID2.0,OD2.8,BST	
2	EY415	AA60-40011A	K EYELET;ID2.0,OD2.8,BST	
2	EY416	AA60-40011A	K EYELET;ID2.0,OD2.8,BST	
2	EY417	AA60-40011A	K EYELET;ID2.0,OD2.8,BST	
2	EY418	AA60-40011A	K EYELET;ID2.0,OD2.8,BST	
2	EY419	AA60-40011A	K EYELET;ID2.0,OD2.8,BST	
2	EY420	AA60-40011A	K EYELET;ID2.0,OD2.8,BST	
2	EY421	AA60-40011A	K EYELET;ID2.0,OD2.8,BST	
2	EY422	AA60-40011A	K EYELET;ID2.0,OD2.8,BST	
2	EY423	AA60-40011A	K EYELET;ID2.0,OD2.8,BST	
2	EY424	AA60-40011A	K EYELET;ID2.0,OD2.8,BST	
2	EY425	AA60-40011A	K EYELET;ID2.0,OD2.8,BST	
2	EY426	AA60-40011A	K EYELET;ID2.0,OD2.8,BST	
2	EY427	AA60-40011A	K EYELET;ID2.0,OD2.8,BST	
2	EY428	AA60-40011A	K EYELET;ID2.0,OD2.8,BST	
2	EY429	AA60-40011A	K EYELET;ID2.0,OD2.8,BST	
2	EY430	AA60-40011A	K EYELET;ID2.0,OD2.8,BST	
2	EY431	AA60-40011A	K EYELET;ID2.0,OD2.8,BST	
2	EY432	AA60-40011A	K EYELET;ID2.0,OD2.8,BST	
2	EY433	AA60-40011A	K EYELET;ID2.0,OD2.8,BST	
2	EY434	AA60-40011A	K EYELET;ID2.0,OD2.8,BST	
2	EY435	AA60-40011A	K EYELET;ID2.0,OD2.8,BST	
2	EY436	AA60-40011A	K EYELET;ID2.0,OD2.8,BST	
2	EY437	AA60-40011A	K EYELET;ID2.0,OD2.8,BST	
2	EY438	AA60-40011A	K EYELET;ID2.0,OD2.8,BST	
2	EY439	AA60-40011A	K EYELET;ID2.0,OD2.8,BST	
2	EY440	AA60-40011A	K EYELET;ID2.0,OD2.8,BST	
2	EY441	AA60-40011A	K EYELET;ID2.0,OD2.8,BST	
2	EY442	AA60-40011A	K EYELET;ID2.0,OD2.8,BST	
2	EY443	AA60-40011A	K EYELET;ID2.0,OD2.8,BST	
2	EY444	AA60-40011A	K EYELET;ID2.0,OD2.8,BST	
2	EY445	AA60-40011A	K EYELET;ID2.0,OD2.8,BST	
2	EY446	AA60-40011A	K EYELET;ID2.0,OD2.8,BST	
2	EY447	AA60-40011A	K EYELET;ID2.0,OD2.8,BST	
2	EY448	AA60-40011A	K EYELET;ID2.0,OD2.8,BST	
2	EY449	AA60-40011A	K EYELET;ID2.0,OD2.8,BST	
2	EY450	AA60-40011A	K EYELET;ID2.0,OD2.8,BST	
2	EY451	AA60-40011A	K EYELET;ID2.0,OD2.8,BST	
2	EY452	AA60-40011A	K EYELET;ID2.0,OD2.8,BST	
2	EY453	AA60-40011A	K EYELET;ID2.0,OD2.8,BST	
2	EY454	AA60-40011A	K EYELET;ID2.0,OD2.8,BST	
2	EY455	AA60-40011A	K EYELET;ID2.0,OD2.8,BST	
2	EY456	AA60-40011A	K EYELET;ID2.0,OD2.8,BST	
2	EY457	AA60-40011A	K EYELET;ID2.0,OD2.8,BST	
2	EY458	AA60-40011A	K EYELET;ID2.0,OD2.8,BST	
2	EY601	AA60-40011A	K EYELET;ID2.0,OD2.8,BST	
2	EY602	AA60-40011A	K EYELET;ID2.0,OD2.8,BST	
2	EY603	AA60-40011A	K EYELET;ID2.0,OD2.8,BST	
2	EY604	AA60-40011A	K EYELET;ID2.0,OD2.8,BST	
2	EY701	AA60-40011A	K EYELET;ID2.0,OD2.8,BST	
2	EY702	AA60-40011A	K EYELET;ID2.0,OD2.8,BST	
2	EY703	AA60-40011A	K EYELET;ID2.0,OD2.8,BST	
2	EY704	AA60-40011A	K EYELET;ID2.0,OD2.8,BST	
2	EY801	AA60-40011A	K EYELET;ID2.0,OD2.8,BST	
2	EY802	AA60-40011A	K EYELET;ID2.0,OD2.8,BST	
2	EY803	AA60-40011A	K EYELET;ID2.0,OD2.8,BST	
2	EY804	AA60-40011A	K EYELET;ID2.0,OD2.8,BST	
2	EY805	AA60-40011A	K EYELET;ID2.0,OD2.8,BST	
2	EY806	AA60-40011A	K EYELET;ID2.0,OD2.8,BST	
2	EY807	AA60-40011A	K EYELET;ID2.0,OD2.8,BST	
2	EY808	AA60-40011A	K EYELET;ID2.0,OD2.8,BST	
2	EY809	AA60-40011A	K EYELET;ID2.0,OD2.8,BST	
2	EY810	AA60-40011A	K EYELET;ID2.0,OD2.8,BST	
2	EY811	AA60-40011A	K EYELET;ID2.0,OD2.8,BST	
2	EY812	AA60-40011A	K EYELET;ID2.0,OD2.8,BST	
2	EY813	AA60-40011A	K EYELET;ID2.0,OD2.8,BST	
2	EY814	AA60-40011A	K EYELET;ID2.0,OD2.8,BST	
2	EY815	AA60-40011A	K EYELET;ID2.0,OD2.8,BST	
2	EY816	AA60-40011A	K EYELET;ID2.0,OD2.8,BST	
2	EY817	AA60-40011A	K EYELET;ID2.0,OD2.8,BST	
2	EY818	AA60-40011A	K EYELET;ID2.0,OD2.8,BST	
2	EY819	AA60-40011A	K EYELET;ID2.0,OD2.8,BST	
2	EY820	AA60-40011A	K EYELET;ID2.0,OD2.8,BST	
2	EY822	AA60-40011A	K EYELET;ID2.0,OD2.8,BST	
2	EY823	AA60-40011A	K EYELET;ID2.0,OD2.8,BST	
2	EY824	AA60-40011A	K EYELET;ID2.0,OD2.8,BST	
2	EY825	AA60-40011A	K EYELET;ID2.0,OD2.8,BST	
2	EY826	AA60-40011A	K EYELET;ID2.0,OD2.8,BST	
2	EY827	AA60-40011A	K EYELET;ID2.0,OD2.8,BST	
2	EY828	AA60-40011A	K EYELET;ID2.0,OD2.8,BST	
2	EY829	AA60-40011A	K EYELET;ID2.0,OD2.8,BST	
2	EY830	AA60-40011A	K EYELET;ID2.0,OD2.8,BST	
2	EY831	AA60-40011A	K EYELET;ID2.0,OD2.8,BST	
2	EY832	AA60-40011A	K EYELET;ID2.0,OD2.8,BST	
2	EY833	AA60-40011A	K EYELET;ID2.0,OD2.8,BST	
2	EY834	AA60-40011A	K EYELET;ID2.0,OD2.8,BST	
2	EY835	AA60-40011A	K EYELET;ID2.0,OD2.8,BST	
2	EY836	AA60-40011A	K EYELET;ID2.0,OD2.8,BST	
2	EY837	AA60-40011A	K EYELET;ID2.0,OD2.8,BST	
2	EY838	AA60-40011A	K EYELET;ID2.0,OD2.8,BST	
2	EY839	AA60-40011A	K EYELET;ID2.0,OD2.8,BST	
2	EY840	AA60-40011A	K EYELET;ID2.0,OD2.8,BST	
2	EY841	AA60-40011A	K EYELET;ID2.0,OD2.8,BST	
2	EY842	AA60-40011A	K EYELET;ID2.0,OD2.8,BST	
2	EY844	AA60-40011A	K EYELET;ID2.0,OD2.8,BST	
2	EY845	AA60-40011A	K EYELET;ID2.0,OD2.8,BST	
2	EY846	AA60-40011A	K EYELET;ID2.0,OD2.8,BST	
2	EY847	AA60-40011A	K EYELET;ID2.0,OD2.8,BST	
2	EY848	AA60-40011A	K EYELET;ID2.0,OD2.8,BST	
2	EY849	AA60-40011A	K EYELET;ID2.0,OD2.8,BST	
2	EY850	AA60-40011A	K EYELET;ID2.0,OD2.8,BST	
2	EY851	AA60-40011A	K EYELET;ID2.0,OD2.8,BST	
2	EY852	AA60-40011A	K EYELET;ID2.0,OD2.8,BST	
2	EY853	AA60-40011A	K EYELET;ID2.0,OD2.8,BST	
2	EY854	AA60-40011A	K EYELET;ID2.0,OD2.8,BST	
2	EY855	AA60-40011A	K EYELET;ID2.0,OD2.8,BST	
2	EY856	AA60-40011A	K EYELET;ID2.0,OD2.8,BST	
2	EY857	AA60-40011A	K EYELET;ID2.0,OD2.8,BST	
2	EY858	AA60-40011A	K EYELET;ID2.0,OD2.8,BST	
2	EY859	AA60-40011A	K EYELET;ID2.0,OD2.8,BST	
2	EY860	AA60-40011A	K EYELET;ID2.0,OD2.8,BST	
2	EY861	AA60-40011A	K EYELET;ID2.0,OD2.8,BST	

Level	Loc. No.	Code No.	Description ; Specification	Remark
2	TOP1	AA60-40011A	K EYELET;ID2.0,OD2.8,BST	
2	TOP2	AA60-40011A	K EYELET;ID2.0,OD2.8,BST	
2	EL401	AA60-40011B	K EYELET;ID2.2,OD3.2,BSP	
2	EL402	AA60-40011B	K EYELET;ID2.2,OD3.2,BSP	
2	EL403	AA60-40011B	K EYELET;ID2.2,OD3.2,BSP	
2	EL404	AA60-40011B	K EYELET;ID2.2,OD3.2,BSP	
2	EL405	AA60-40011B	K EYELET;ID2.2,OD3.2,BSP	
2	EL406	AA60-40011B	K EYELET;ID2.2,OD3.2,BSP	
2	EL407	AA60-40011B	K EYELET;ID2.2,OD3.2,BSP	
2	EL408	AA60-40011B	K EYELET;ID2.2,OD3.2,BSP	
2	EL802	AA60-40011B	K EYELET;ID2.2,OD3.2,BSP	
2	EL803	AA60-40011B	K EYELET;ID2.2,OD3.2,BSP	
2	EL805	AA60-40011B	K EYELET;ID2.2,OD3.2,BSP	
2	EL806	AA60-40011B	K EYELET;ID2.2,OD3.2,BSP	
2	EL807	AA60-40011B	K EYELET;ID2.2,OD3.2,BSP	
2	EL808	AA60-40011B	K EYELET;ID2.2,OD3.2,BSP	
2	EL809	AA60-40011B	K EYELET;ID2.2,OD3.2,BSP	
2	EL810	AA60-40011B	K EYELET;ID2.2,OD3.2,BSP	
2	EL811	AA60-40011B	K EYELET;ID2.2,OD3.2,BSP	
2	R236	2001-000515	R-CARBON;220OHM,5%,1/8W,AA,TP,1.8X3.2MM	
2	R237	2001-000515	R-CARBON;220OHM,5%,1/8W,AA,TP,1.8X3.2MM	
2	R238	2001-000515	R-CARBON;220OHM,5%,1/8W,AA,TP,1.8X3.2MM	
2	R935	2001-000290	R-CARBON;10KOHM,5%,1/8W,AA,TP,1.8X3.2MM	
2	R202	2001-000290	R-CARBON;10KOHM,5%,1/8W,AA,TP,1.8X3.2MM	
2	R205	2001-000290	R-CARBON;10KOHM,5%,1/8W,AA,TP,1.8X3.2MM	
2	R243	2001-000290	R-CARBON;10KOHM,5%,1/8W,AA,TP,1.8X3.2MM	
2	R245	2001-000290	R-CARBON;10KOHM,5%,1/8W,AA,TP,1.8X3.2MM	
2	R246	2001-000290	R-CARBON;10KOHM,5%,1/8W,AA,TP,1.8X3.2MM	
2	R310	2001-000290	R-CARBON;10KOHM,5%,1/8W,AA,TP,1.8X3.2MM	
2	R716	2001-000290	R-CARBON;10KOHM,5%,1/8W,AA,TP,1.8X3.2MM	
2	R715	2001-000290	R-CARBON;10KOHM,5%,1/8W,AA,TP,1.8X3.2MM	
2	R606	2001-000290	R-CARBON;10KOHM,5%,1/8W,AA,TP,1.8X3.2MM	
2	R602	2001-000290	R-CARBON;10KOHM,5%,1/8W,AA,TP,1.8X3.2MM	
2	R601	2001-000290	R-CARBON;10KOHM,5%,1/8W,AA,TP,1.8X3.2MM	
2	R620	2001-000290	R-CARBON;10KOHM,5%,1/8W,AA,TP,1.8X3.2MM	
2	R629	2001-000290	R-CARBON;10KOHM,5%,1/8W,AA,TP,1.8X3.2MM	
2	R309	2001-000290	R-CARBON;10KOHM,5%,1/8W,AA,TP,1.8X3.2MM	
2	R206	2001-000290	R-CARBON;10KOHM,5%,1/8W,AA,TP,1.8X3.2MM	
2	R609	2001-000290	R-CARBON;10KOHM,5%,1/8W,AA,TP,1.8X3.2MM	
2	R912	2001-000290	R-CARBON;10KOHM,5%,1/8W,AA,TP,1.8X3.2MM	
2	R952	2001-000290	R-CARBON;10KOHM,5%,1/8W,AA,TP,1.8X3.2MM	
2	R940	2001-000281	R-CARBON;100OHM,5%,1/8W,AA,TP,1.8X3.2MM	
2	R941	2001-000281	R-CARBON;100OHM,5%,1/8W,AA,TP,1.8X3.2MM	
2	R942	2001-000281	R-CARBON;100OHM,5%,1/8W,AA,TP,1.8X3.2MM	
2	R947	2001-000281	R-CARBON;100OHM,5%,1/8W,AA,TP,1.8X3.2MM	
2	R948	2001-000281	R-CARBON;100OHM,5%,1/8W,AA,TP,1.8X3.2MM	
2	R102	2001-000281	R-CARBON;100OHM,5%,1/8W,AA,TP,1.8X3.2MM	
2	R103	2001-000281	R-CARBON;100OHM,5%,1/8W,AA,TP,1.8X3.2MM	
2	R203	2001-000281	R-CARBON;100OHM,5%,1/8W,AA,TP,1.8X3.2MM	
2	R204	2001-000281	R-CARBON;100OHM,5%,1/8W,AA,TP,1.8X3.2MM	
2	R604	2001-000281	R-CARBON;100OHM,5%,1/8W,AA,TP,1.8X3.2MM	
2	R605	2001-000281	R-CARBON;100OHM,5%,1/8W,AA,TP,1.8X3.2MM	
2	R610	2001-000281	R-CARBON;100OHM,5%,1/8W,AA,TP,1.8X3.2MM	
2	R611	2001-000281	R-CARBON;100OHM,5%,1/8W,AA,TP,1.8X3.2MM	
2	R612	2001-000281	R-CARBON;100OHM,5%,1/8W,AA,TP,1.8X3.2MM	
2	R613	2001-000281	R-CARBON;100OHM,5%,1/8W,AA,TP,1.8X3.2MM	
2	R628	2001-000281	R-CARBON;100OHM,5%,1/8W,AA,TP,1.8X3.2MM	
2	R627	2001-000281	R-CARBON;100OHM,5%,1/8W,AA,TP,1.8X3.2MM	
2	R706	2001-000281	R-CARBON;100OHM,5%,1/8W,AA,TP,1.8X3.2MM	
2	R707	2001-000281	R-CARBON;100OHM,5%,1/8W,AA,TP,1.8X3.2MM	
2	R708	2001-000281	R-CARBON;100OHM,5%,1/8W,AA,TP,1.8X3.2MM	
2	R723	2001-000281	R-CARBON;100OHM,5%,1/8W,AA,TP,1.8X3.2MM	
2	R909	2001-000281	R-CARBON;100OHM,5%,1/8W,AA,TP,1.8X3.2MM	
2	R907	2001-000281	R-CARBON;100OHM,5%,1/8W,AA,TP,1.8X3.2MM	
2	J920	2001-000281	R-CARBON;100OHM,5%,1/8W,AA,TP,1.8X3.2MM	
2	J904	2001-000281	R-CARBON;100OHM,5%,1/8W,AA,TP,1.8X3.2MM	
2	R925	2001-000281	R-CARBON;100OHM,5%,1/8W,AA,TP,1.8X3.2MM	
2	R955	2001-000281	R-CARBON;100OHM,5%,1/8W,AA,TP,1.8X3.2MM	
⚠ 2	RR430S	2001-001088	R-CARBON(S);1KOHM,5%,1/2W,AA,TP,2.4X6.4M	
2	R418	2001-001088	R-CARBON(S);1KOHM,5%,1/2W,AA,TP,2.4X6.4M	
⚠ 2	RY801S	2002-001011	R-COMPOSITION;3.3Mohm,5%,1/2W,AA,TP,3.7x	
⚠ 2	RY802S	2002-001013	R-COMPOSITION;4.7Mohm,5%,1/2W,AA,TP,3.7x	
⚠ 2	VP801S	1405-000187	VARISTOR;750V,1250A,12.5x7mm,TP	
⚠ 2	VX801S	1405-000187	VARISTOR;750V,1250A,12.5x7mm,TP	
2	X901	2801-003728	CRYSTAL-UNIT;6MHz,30ppm,28-AAM,20pF,40oh	
2	L103	2701-000115	INDUCTOR-AXIAL;10uH,10%,3x7mm	
2		0203-001123	TAPE-PAPER;#53131,T0.15,W6.0,L200000,YEL	
2	C707	2401-000939	C-AL;22uF,20%,25V,GP,TP,5x11,5	
2	L202	2701-000114	INDUCTOR-AXIAL;10uH,10%,2.5x3.4mm	
2	L301	2701-000114	INDUCTOR-AXIAL;10uH,10%,2.5x3.4mm	
2	L406	2701-000114	INDUCTOR-AXIAL;10uH,10%,2.5x3.4mm	
2	L907	2701-000114	INDUCTOR-AXIAL;10uH,10%,2.5x3.4mm	
2	L711	2701-000114	INDUCTOR-AXIAL;10uH,10%,2.5x3.4mm	
2	L108	2701-000114	INDUCTOR-AXIAL;10uH,10%,2.5x3.4mm	
2	L109	2701-000114	INDUCTOR-AXIAL;10uH,10%,2.5x3.4mm	
2	L204	2701-000184	INDUCTOR-AXIAL;4.7uH,10%,2.5x3.4mm	
2	L222	2701-000184	INDUCTOR-AXIAL;4.7uH,10%,2.5x3.4mm	
2	L302	3301-000287	CORE-FERRITE BEAD;AA,3.5x1.0x6.0mm,1500,	
2	L802	3301-000287	CORE-FERRITE BEAD;AA,3.5x1.0x6.0mm,1500,	
2	L803	3301-000287	CORE-FERRITE BEAD;AA,3.5x1.0x6.0mm,1500,	
2	L804	3301-000287	CORE-FERRITE BEAD;AA,3.5x1.0x6.0mm,1500,	
2	L809	3301-000287	CORE-FERRITE BEAD;AA,3.5x1.0x6.0mm,1500,	
2	J901	3301-000287	CORE-FERRITE BEAD;AA,3.5x1.0x6.0mm,1500,	
2	L303	3301-000287	CORE-FERRITE BEAD;AA,3.5x1.0x6.0mm,1500,	
2	L207	3301-000287	CORE-FERRITE BEAD;AA,3.5x1.0x6.0mm,1500,	
2	L412	3301-000287	CORE-FERRITE BEAD;AA,3.5x1.0x6.0mm,1500,	
2	J406	3301-000287	CORE-FERRITE BEAD;AA,3.5x1.0x6.0mm,1500,	
2	L407	2901-000297	FILTER-EMI ON BOARD;-,3A,-,-,3.5x5,TP,-	
2	L807	2901-000297	FILTER-EMI ON BOARD;-,3A,-,-,3.5x5,TP,-	
2	L601	2901-000297	FILTER-EMI ON BOARD;-,3A,-,-,3.5x5,TP,-	
2	L609	2901-000297	FILTER-EMI ON BOARD;-,3A,-,-,3.5x5,TP,-	
2	L501	2901-000297	FILTER-EMI ON BOARD;-,3A,-,-,3.5x5,TP,-	
2	L201	2901-000297	FILTER-EMI ON BOARD;-,3A,-,-,3.5x5,TP,-	
2	L502	2901-000297	FILTER-EMI ON BOARD;-,3A,-,-,3.5x5,TP,-	
2	L604	2701-000169	INDUCTOR-AXIAL;3.9uH,10%,2.5x3.4mm	
2	L905	2701-000211	INDUCTOR-AXIAL;68uH,10%,2.5x3.4mm	
2	Q201	0501-000389	TR-SMALL SIGNAL;KSC815,NPN,400mW,TO-92,T	
2	Q202	0501-000389	TR-SMALL SIGNAL;KSC815,NPN,400mW,TO-92,T	
2	Q203	0501-000389	TR-SMALL SIGNAL;KSC815,NPN,400mW,TO-92,T	
2	Q901	0501-000389	TR-SMALL SIGNAL;KSC815,NPN,400mW,TO-92,T	
2	Q906	0501-000389	TR-SMALL SIGNAL;KSC815,NPN,400mW,TO-92,T	
2	Q908	0501-000389	TR-SMALL SIGNAL;KSC815,NPN,400mW,TO-92,T	
2	Q701	0501-000389	TR-SMALL SIGNAL;KSC815,NPN,400mW,TO-92,T	
2	Q204	0501-000389	TR-SMALL SIGNAL;KSC815,NPN,400mW,TO-92,T	
2	Q601	0501-000389	TR-SMALL SIGNAL;KSC815,NPN,400mW,TO-92,T	
2	Q907	0501-000389	TR-SMALL SIGNAL;KSC815,NPN,400mW,TO-92,T	
2	R244	2001-000786	R-CARBON;47KOHM,5%,1/8W,AA,TP,1.8X3.2MM	
2	R954	2001-000786	R-CARBON;47KOHM,5%,1/8W,AA,TP,1.8X3.2MM	
2	R208	2001-000405	R-CARBON;180OHM,5%,1/8W,AA,TP,1.8X3.2MM	
2	R209	2001-000405	R-CARBON;180OHM,5%,1/8W,AA,TP,1.8X3.2MM	
2	R509	2001-000405	R-CARBON;180OHM,5%,1/8W,AA,TP,1.8X3.2MM	
2	R511	2001-000405	R-CARBON;180OHM,5%,1/8W,AA,TP,1.8X3.2MM	
2	R517	2001-000405	R-CARBON;180OHM,5%,1/8W,AA,TP,1.8X3.2MM	
2	R215	2001-000522	R-CARBON;22KOHM,5%,1/8W,AA,TP,1.8X3.2MM	
2	R823	2001-000522	R-CARBON;22KOHM,5%,1/8W,AA,TP,1.8X3.2MM	
2	R910	2001-000522	R-CARBON;22KOHM,5%,1/8W,AA,TP,1.8X3.2MM	
2	R216	2001-000429	R-CARBON;1KOHM,5%,1/8W,AA,TP,1.8X3.2MM	
2	R234	2001-000429	R-CARBON;1KOHM,5%,1/8W,AA,TP,1.8X3.2MM	
2	R235	2001-000429	R-CARBON;1KOHM,5%,1/8W,AA,TP,1.8X3.2MM	
2	R603	2001-000429	R-CARBON;1KOHM,5%,1/8W,AA,TP,1.8X3.2MM	
2	R817	2001-000429	R-CARBON;1KOHM,5%,1/8W,AA,TP,1.8X3.2MM	
2	R924	2001-000429	R-CARBON;1KOHM,5%,1/8W,AA,TP,1.8X3.2MM	
2	R914	2001-000429	R-CARBON;1KOHM,5%,1/8W,AA,TP,1.8X3.2MM	
2	R252	2001-000429	R-CARBON;1KOHM,5%,1/8W,AA,TP,1.8X3.2MM	
2	R726	2001-000429	R-CARBON;1KOHM,5%,1/8W,AA,TP,1.8X3.2MM	
2	D505	2001-000429	R-CARBON;1KOHM,5%,1/8W,AA,TP,1.8X3.2MM	
2	D506	2001-000429	R-CARBON;1KOHM,5%,1/8W,AA,TP,1.8X3.2MM	
2	D507	2001-000429	R-CARBON;1KOHM,5%,1/8W,AA,TP,1.8X3.2MM	
2	R902	2001-000429	R-CARBON;1KOHM,5%,1/8W,AA,TP,1.8X3.2MM	
2	R816	2001-000429	R-CARBON;1KOHM,5%,1/8W,AA,TP,1.8X3.2MM	
2	R228	2001-000117	R-CARBON(S);68OHM,5%,1/2W,AA,TP,2.4X6.4M	
2	R301	2004-001397	R-METAL(S);4.7Kohm,1%,1/2W,AA,TP,2.4x6.4	
2	R423	2004-001397	R-METAL(S);4.7Kohm,1%,1/2W,AA,TP,2.4x6.4	
2	R303	2001-000016	R-CARBON(S);10HM,5%,1/2W,AA,TP,2.4X6.4MM	
2	R828	2008-000266	R-FUSIBLE(S);1ohm,5%,2W,AF,TP,3.9x10mm	
2	R314	2004-001986	R-METAL(S);35.7Kohm,1%,1/2W,AA,TP,2.4x6.	
2	R411	2001-000028	R-CARBON(S);100OHM,5%,1/2W,AA,TP,2.4X6.4	
2	R527	2001-000028	R-CARBON(S);100OHM,5%,1/2W,AA,TP,2.4X6.4	
2	R412	2001-000020	R-CARBON(S);22OHM,5%,1/2W,AA,TP,2.4X6.4M	
2	R421	2001-001093	R-CARBON(S);2.2KOHM,5%,1/2W,AA,TP,2.4X6.	
2	R913	2001-000947	R-CARBON;7.5KOHM,5%,1/8W,AA,TP,1.8X3.2M	
2	R426	2003-000540	R-METAL OXIDE(S);1Kohm,5%,2W,AF,TP,4x12m	

Level	Loc. No.	Code No.	Description ; Specification	Remark
2	R434	2003-000664	R-METAL OXIDE(S);33ohm,5%,2W,AF,TP,4x12m	
2	R614	2001-000780	R-CARBON;470OHM,5%,1/8W,AA,TP,1.8X3.2MM	
2	R615	2001-000780	R-CARBON;470OHM,5%,1/8W,AA,TP,1.8X3.2MM	
2	R616	2001-000780	R-CARBON;470OHM,5%,1/8W,AA,TP,1.8X3.2MM	
2	R617	2001-000780	R-CARBON;470OHM,5%,1/8W,AA,TP,1.8X3.2MM	
2	R920	2001-000780	R-CARBON;470OHM,5%,1/8W,AA,TP,1.8X3.2MM	
2	R226	2001-000780	R-CARBON;470OHM,5%,1/8W,AA,TP,1.8X3.2MM	
2	R224	2001-000780	R-CARBON;470OHM,5%,1/8W,AA,TP,1.8X3.2MM	
2	R225	2001-000780	R-CARBON;470OHM,5%,1/8W,AA,TP,1.8X3.2MM	
2	R931	2001-000780	R-CARBON;470OHM,5%,1/8W,AA,TP,1.8X3.2MM	
2	R812	2001-000780	R-CARBON;470OHM,5%,1/8W,AA,TP,1.8X3.2MM	
2	R831	2001-000780	R-CARBON;470OHM,5%,1/8W,AA,TP,1.8X3.2MM	
2	R956	2001-000780	R-CARBON;470OHM,5%,1/8W,AA,TP,1.8X3.2MM	
2	R919	2001-000780	R-CARBON;470OHM,5%,1/8W,AA,TP,1.8X3.2MM	
2	R214	2001-000411	R-CARBON;18KOHM,5%,1/8W,AA,TP,1.8X3.2MM	
2	R701	2001-000969	R-CARBON;75OHM,5%,1/8W,AA,TP,1.8X3.2MM	
2	R702	2001-000969	R-CARBON;75OHM,5%,1/8W,AA,TP,1.8X3.2MM	
2	R703	2001-000969	R-CARBON;75OHM,5%,1/8W,AA,TP,1.8X3.2MM	
2	R704	2001-000969	R-CARBON;75OHM,5%,1/8W,AA,TP,1.8X3.2MM	
2	R719	2001-000969	R-CARBON;75OHM,5%,1/8W,AA,TP,1.8X3.2MM	
2	R705	2001-000969	R-CARBON;75OHM,5%,1/8W,AA,TP,1.8X3.2MM	
2	R242	2001-000969	R-CARBON;75OHM,5%,1/8W,AA,TP,1.8X3.2MM	
2	R802	2003-001025	R-METAL OXIDE(S);15Kohm,5%,2W,AF,TP,3.9x	
2	R803	2003-001025	R-METAL OXIDE(S);15Kohm,5%,2W,AF,TP,3.9x	
2	R804	2003-001025	R-METAL OXIDE(S);15Kohm,5%,2W,AF,TP,3.9x	
2	R805	2001-001150	R-CARBON(S);470KOHM,5%,1/2W,AA,TP,2.4X6.	
2	R806	2001-001150	R-CARBON(S);470KOHM,5%,1/2W,AA,TP,2.4X6.	
2	R813	2001-001153	R-CARBON(S);47OHM,5%,1/2W,AA,TP,2.4X6.4M	
2	R832	2001-001153	R-CARBON(S);47OHM,5%,1/2W,AA,TP,2.4X6.4M	
2	R810	2001-001178	R-CARBON(S);680OHM,5%,1/2W,AA,TP,2.4X6.4	
2	R819	2004-001983	R-METAL(S);2.49Kohm,1%,1/2W,AA,TP,2.4x6.	
2	R820	2001-001096	R-CARBON(S);2.2OHM,5%,1/2W,AA,TP,2.4X6.4	
2	R822	2001-000273	R-CARBON;100KOHM,5%,1/8W,AA,TP,1.8X3.2M	
2	R824	2001-000273	R-CARBON;100KOHM,5%,1/8W,AA,TP,1.8X3.2M	
2	R825	2001-000066	R-CARBON(S);10KOHM,5%,1/2W,AA,TP,2.4X6.4	
2	R901	2001-000734	R-CARBON;4.7KOHM,5%,1/8W,AA,TP,1.8X3.2M	
2	R903	2001-000734	R-CARBON;4.7KOHM,5%,1/8W,AA,TP,1.8X3.2M	
2	R904	2001-000734	R-CARBON;4.7KOHM,5%,1/8W,AA,TP,1.8X3.2M	
2	R905	2001-000734	R-CARBON;4.7KOHM,5%,1/8W,AA,TP,1.8X3.2M	
2	R906	2001-000734	R-CARBON;4.7KOHM,5%,1/8W,AA,TP,1.8X3.2M	
2	R908	2001-000734	R-CARBON;4.7KOHM,5%,1/8W,AA,TP,1.8X3.2M	
2	R921	2001-000734	R-CARBON;4.7KOHM,5%,1/8W,AA,TP,1.8X3.2M	
2	R927	2001-000734	R-CARBON;4.7KOHM,5%,1/8W,AA,TP,1.8X3.2M	
2	R928	2001-000734	R-CARBON;4.7KOHM,5%,1/8W,AA,TP,1.8X3.2M	
2	R937	2001-000734	R-CARBON;4.7KOHM,5%,1/8W,AA,TP,1.8X3.2M	
2	R724	2001-000734	R-CARBON;4.7KOHM,5%,1/8W,AA,TP,1.8X3.2M	
2	R725	2001-000734	R-CARBON;4.7KOHM,5%,1/8W,AA,TP,1.8X3.2M	
2	R251	2001-000734	R-CARBON;4.7KOHM,5%,1/8W,AA,TP,1.8X3.2M	
2	R223	2001-000003	R-CARBON;330ohm,5%,1/8W,AA,TP,1.8x3.2mm	
2	R248	2001-000003	R-CARBON;330ohm,5%,1/8W,AA,TP,1.8x3.2mm	
2	R249	2001-000003	R-CARBON;330ohm,5%,1/8W,AA,TP,1.8x3.2mm	
2	R250	2001-000003	R-CARBON;330ohm,5%,1/8W,AA,TP,1.8x3.2mm	
2	R207	2001-000003	R-CARBON;330ohm,5%,1/8W,AA,TP,1.8x3.2mm	
2	R911	2001-000003	R-CARBON;330ohm,5%,1/8W,AA,TP,1.8x3.2mm	
2	R922	2001-000924	R-CARBON;680OHM,5%,1/8W,AA,TP,1.8X3.2MM	
2	R923	2001-000924	R-CARBON;680OHM,5%,1/8W,AA,TP,1.8X3.2MM	
2	C411	2301-000104	C-FILM,PEF;1.2NF,5%,50V,TP,6.5X3.0X5.5MM	
2	C412	2301-000313	C-FILM,PEF;8.2nF,5%,100V,TP,7x3.2x7mm,5m	
2	C427	2401-002267	C-AL;2.2uF,20%,250V,GP,TP,8x11.5,5	
2	C507	2401-002267	C-AL;2.2uF,20%,250V,GP,TP,8x11.5,5	
2	C833	2401-002619	C-AL;47uF,20%,25V,GP,TP,5x11,5	
2	C229	2401-002619	C-AL;47uF,20%,25V,GP,TP,5x11,5	
2	CN602	3711-002644	CONNECTOR-HEADER;BOX,5P,1R,2.5mm,STRAIGH	
2	CN901	3711-002644	CONNECTOR-HEADER;BOX,5P,1R,2.5mm,STRAIGH	
2	CW901	2503-000156	C-NETWORK;100pFx4,20%,50V	
2	D203	0404-000156	DIODE-SCHOTTKY;RB441Q,10V,100mA,DO-34,TP	
2	D204	0404-000156	DIODE-SCHOTTKY;RB441Q,10V,100mA,DO-34,TP	
2	D205	0404-000156	DIODE-SCHOTTKY;RB441Q,10V,100mA,DO-34,TP	
2	D206	0404-000156	DIODE-SCHOTTKY;RB441Q,10V,100mA,DO-34,TP	
2	D901	0404-000156	DIODE-SCHOTTKY;RB441Q,10V,100mA,DO-34,TP	
2	D902	0404-000156	DIODE-SCHOTTKY;RB441Q,10V,100mA,DO-34,TP	
2	D903	0404-000156	DIODE-SCHOTTKY;RB441Q,10V,100mA,DO-34,TP	
2	D904	0404-000156	DIODE-SCHOTTKY;RB441Q,10V,100mA,DO-34,TP	
2	DZ803	0403-001167	DIODE-ZENER;MTZJ30D,30V,29.02-30.51V,500	
⚠ 2	FA802S	3601-001086	FUSE-AXIAL LEAD;125V,5A,FAST-ACTING,GLAS	
2	HIC202	AA13-00093A	IC HYBRID;-,DRGB001A,SIP,5P,-,TP	
2	HIC203	AA13-00093A	IC HYBRID;-,DRGB001A,SIP,5P,-,TP	
2	HIC204	AA13-00093A	IC HYBRID;-,DRGB001A,SIP,5P,-,TP	
2	R302	2004-001984	R-METAL(S);26.7Kohm,1%,1/2W,AA,TP,2.4x6.	
2	R409	2003-002009	R-METAL OXIDE(S);390ohm,5%,2W,AF,TP,3.9x	
2	R410	2003-002009	R-METAL OXIDE(S);390ohm,5%,2W,AF,TP,3.9x	
2	R413	2008-001018	R-FUSIBLE(S);0.47ohm,10%,2W,AF,TP,3.9x10	
2	R424	2008-001018	R-FUSIBLE(S);0.47ohm,10%,2W,AF,TP,3.9x10	
2	R425	2008-001018	R-FUSIBLE(S);0.47ohm,10%,2W,AF,TP,3.9x10	
2	R827	2008-000284	R-FUSIBLE(S);0.1OHM,10%,2W,AF,TP,3.9X10M	
2	R829	2008-001029	R-FUSIBLE(S);5.6ohm,5%,2W,AF,TP,3.9x10mm	
2	R835	2003-002181	R-METAL OXIDE(S);68Kohm,5%,2W,AG,TP,3.9x	
2	R836	2003-002181	R-METAL OXIDE(S);68Kohm,5%,2W,AG,TP,3.9x	
2	R433	2003-001042	R-METAL OXIDE(S);5.6Kohm,5%,2W,AF,TP,3.9	
2	R717	2001-000702	R-CARBON;39KOHM,5%,1/8W,AA,TP,1.8X3.2MM	
2	R718	2001-000702	R-CARBON;39KOHM,5%,1/8W,AA,TP,1.8X3.2MM	
2	R105	2001-000702	R-CARBON;39KOHM,5%,1/8W,AA,TP,1.8X3.2MM	
2	X201	2801-003432	CRYSTAL-UNIT;20.25MHZ,30PPM,28-AAM,13PF,	
2	X601	2801-003903	CRYSTAL-UNIT;18.432MHz,25ppm,28-AAM,12pF	
2	IC904	1203-001943	IC-VOL. DETECTOR;7025,TO-92,3P,-,PLASTIC	
2	PCB	AA41-00168H	PCB-MAIN;CS29A6,FR-1,1L,H,1.6T,330X245,K	
2	Q909	0505-000109	FET-SILICON;2N7000,N,60V,200mA,5ohm,400m	
2	Q910	0505-000109	FET-SILICON;2N7000,N,60V,200mA,5ohm,400m	
2	R305	2003-002205	R-METAL OXIDE(S);330ohm,5%,2W,AG,TP,3.9X	
2	R403	2003-001091	R-METAL OXIDE(S);10ohm,5%,2W,AF,TP,4x12m	
2	L705	2701-000180	INDUCTOR-AXIAL;33uH,5%,2.5x3.4mm	
2	L706	2701-000180	INDUCTOR-AXIAL;33uH,5%,2.5x3.4mm	
2	L605	2701-000180	INDUCTOR-AXIAL;33uH,5%,2.5x3.4mm	
2	L606	2701-000180	INDUCTOR-AXIAL;33uH,5%,2.5x3.4mm	
2	L607	2701-000180	INDUCTOR-AXIAL;33uH,5%,2.5x3.4mm	
2	L608	2701-000180	INDUCTOR-AXIAL;33uH,5%,2.5x3.4mm	
2	L701	2701-000180	INDUCTOR-AXIAL;33uH,5%,2.5x3.4mm	
2	L702	2701-000180	INDUCTOR-AXIAL;33uH,5%,2.5x3.4mm	
2	R106	2001-000864	R-CARBON;56KOHM,5%,1/8W,AA,TP,1.8X3.2MM	
2	R313	2004-001137	R-METAL;6.8Kohm,1%,1/8W,AA,TP,1.8x3.2m	
2	R710	2001-000938	R-CARBON;68OHM,5%,1/8W,AA,TP,1.8X3.2MM	
2	R709	2001-000938	R-CARBON;68OHM,5%,1/8W,AA,TP,1.8X3.2MM	
2	R241	2001-000938	R-CARBON;68OHM,5%,1/8W,AA,TP,1.8X3.2MM	
2	R315	2004-004970	R-METAL(S);62Kohm,1%,1/8W,AA,TP,1.8x3.2m	
2	R811	2004-001408	R-METAL(S);91Kohm,1%,1/2W,AA,TP,2.4x6.4m	
2	R809	2001-000022	R-CARBON(S);33OHM,5%,1/2W,AA,TP,2.4X6.4M	
2	KEZI	2001-001163	R-CARBON(S);560OHM,5%,1/2W,AA,TP,2.4X6.4	
2	L901	2702-001094	INDUCTOR-RADIAL;10uH,10%,6x4mm	
2	L903	2702-001094	INDUCTOR-RADIAL;10uH,10%,6x4mm	
2	L904	2702-001094	INDUCTOR-RADIAL;10uH,10%,6x4mm	
2	L909	2701-000191	INDUCTOR-AXIAL;47uH,10%,2.5x3.4mm	
2	L908	2701-000191	INDUCTOR-AXIAL;47uH,10%,2.5x3.4mm	
2	R818	2001-001113	R-CARBON(S);270KOHM,5%,1/2W,AA,TP,2.4X6.	
2	CN702	3711-002647	CONNECTOR-HEADER;BOX,8P,1R,2.5mm,STRAIGH	
2	C656	2201-000304	C-CERAMIC,DISC;0.001NF,0.25PF,50V,C0G,TP	
2	C657	2201-000304	C-CERAMIC,DISC;0.001NF,0.25PF,50V,C0G,TP	
2	C306	2301-000342	C-FILM,PEF;2.2nF,5%,50V,TP,7.4x3.9x13mm,	
2	C621	2401-002458	C-AL;1000uF,20%,35V,GP,TP,16x25,7.5	
2	C824	2401-003046	C-AL;47uF,20%,50V,WT,TP,6.3x11,2.5	
2	C823	2401-003046	C-AL;47uF,20%,50V,WT,TP,6.3x11,2.5	
2	C808	2401-003046	C-AL;47uF,20%,50V,WT,TP,6.3x11,2.5	
2	C115	2202-000121	C-CERAMIC,MLC-AXIAL;100pF,10%,50V,Y5P,TP	
2	C116	2202-000121	C-CERAMIC,MLC-AXIAL;100pF,10%,50V,Y5P,TP	
2	C244	2202-000121	C-CERAMIC,MLC-AXIAL;100pF,10%,50V,Y5P,TP	
2	C245	2202-000121	C-CERAMIC,MLC-AXIAL;100pF,10%,50V,Y5P,TP	
2	L209	2701-000168	INDUCTOR-AXIAL;3.3uH,5%,2.5x3.4mm	
2	L210	2701-000168	INDUCTOR-AXIAL;3.3uH,5%,2.5x3.4mm	
2	L801	3301-001223	CORE-FERRITE BEAD;AA,62ohm,3.5x0.8x5mm,-	
2	L806	3301-001223	CORE-FERRITE BEAD;AA,62ohm,3.5x0.8x5mm,-	
2	R945	2001-000449	R-CARBON;2.2KOHM,5%,1/8W,AA,TP,1.8X3.2M	
2	R946	2001-000449	R-CARBON;2.2KOHM,5%,1/8W,AA,TP,1.8X3.2M	
2	C104	2401-002463	C-AL;470uF,20%,16V,GP,TP,8x11.5,5	
2	C512	2401-002463	C-AL;470uF,20%,16V,GP,TP,8x11.5,5	
⚠ 2	RX801S	2002-001010	R-COMPOSITION;1.8Mohm,5%,1/2W,AA,TP,3.7x	
2	R210	2001-000812	R-CARBON;5.6KOHM,5%,1/8W,AA,TP,1.8X3.2M	
2	R621	2001-000812	R-CARBON;5.6KOHM,5%,1/8W,AA,TP,1.8X3.2M	
2	R622	2001-000812	R-CARBON;5.6KOHM,5%,1/8W,AA,TP,1.8X3.2M	
2	F801A	3602-000114	FUSE-HOLDER;-,-,30mohm	
2	F801B	3602-000114	FUSE-HOLDER;-,-,30mohm	
2	C835	2401-002289	C-AL;470uF,20%,35V,WT,TP,10x20,5	
2	C840	2401-002212	C-AL;10uF,20%,25V,WT,TP,5x11,5	
2	C827	2401-002212	C-AL;10uF,20%,25V,WT,TP,5x11,5	
2	C301	2401-000611	C-AL;1uF,20%,50V,WT,TP,5x11,5	
2	C106	2401-000611	C-AL;1uF,20%,50V,WT,TP,5x11,5	

Level	Loc. No.	Code No.	Description ; Specification	Remark
2	DZ602	0403-000720	DIODE-ZENER;MTZJ9.1B,9.1V,8.57-9.01V,500	
2	R808	2001-001079	R-CARBON(S);15OHM,5%,1/2W,AA,TP,2.4X6.4M	
2	C248	2202-000210	C-CERAMIC,MLC-AXIAL;270pF,10%,50V,Y5P,TP	
2	C246	2202-000210	C-CERAMIC,MLC-AXIAL;270pF,10%,50V,Y5P,TP	
2	R405	2008-000254	R-FUSIBLE(S);0.68ohm,5%,2W,AF,TP,3.9x10m	
2	R304	2008-000254	R-FUSIBLE(S);0.68ohm,5%,2W,AF,TP,3.9x10m	
2	C102	2401-001513	C-AL;47uF,20%,16V,WT,TP,5x11,5	
2	L208	2701-000147	INDUCTOR-AXIAL;2.2uH,5%,2.4x3.4mm	
2	C247	2202-000849	C-CERAMIC,MLC-AXIAL;18pF,5%,50V,CH,TP,3.	
2		HA68-02176A	LABEL;LABEL	
2	L102	2701-000159	INDUCTOR-AXIAL;22uH,10%,4.2x9.8mm	
2	C654	2201-000611	C-CERAMIC,DISC;0.056NF,5%,50V,C0G,TP,7X3	
2	R414	2008-000253	R-FUSIBLE(S);0.47ohm,5%,1W,AF,TP,3.9x10m	
2	R417	2004-001382	R-METAL(S);13Kohm,1%,1/2W,AA,TP,2.4x6.4m	
2	R420	2004-001406	R-METAL(S);8.2Kohm,1%,1/2W,AA,TP,2.4x6.4	
2	R428	2001-001184	R-CARBON(S);750KOHM,5%,1/2W,AA,TP,2.4X6.	
2	R429	2001-001103	R-CARBON(S);20KOHM,5%,1/2W,AA,TP,2.4X6.4	
2	R436	2003-002008	R-METAL OXIDE(S);18Kohm,5%,2W,AF,TP,3.9x	
2	R607	2001-000007	R-CARBON;3KOHM,5%,1/8W,AA,TP,1.8X3.2MM	
2	R608	2001-000007	R-CARBON;3KOHM,5%,1/8W,AA,TP,1.8X3.2MM	
⚠ 2	FP801S	3601-000297	FUSE-CARTRIDGE;250V,5A,TIME-LAG,GLASS,5.	
2	C508	2305-000704	C-FILM,MPEF;100nF,5%,250V,TP,16.5x10.3x5	
2	C511	2305-000704	C-FILM,MPEF;100nF,5%,250V,TP,16.5x10.3x5	
2	C510	2401-001232	C-AL;4.7uF,20%,250V,GP,TP,10x12.5,5	
2	R213	2001-000232	R-CARBON;1.3KOHM,5%,1/8W,AA,TP,1.8X3.2M	
2	R507	2001-001194	R-CARBON(S);82KOHM,5%,1/2W,AA,TP,2.4X6.4	
2	R510	2001-001194	R-CARBON(S);82KOHM,5%,1/2W,AA,TP,2.4X6.4	
2	R513	2001-001194	R-CARBON(S);82KOHM,5%,1/2W,AA,TP,2.4X6.4	
2	R512	2002-001017	R-COMPOSITION;1Kohm,10%,1/2W,AA,TP,3.7x9	
2	R515	2002-001017	R-COMPOSITION;1Kohm,10%,1/2W,AA,TP,3.7x9	
2	R518	2002-001017	R-COMPOSITION;1Kohm,10%,1/2W,AA,TP,3.7x9	
2	R524	2001-001062	R-CARBON(S);10MOHM,5%,1/2W,AA,TP,2.4X6.4	
2	R521	2002-001009	R-COMPOSITION;2.7Kohm,10%,1/2W,AA,TP,3.7	
2	R519	2008-000299	R-FUSIBLE(S);47ohm,5%,2W,AF,TP,3.9x10mm	
2	DZ509	0403-001211	DIODE-ZENER;MTZJ12B,11.44-12.03V,500MW,D	
2	C419	2201-000292	C-CERAMIC,DISC;1NF,10%,50V,Y5P,TP,5X3.5M	
2	CN903	3711-002642	CONNECTOR-HEADER;BOX,3P,1R,2.5mm,STRAIGH	
2	R821	2004-001889	R-METAL(S);127Kohm,1%,1/2W,AA,TP,2.5x6.5	
2	C410	2301-000213	C-FILM,PEF;220nF,5%,250V,TP,21.5x11,7.5	
2	R404	2008-000282	R-FUSIBLE;0.47ohm,5%,1W,AA,TP,3.9x12mm	
2	R212	2004-000218	R-METAL;10Kohm,1%,1/8W,AA,TP,1.8x3.2mm	
⚠ 2	FA803S	3601-001228	FUSE-AXIAL LEAD;125V,10A,FAST-ACTING,EPO	
2	DZ806	0403-001316	DIODE-ZENER;MTZJ3.0A,2.85-3.07V,500mW,DO	
2	R401	2003-000586	R-METAL OXIDE(S);22Kohm,5%,2W,AF,TP,4x12	
2	R402	2003-000586	R-METAL OXIDE(S);22Kohm,5%,2W,AF,TP,4x12	
2	C425	2301-001259	C-FILM,MPPF;100nF,5%,400V,TP,19x8x16,7.5	
2	J914	2001-000674	R-CARBON;360OHM,5%,1/8W,AA,TP,1.8X3.2MM	
2	C925	2202-000127	C-CERAMIC,MLC-AXIAL;10nF,+80-20%,25V,Y5V	
2	C509	2201-000723	C-CERAMIC,DISC;4.7nF,20%,3KV,Y5U,TP,16x5	
2	R522	2008-001076	R-FUSIBLE(S);1.8ohm,5%,2W,AF,TP,3.9x10mm	
2	R516	2002-001012	R-COMPOSITION;8.2Mohm,5%,1/2W,AA,TP,3.7x	
2	R501	2001-000832	R-CARBON;510OHM,5%,1/8W,AA,TP,1.8X3.2MM	
2	R502	2001-000832	R-CARBON;510OHM,5%,1/8W,AA,TP,1.8X3.2MM	
2	R503	2001-000832	R-CARBON;510OHM,5%,1/8W,AA,TP,1.8X3.2MM	
2	R504	2001-000605	R-CARBON;3.6KOHM,5%,1/8W,AA,TP,1.8X3.2M	
2	R505	2001-000605	R-CARBON;3.6KOHM,5%,1/8W,AA,TP,1.8X3.2M	
2	R506	2001-000605	R-CARBON;3.6KOHM,5%,1/8W,AA,TP,1.8X3.2M	
2	R422	2001-000037	R-CARBON(S);330OHM,5%,1/2W,AA,TP,2.4X6.4	
2	DZ501	0403-000355	DIODE-ZENER;UZ5.1BSB,4.97-5.18V,500MW,DO	
2	KEZI	2301-000016	C-FILM,PEF;22nF,5%,100V,TP,7.2x4.5x9.0mm	
2	C828	2201-000376	C-CERAMIC,DISC;0.22NF,5%,50V,SL,TP,6.3X3	
2	J919	2701-000183	INDUCTOR-AXIAL;39uH,5%,2.5x3.4mm	
2	C203	2401-000480	C-AL;10uF,20%,50V,GP,TP,5x11,5	
2	R944	2001-000613	R-CARBON;3.9KOHM,5%,1/8W,AA,TP,1.8X3.2M	
2	L910	2701-000215	INDUCTOR-AXIAL;8.2uH,10%,2.5x3.4mm	
2	C926	2202-000154	C-CERAMIC,MLC-AXIAL;150pF,10%,50V,Y5P,TP	
2	C416	2301-000160	C-FILM,PEF;12nF,5%,50V,TP,11.0x6.0x9.0mm	
2	R415	2004-004083	R-METAL(S);3.6Kohm,2%,1/2W,AA,TP,2.5x6.5	
⚠ 2	D408	0402-000493	DIODE-RECTIFIER;1R5GU41,400V,1.5A,DO-15L	
⚠ 2	T444S	AA26-30005V	TRANS FBT;-,FUH-29A004,29',155V	
2	C423	2306-001017	C-FILM,MPPF;680nF,5%,400V,TP,26x14.5x24m	
2	C406	2306-000237	C-FILM,MPPF;6.3nF,5%,1.6KV,TP,28.5x18x11	
2	C405	2306-000329	C-FILM,MPPF;7nF,3%,1.6KV,TP,28.5x18.5x11	
2	L405	AA27-00057A	COIL HORIZ. WIDTH;-,10mH,YL-9N 15x27.5 C	
2	L402	AA27-00067A	COIL HORIZ. WIDTH;-,240uH,YL9N 12x20 C:6	
2	C409	2303-000296	C-FILM,PPF;18nF,0.05,630V,BK,20x16x9.5mm	

ASSY PCB CONTROL

Level	Loc. No.	Code No.	Description ; Specification	Remark
1		AA95-01527A	ASSY PCB CONTROL;,KS3A,24W6	
2	JH701	3722-000143	JACK-PHONE;1P(VER),3.4PI,AG,BLK,NO	
2	JA701	3722-001031	JACK-PIN;3P,3.6mm,#18,AU	
2	CN704	AA39-20499D	LEAD CONNECTOR-ASSY;,4P,YBNH025-04,SMP02	
2	CN703	AA39-20069C	LEAD CONNECTOR-ASSY;,5P,YBNH025-05,67096	
2	CN701	AA39-20068E	LEAD CONNECTOR-ASSY;,8P,YBNH025-08,67096	
⚠ 2	SW811S	3403-001107	SWITCH-PUSH;250V,5A,DPST,-,KDC-A04	
2	RMY01	AA32-00015A	MODULE REMOCON;FRP-3521H31,38KHZ,940MM,M	
2	LDY01	AA96-00461A	ASSY LED GUIDE;-,-,SL-255D,RED/GRN	
2	CNY02	AA39-20005B	LEAD CONNECTOR-ASSY;,3P,YBNH025-03,67096	
2	CNY01	AA39-20069D	LEAD CONNECTOR-ASSY;,5P,YBNH025-05,67096	
⚠ 2	PD811S	AA39-20179A	LEAD CONNECTOR-ASSY;,3(2)P,YFH800-150,S,	
2	R702	2001-000028	R-CARBON(S);100OHM,5%,1/2W,AA,TP,2.4X6.4	
2	R701	2001-000028	R-CARBON(S);100OHM,5%,1/2W,AA,TP,2.4X6.4	
2	L701	2701-000114	INDUCTOR-AXIAL;10uH,10%,2.5x3.4mm	
2	L702	2701-000114	INDUCTOR-AXIAL;10uH,10%,2.5x3.4mm	
2	L703	2701-000114	INDUCTOR-AXIAL;10uH,10%,2.5x3.4mm	
2	L704	2701-000114	INDUCTOR-AXIAL;10uH,10%,2.5x3.4mm	
2	C705	2401-002009	C-AL;100uF,20%,16V,GP,TP,6.3x7,5	
2	C706	2401-002009	C-AL;100uF,20%,16V,GP,TP,6.3x7,5	
2	C703	2202-000231	C-CERAMIC,MLC-AXIAL;330pF,10%,50V,Y5P,TP	
2	C704	2202-000231	C-CERAMIC,MLC-AXIAL;330pF,10%,50V,Y5P,TP	
2	C701	2202-000121	C-CERAMIC,MLC-AXIAL;100pF,10%,50V,Y5P,TP	
2	C702	2202-000121	C-CERAMIC,MLC-AXIAL;100pF,10%,50V,Y5P,TP	
2	SWY02	3404-000244	SWITCH-TACT;15V,20mA,90-170gf,7.5x7mm,SP	
2	SWY03	3404-000244	SWITCH-TACT;15V,20mA,90-170gf,7.5x7mm,SP	
2	SWY04	3404-000244	SWITCH-TACT;15V,20mA,90-170gf,7.5x7mm,SP	
2	SWY05	3404-000244	SWITCH-TACT;15V,20mA,90-170gf,7.5x7mm,SP	
2	SWY06	3404-000244	SWITCH-TACT;15V,20mA,90-170gf,7.5x7mm,SP	
2	RY06	2001-000281	R-CARBON;100OHM,5%,1/8W,AA,TP,1.8X3.2MM	
2	RY05	2001-000009	R-CARBON;20KOHM,5%,1/8W,AA,TP,1.8X3.2MM	
2	RY04	2001-000878	R-CARBON;6.2KOHM,5%,1/8W,AA,TP,1.8X3.2M	
2	RY03	2001-000007	R-CARBON;3KOHM,5%,1/8W,AA,TP,1.8X3.2MM	
2	RY02	2001-000577	R-CARBON;2KOHM,5%,1/8W,AA,TP,1.8X3.2MM	
2	RY01	2001-000020	R-CARBON(S);22OHM,5%,1/2W,AA,TP,2.4X6.4M	
2	PCB	AA41-00265A	PCB-CONTROL;KS3A,1L,FR-1,330x245x1.6T,3A	
2	GTY01	AA60-40014A	PIN-GT,ASSY;AUTO	
2	GTY02	AA60-40014A	PIN-GT,ASSY;AUTO	
2	GTY04	AA60-40014A	PIN-GT,ASSY;AUTO	
2	GTY08	AA60-40014A	PIN-GT,ASSY;AUTO	
2	GTY09	AA60-40014A	PIN-GT,ASSY;AUTO	
2	GTY10	AA60-40014A	PIN-GT,ASSY;AUTO	
2	GTY03	AA60-40014A	PIN-GT,ASSY;AUTO	
2	DZY01	0403-000508	DIODE-ZENER;MTZJ5.6B,5.6V,5.45-5.73V,500	
2	CY01	2401-002144	C-AL;47uF,20%,16V,GP,TP,5x11,5	
2	EL01	AA60-40011A	K EYELET;ID2.0,OD2.8,BST	
2	EL02	AA60-40011A	K EYELET;ID2.0,OD2.8,BST	
2	EL03	AA60-40011A	K EYELET;ID2.0,OD2.8,BST	
2	EL04	AA60-40011A	K EYELET;ID2.0,OD2.8,BST	
2	L707	3301-000287	CORE-FERRITE BEAD;AA,3.5x1.0x6.0mm,1500,	
2	L708	3301-000287	CORE-FERRITE BEAD;AA,3.5x1.0x6.0mm,1500,	
2	GTY01	AA39-20010F	LEAD CONNECTOR-ASSY;,1P,YFH800-01,S,700,	

ASSY CABINET FRONT

Level	Loc. No.	Code No.	Description ; Specification	Remark
1		HA91-00876F	ASSY CABINET FRONT;,24W6,VL-1823,SV-012P	
2		AA61-60003T	SPRING ETC-CS;-,SUS304,-,-,OD7,N5,OD7,-,	
2		AA64-70117B	BADGE-BRAND;-,AL,-,-,L65,R2000,SILVER,SS	
2		AA61-30001A	LATCH-DOOR;-,-,-,-,-,-,KIFUCO LA701	
2		HA83-00049A	LP-ADHESIVE-HM;12MM,NTR	
2	LED+CF	6002-000515	SCREW-TAPPING;RH,+,2,M4,L15,ZPC(WHT),SWR	
2	SPK+CF	6002-000515	SCREW-TAPPING;RH,+,2,M4,L15,ZPC(WHT),SWR	
2		AA64-02405F	CABINET-FRONT;24W6,VL-1823,SV-012P-II,GR	
3		HA83-00040A	LP-MARKING PAINT;,METALLIC SILVER,SV-012	
3		AA81-00106A	A/S-MARKING PAINT;,P432U,DARK GREY,TPC	
3		AA81-00096A	RESIN-A;VL-1823,G5433,A	
2		AA64-40480B	INDICATOR-LED;765D,ACRYL,-,CLR,-,-,-	
2		AA64-00002A	WINDOW-REMOCON;-,28W6,-,PC,V0,LG41338,-	
2		AA64-02503B	KNOB POWER;28W6,HIPS,HB,SV-012P-II,GRY	
3		HA83-00040A	LP-MARKING PAINT;,METALLIC SILVER,SV-012	

Level	Loc. No.	Code No.	Description ; Specification	Remark
3		HA83-00019A	LP-MARKING PAINT;,GREEN,TPC180	
3		HA83-00006A	LP-RESIN HIPS;,BASF495F,NTR,HB	
3		HA83-00011A	LP-RESIN;,M BATCH,WILSON 6007-GY-60,GRY	
2		AA61-40113A	STOPPER-PCB;501H,HIPS,-,-,HB,NTR,-	
2		HA64-27013A	DOOR-CONTROL;,24W6,HIPS,HB,SV-012P-II	
3		HA83-00040A	LP-MARKING PAINT;,METALLIC SILVER,SV-012	
3		HA83-00006A	LP-RESIN HIPS;,BASF495F,NTR,HB	
3		HA83-00011A	LP-RESIN;,M BATCH,WILSON 6007-GY-60,GRY	
2		AA64-00453B	INLAY-CONTROL;24W6,PS SHEET,T0.3,-,-,BLK	
2		3001-001005	SPEAKER;10W,8OHM,91DB,140HZ	
2		AA39-20504B	LEAD CONNECTOR-ASSY;,4P,SMH025-04,REC,30	

ASSY-CABINET(COM)

1		AA90-01081E	ASSY-CABINET(COM);SILVER,VL-1823,24W6	
2		HA64-02415C	CABINET BACK;24W6,VL-1823,GRY	
3		AA81-00096A	RESIN-A;VL-1823,G5433,A	
2		AA65-30018A	CLAMPER CORE-WIRE;DONG-A,NYLON-66,-,-,-,	
2		AA65-30008A	CLAMPER CORE-CORD;-,PE,HB,-,BLK,-	
2		AA65-30009A	CLAMPER CORE-FBT;-,ABS,V0,-,BLK,-	
2		AA65-30110A	CLAMPER CORE-WIRE;ALL MODEL,NYLON 66,V2,	
2		AA60-10050Q	SCREW-ASSY;-,SWRCH18A,M5,L26.5,HH,+,WC,-	
2	PC+CF	6003-001024	SCREW-TAPTITE;RWH,+,B,M4,L12,ZPC(YEL),SW	
2		AA64-00894L	INLAY-BACK;21K2,PS SHEET,T0.3,BLK,KS1B 2	
2		AA65-30110A	CLAMPER CORE-WIRE;ALL MODEL,NYLON 66,V2,	
2	CB+CF	6002-000515	SCREW-TAPPING;RH,+,2,M4,L15,ZPC(WHT),SWR	
2	CB+SCA	6002-000515	SCREW-TAPPING;RH,+,2,M4,L15,ZPC(WHT),SWR	
2		AA63-10002A	BAND-TIE;NYLON66 V2,L100,NTR	
2		HA68-02179A	LABEL-RATING;58MM,53MM,WHITE	
2	CF	AA65-30105A	CLAMPER CORE-WIRE;ALL MODEL,NYLON 66,V2,	
2		HA68-02177B	LABEL-PQS;ALL,30MM,65MM,WHITE,AA68-02177	
2	qms	HA83-00052A	LP-TAPE-INK;,WIDTH 55 MM	
2	rating	HA83-00052A	LP-TAPE-INK;,WIDTH 55 MM	

REMOCON

1		AA59-00104K	REMOCON;-,TM59,DREAM,29,L/GRAY,PAL-TTX	

ASSY POWER CORD

⚠ 1		AA96-01126A	ASSY POWER CORD;DP,AA39-10001G,CP2,H/C25	
2		AA39-10001G	CBF POWER CORD;-,KKP-419C,KLCE-2F,2.286m	
2		AA61-20284A	HOLDER;P-CORD,PP,-,-,-,BLK,VO,KE-002	

ASSY CRT

1		AA94-07275A	ASSY CRT;,W56ECK001X04,24,PHILILPS-AK	
⚠ 2		AA03-00209A	CRT COLOR;W56ECK001X04,+380mG,1.16mH,27.	
2		AA39-20519A	LEAD CONNECTOR-ASSY;,6(4)P,YFH806-06,500	
2		AA27-20002H	COIL DEGAUSSING;-,24,14ohm,50T,L2800,E	
2		AA63-10002A	BAND-TIE;NYLON66 V2,L100,NTR	
2		AA98-70008B	ASSY TBC WIRE(P);-,TVI 25',NTSC,2P-WH,-	
2	CRT	AA65-30107A	CLAMPER CORE-D,COIL;20~22 INCH,NYLON 66,	

ASSY ACCESSORY

1		AA94-05820A	ASSY ACCESSORY;50HZ,KS3A,XEC	
2		4301-000120	BATTERY-MN;1.5V,-,AA,14.5x50mm,-	
2		HA83-00047A	LP-TAPEACETATE;T0.1MM,W20MM,L200MM	
2		HA69-00276A	BAG VINYL;HDPE,T0.025,L400,W240,-,W/O LO	
2		HA68-00335A	LABEL CAUTION;A/P100(G),S51A,HUN,POL,-,-	
2		HA68-00336B	CARD-WARRANTY;A/P100(G),A5,NEW VERSION,I	

7-5 WS32W74NS8XXEC

Level	Loc. No.	Code No.	Description ; Specification	Remark

ASSY PCB MAIN(OPT)

Level	Loc. No.	Code No.	Description ; Specification	Remark
1		AA94-05607B	ASSY PCB MAIN(OPT);WS32W7N,KS3A/H,TH,INV	
2	T801S	AA26-00046A	TRANS SWITCHING;-,-,-,AC90~260V,DC135/16	
2	IC201S	1204-001634	IC-VIDEO PROCESS;VDP3120B-C3,DIP,64P,-,P	
2	HC401	HA96-00275A	ASSY-H/S;-,COMPLEX,AA62-00051A,KSD5703,	
3		AA62-00051A	HEAT SINK-PS;-,-,-,SILVER,HOLE 31mm,ALL,	
3	D414	0402-001296	DIODE-RECTIFIER;FMP-3FU,1.5KV,5A,TO-3PF,	
3	Q401	0502-001136	TR-POWER;KSD5703,NPN,70W,TO-3PF,ST,8-	
3		6003-000333	SCREW-TAPTITE;RH,+,2S,M3,L10,ZPC(YEL),SW	
3		AA60-30001A	WASHER-PLATE;M3,ID3.5,15X8.5,T1.0,SBHG	
3		0205-000129	GREASE-SILICON;SC102,JAPAN	
2	T401	AA26-50001L	TRANS-HORIZ.DRIVE;-,-,-,29mH,-,-,133uH,-	
2	TU01S	AA40-00079A	TUNER;TCPW3001PD16A(S),PAL,181CH,38.	
2	IC602	HA96-50369B	ASSY-H/S;-,-,AA62-30181F,TDA7297,-	
3		1201-001064	IC-POWER AMP;7297,ZIP,15P,-,DUAL,32dB,PL	
3		AA62-30181F	HEAT SINK-ES;-,AL6063 EXTR.,2,WHT,50MM,-	
3		6003-000333	SCREW-TAPTITE;RH,+,2S,M3,L10,ZPC(YEL),SW	
3		0205-000129	GREASE-SILICON;SC102,JAPAN	
2	IC601	1204-001775	IC-SOUND PROCESSOR;MSP3410D-C5 9458 ,SDI	
2	T444S	AA26-00008A	TRANS FBT;-,FUH-34A001(S),34INCH,135V	
2	PT801S	1404-001156	THERMISTOR-PTC;9OHM,+30%/-20%,220VRMS,27	
2	C806	2401-001137	C-AL;330uF,20%,400V,GP,BK,30x45mm,1	
2	L402	AA27-00067A	COIL HORIZ. WIDTH;-,240uH,YL9N 12x20 C:6	
2	C405	2306-000357	C-FILM,MPPF;8.2nF,5%,1.6KV,BK,20x9.5x17.	
2	C406	2306-000357	C-FILM,MPPF;8.2nF,5%,1.6KV,BK,20x9.5x17.	
2	C426	2306-000235	C-FILM,MPPF;560nF,5%,400V,TP,26*22.5*14,	
2	L411	AA27-30001F	COIL LINEARITY;-,22uH,DR1011,PI0.45,25.5	
2	L408	AA27-40003H	COIL HORIZ. WIDTH;-,2mH,DR15x20,2UEW0.35	
2	L405	AA27-00057A	COIL HORIZ. WIDTH;-,10mH,YL-9N 15x27.5 C	
2	C423	2301-001192	C-FILM,MPPF;820nF,5%,400V,TP,29x18.5x25.	
2	CX801S	2306-000318	C-FILM,MPPF;220nF,20%,250V,TP,-,22.5mm	
2	LX801S	AA29-00015A	FILTER LINE NOISE;WS32W8,28-20MH 1.5A,+-	
2	IC301	HA96-50406B	ASSY-H/S;ASSY-H/S;-,AA62-30180B,LA7845	
3		1204-000517	IC-VERTICAL DEF.;LA7845,SIP,7P,-,PLASTIC	
3		AA62-30180B	HEAT SINK-ES;-,A6063 EXTR.,2,WHT,70MM,-,	
3		6003-000333	SCREW-TAPTITE;RH,+,2S,M3,L10,ZPC(YEL),SW	
3		0205-000129	GREASE-SILICON;SC102,JAPAN	
2	HC801	HA96-00274A	ASSY-H/S;-,COMPLEX,AA62-00053A,FMLG12S	
3		6003-000334	SCREW-TAPTITE;RH,+,2S,M3,L6,ZPC(YEL),SWR	
3		AA62-00053A	HEAT SINK-PS;-,-,-,SILVER,HOLE 22mm,ALL,	
3	D802	0402-001230	DIODE-RECTIFIER;FMG-G2CS,1000V,3A,TO-220	
3	D805	0402-000233	DIODE-RECTIFIER;FML-G12S,200V,5A,-,-	
3	D806	0402-000233	DIODE-RECTIFIER;FML-G12S,200V,5A,-,-	
3	D807	0402-000233	DIODE-RECTIFIER;FML-G12S,200V,5A,-,-	
3	IC802	1203-001006	IC-VOLTAGE REGULATOR;78R05,TO-220F,4P,-,	
3		0205-000129	GREASE-SILICON;SC102,JAPAN	
2	IC803	1203-001697	IC-VOLTAGE REGULATOR;78R08,TO-220,4P,-,P	
2	IC804	HA96-00243C	ASSY-H/S;-,REGULATOR,AA62-00045A,KA7806	
3		1203-000284	IC-POSI.FIXED REG.;7806,TO-220,3P,-,PLAS	
3		6003-000334	SCREW-TAPTITE;RH,+,2S,M3,L6,ZPC(YEL),SWR	
3		AA62-00065A	HEAT SINK-PS;DP,-,-,-,AA62-00045A,-,-,-	
3		0205-000129	GREASE-SILICON;SC102,JAPAN	
2	IC902	1103-001171	IC-EEPROM;L51DC,16KBit,DIP,8P,300MIL,10m	
2	IC901	AA09-00181A	IC MICOM;SIM806EW3-A035,SIM806EW3-A035,5	
2	IC801S	HA96-50371C	ASSY H/S;-,-,AA62-30181H,KA3A1265R,-	
3		AA13-00101A	IC HYBRID;KA3S1265RD,CN5039,5PIN,-50TO12	
3		AA61-10386A	BRACKET-IC;-,SECC 100,T1.0,-,-,-,KA2S068	
3		AA62-30197D	HEAT SINK-ES;DP,-,-,-,AA62-30181H,-,-,-	
3		6003-000333	SCREW-TAPTITE;RH,+,2S,M3,L10,ZPC(YEL),SW	
3		HA68-02189A	LABEL-WARNING;,33MM,18MM,WHITE	
3		0205-000129	GREASE-SILICON;SC102,JAPAN	
2	IC903	1203-001944	IC-POSI.FIXED REG.;78RM33,TO-220,3P,-,PL	
2	C407	2301-001338	C-FILM,MPE-PPF;0.68nF,5%,1.6kV,TP,28x7x1	
2	D801S	0402-001399	DIODE-BRIDGE;GSIB660,600V,6A,SIP-4,BK	
2	Q402	0502-001007	TR-POWER;KSC2073-H2,NPN,25W,TO-220,ST,6	
2	PC801S	0604-001038	PHOTO-COUPLER;TR,130-260%,200mW,DIP-4,ST	
2	NT802S	1404-001045	THERMISTOR-NTC;4.7ohm,15%,2900K,35.0mW,T	
2	C815	2401-003602	C-AL;220uF,20%,160V,GP,BK,22x25mm,1	
2	CY802S	2201-002002	C-CERAMIC,DISC;4.7nF,20%,400V,Y5U,TP,16x	
2	JA701	3722-000195	JACK-SCART;42P,-,SN,BLK,NO	
2	C820	2401-003076	C-AL;3300uF,20%,50V,WP,BK,18x35.5mm	
2	R807	2006-001083	R-CEMENT;120ohm,5%,5W,CJ,TP,14x10x27mm	
2	L808	AA27-10002L	COIL CHOKE;-,24uH,K,-,2A,-,24UH-K,10x10m	
2	IC401	1202-000103	IC-VOLTAGE COMP.;393,DIP,8P,300MIL,DUAL,	
2	Q404	HA96-00437A	ASSY-H/S;ASSY-H/S;AA62-00076A,IRF620	
3		0505-000156	FET-SILICON;IRF620,N,200V,5A,0.8ohm,50W,	
3		6003-000334	SCREW-TAPTITE;RH,+,2S,M3,L6,ZPC(YEL),SWR	
3		HA62-00076A	HEAT SINK;AL,100Hz,T1.0,10,40	
2		AA98-00245A	ASSY SUB PART;S51A,PCB MAIN(OPT)	
3		0202-000008	SOLDER-WIRE;S63S-W3.0,S63S,D3,63Sn/37Pb,	
3		0202-000187	SOLDER-WIRE FLUX;-,RS60S,D1.2,63Sn/37Pb	
3		0202-001046	FLUX;CF-110VH-2A,-,-,-,-	
3		0204-001095	THINNER;#4520,-,-,-	
2	C105	2301-000383	C-FILM,PEF;10nF,5%,50V,TP,6x7x3.2mm,5mm	
2	C101	2301-000383	C-FILM,PEF;10nF,5%,50V,TP,6x7x3.2mm,5mm	
2	C103	2301-000383	C-FILM,PEF;10nF,5%,50V,TP,6x7x3.2mm,5mm	
2	C228	2301-000356	C-FILM,PEF;47nF,5%,50V,TP,7.5x4.0x6.5,5m	
2	C230	2301-000356	C-FILM,PEF;47nF,5%,50V,TP,7.5x4.0x6.5,5m	
2	C809	2301-000356	C-FILM,PEF;47nF,5%,50V,TP,7.5x4.0x6.5,5m	
2	C810	2301-000356	C-FILM,PEF;47nF,5%,50V,TP,7.5x4.0x6.5,5m	
2	C811	2301-000356	C-FILM,PEF;47nF,5%,50V,TP,7.5x4.0x6.5,5m	
2	C202	2401-002235	C-AL;10uF,20%,16V,GP,TP,5x11mm,5mm	
2	C205	2401-002235	C-AL;10uF,20%,16V,GP,TP,5x11mm,5mm	
2	C920	2401-002235	C-AL;10uF,20%,16V,GP,TP,5x11mm,5mm	
2	C231	2401-002235	C-AL;10uF,20%,16V,GP,TP,5x11mm,5mm	
2	C215	2401-002235	C-AL;10uF,20%,16V,GP,TP,5x11mm,5mm	
2	C630	2401-002235	C-AL;10uF,20%,16V,GP,TP,5x11mm,5mm	
2	C631	2401-002235	C-AL;10uF,20%,16V,GP,TP,5x11mm,5mm	
2	C645	2401-002235	C-AL;10uF,20%,16V,GP,TP,5x11mm,5mm	
2	C652	2401-002235	C-AL;10uF,20%,16V,GP,TP,5x11mm,5mm	
2	C603	2401-002235	C-AL;10uF,20%,16V,GP,TP,5x11mm,5mm	
2	C708	2401-002235	C-AL;10uF,20%,16V,GP,TP,5x11mm,5mm	
2	C214	2305-000665	C-FILM,MPEF;100nF,5%,63V,TP,7.5x4.0x5.0m	
2	C216	2305-000665	C-FILM,MPEF;100nF,5%,63V,TP,7.5x4.0x5.0m	
2	C605	2305-000665	C-FILM,MPEF;100nF,5%,63V,TP,7.5x4.0x5.0m	
2	C620	2305-000665	C-FILM,MPEF;100nF,5%,63V,TP,7.5x4.0x5.0m	
2	C635	2305-000665	C-FILM,MPEF;100nF,5%,63V,TP,7.5x4.0x5.0m	
2	C646	2305-000665	C-FILM,MPEF;100nF,5%,63V,TP,7.5x4.0x5.0m	
2	C829	2305-000665	C-FILM,MPEF;100nF,5%,63V,TP,7.5x4.0x5.0m	
2	C837	2305-000665	C-FILM,MPEF;100nF,5%,63V,TP,7.5x4.0x5.0m	
2	C839	2305-000665	C-FILM,MPEF;100nF,5%,63V,TP,7.5x4.0x5.0m	
2	C916	2305-000665	C-FILM,MPEF;100nF,5%,63V,TP,7.5x4.0x5.0m	
2	C308	2305-000665	C-FILM,MPEF;100nF,5%,63V,TP,7.5x4.0x5.0m	
2	C914	2305-000665	C-FILM,MPEF;100nF,5%,63V,TP,7.5x4.0x5.0m	
2	C831	2305-000665	C-FILM,MPEF;100nF,5%,63V,TP,7.5x4.0x5.0m	
2	C825	2305-000665	C-FILM,MPEF;100nF,5%,63V,TP,7.5x4.0x5.0m	
2	C208	2401-001026	C-AL;3.3UF,20%,50V,GP,TP,5X11,5	
2	C217	2401-001026	C-AL;3.3UF,20%,50V,GP,TP,5X11,5	
2	C636	2401-001026	C-AL;3.3UF,20%,50V,GP,TP,5X11,5	
2	C905	2202-000796	C-CERAMIC,MLC-AXIAL;1NF,10%,50V,Y5P,TP,3	
2	C607	2202-000796	C-CERAMIC,MLC-AXIAL;1NF,10%,50V,Y5P,TP,3	
2	C608	2202-000796	C-CERAMIC,MLC-AXIAL;1NF,10%,50V,Y5P,TP,3	
2	C903	2202-000796	C-CERAMIC,MLC-AXIAL;1NF,10%,50V,Y5P,TP,3	
2	C211	2202-000796	C-CERAMIC,MLC-AXIAL;1NF,10%,50V,Y5P,TP,3	
2	C212	2301-000224	C-FILM,PEF;22nF,5%,50V,TP,7.4x3.9x13mm,5	
2	C416	2301-000224	C-FILM,PEF;22nF,5%,50V,TP,7.4x3.9x13mm,5	
2	C213	2301-000247	C-FILM,PEF;33nF,5%,50V,TP,8.1x4.5x13mm,5	
2	C218	2202-000632	C-CERAMIC,MLC-AXIAL;100nF,20%,50V,Z5U,TP	
2	C219	2202-000632	C-CERAMIC,MLC-AXIAL;100nF,20%,50V,Z5U,TP	
2	C220	2202-000632	C-CERAMIC,MLC-AXIAL;100nF,20%,50V,Z5U,TP	
2	C221	2202-000632	C-CERAMIC,MLC-AXIAL;100nF,20%,50V,Z5U,TP	
2	C222	2202-000632	C-CERAMIC,MLC-AXIAL;100nF,20%,50V,Z5U,TP	
2	C223	2202-000632	C-CERAMIC,MLC-AXIAL;100nF,20%,50V,Z5U,TP	
2	C901	2202-000632	C-CERAMIC,MLC-AXIAL;100nF,20%,50V,Z5U,TP	
2	C921	2202-000632	C-CERAMIC,MLC-AXIAL;100nF,20%,50V,Z5U,TP	
2	C922	2202-000632	C-CERAMIC,MLC-AXIAL;100nF,20%,50V,Z5U,TP	
2	C919	2202-000632	C-CERAMIC,MLC-AXIAL;100nF,20%,50V,Z5U,TP	
2	C924	2202-000632	C-CERAMIC,MLC-AXIAL;100nF,20%,50V,Z5U,TP	
2	C233	2305-000412	C-FILM,MPEF;470nF,5%,63V,TP,-,5mm	
2	C234	2305-000412	C-FILM,MPEF;470nF,5%,63V,TP,-,5mm	
2	C235	2305-000412	C-FILM,MPEF;470nF,5%,63V,TP,-,5mm	

Level	Loc. No.	Code No.	Description ; Specification	Remark
2	C907	2305-000412	C-FILM,MPEF;470nF,5%,63V,TP,-,5mm	
2	C909	2305-000412	C-FILM,MPEF;470nF,5%,63V,TP,-,5mm	
2	C237	2401-000914	C-AL;22uF,20%,16V,GP,TP,5x11,5	
2	C841	2401-000603	C-AL;1uF,20%,50V,GP,TP,5x11,5	
2	C604	2401-000603	C-AL;1uF,20%,50V,GP,TP,5x11,5	
2	C201	2401-000603	C-AL;1uF,20%,50V,GP,TP,5x11,5	
2	C303	2201-002031	C-CERAMIC,DISC;0.005NF,0.5PF,50V,C0G,TP,	
2	C224	2201-002031	C-CERAMIC,DISC;0.005NF,0.5PF,50V,C0G,TP,	
2	C225	2201-002031	C-CERAMIC,DISC;0.005NF,0.5PF,50V,C0G,TP,	
2	C304	2305-000285	C-FILM,MPEF;220NF,5%,100V,TP,10.5X5.5X15	
2	C305	2305-000149	C-FILM,MPEF;100nF,5%,100V,TP,12x12.5x6.5	
2	C821	2301-000192	C-FILM,PEF;1nF,5%,50V,TP,5.3x10mm,5mm	
2	C902	2301-000192	C-FILM,PEF;1nF,5%,50V,TP,5.3x10mm,5mm	
2	C307	2401-000360	C-AL;100uF,20%,50V,GP,TP,8x11.5,5	
2	C302	2401-000360	C-AL;100uF,20%,50V,GP,TP,8x11.5,5	
2	C401	2201-000556	C-CERAMIC,DISC;0.47nF,10%,500V,Y5P,TP,5.	
2	C403	2201-000556	C-CERAMIC,DISC;0.47nF,10%,500V,Y5P,TP,5.	
2	C421	2201-000556	C-CERAMIC,DISC;0.47nF,10%,500V,Y5P,TP,5.	
2	C402	2401-001397	C-AL;470uF,20%,25V,GP,TP,10x16,5	
2	C404	2401-001397	C-AL;470uF,20%,25V,GP,TP,10x16,5	
2	C408	2305-000382	C-FILM,MPEF;4.7nF,5%,400V,TP,-,5mm	
2	C414	2401-002597	C-AL;220uF,20%,35V,GP,TP,10x12.5,5	
2	C418	2401-002597	C-AL;220uF,20%,35V,GP,TP,10x12.5,5	
2	C422	2401-001527	C-AL;47uF,20%,250V,HR,TP,13x25mm,5m	
2	C424	2201-000132	C-CERAMIC,DISC;0.1NF,10%,500V,Y5P,TP,6.5	
2	C601	2201-000558	C-CERAMIC,DISC;0.47nF,10%,50V,Y5P,TP,5x3	
2	C610	2301-000445	C-FILM,PEF;4.7nF,5%,50V,TP,5.5x7x3mm,5mm	
2	C611	2301-000445	C-FILM,PEF;4.7nF,5%,50V,TP,5.5x7x3mm,5mm	
2	C415	2301-000445	C-FILM,PEF;4.7nF,5%,50V,TP,5.5x7x3mm,5mm	
2	C612	2401-001914	C-AL;1uF,20%,50V,BP,TP,5x11,5	
2	C613	2401-001914	C-AL;1uF,20%,50V,BP,TP,5x11,5	
2	C617	2401-000493	C-AL;10uF,20%,50V,LZ,TP,5x11mm,5mm	
2	C917	2401-000493	C-AL;10uF,20%,50V,LZ,TP,5x11mm,5mm	
2	C413	2401-000493	C-AL;10uF,20%,50V,LZ,TP,5x11mm,5mm	
2	C622	2401-001989	C-AL;4.7uF,20%,50V,BP,TP,5x11,5	
2	C625	2401-001989	C-AL;4.7uF,20%,50V,BP,TP,5x11,5	
2	C626	2401-001989	C-AL;4.7uF,20%,50V,BP,TP,5x11,5	
2	C628	2401-001989	C-AL;4.7uF,20%,50V,BP,TP,5x11,5	
2	C623	2202-000231	C-CERAMIC,MLC-AXIAL;330pF,10%,50V,Y5P,TP	
2	C624	2202-000231	C-CERAMIC,MLC-AXIAL;330pF,10%,50V,Y5P,TP	
2	C627	2202-000231	C-CERAMIC,MLC-AXIAL;330pF,10%,50V,Y5P,TP	
2	C629	2202-000231	C-CERAMIC,MLC-AXIAL;330pF,10%,50V,Y5P,TP	
2	C642	2202-000231	C-CERAMIC,MLC-AXIAL;330pF,10%,50V,Y5P,TP	
2	C644	2202-000231	C-CERAMIC,MLC-AXIAL;330pF,10%,50V,Y5P,TP	
2	C701	2202-000231	C-CERAMIC,MLC-AXIAL;330pF,10%,50V,Y5P,TP	
2	C638	2202-000231	C-CERAMIC,MLC-AXIAL;330pF,10%,50V,Y5P,TP	
2	C639	2202-000231	C-CERAMIC,MLC-AXIAL;330pF,10%,50V,Y5P,TP	
2	C249	2202-000231	C-CERAMIC,MLC-AXIAL;330pF,10%,50V,Y5P,TP	
2	C632	2202-000806	C-CERAMIC,MLC-AXIAL;220pF,10%,50V,Y5P,TP	
2	C634	2401-001840	C-AL;100uF,20%,16V,GP,TP,6.3x11,5	
2	C826	2401-001840	C-AL;100uF,20%,16V,GP,TP,6.3x11,5	
2	C832	2401-001840	C-AL;100uF,20%,16V,GP,TP,6.3x11,5	
2	C838	2401-001840	C-AL;100uF,20%,16V,GP,TP,6.3x11,5	
2	C637	2401-000027	C-AL;4.7uF,20%,50V,GP,TP,5x11,5	
2	C640	2401-000027	C-AL;4.7uF,20%,50V,GP,TP,5x11,5	
2	C641	2401-000027	C-AL;4.7uF,20%,50V,GP,TP,5x11,5	
2	C643	2401-000027	C-AL;4.7uF,20%,50V,GP,TP,5x11,5	
2	C647	2202-000286	C-CERAMIC,MLC-AXIAL;56pF,5%,50V,SL,TP,1.	
2	C649	2301-000108	C-FILM,PEF;1.5nF,5%,50V,TP,6.5x3.0x5.5mm	
2	C804	2201-000332	C-CERAMIC,DISC;2.2NF,20%,250V,Y5U,TP,9X4	
2	C805	2201-000332	C-CERAMIC,DISC;2.2NF,20%,250V,Y5U,TP,9X4	
2	C807	2301-001397	C-FILM,PPF;2.2nF,5%,1.2kV,TP,15x8.5x13.5	
2	C814	2201-000406	C-CERAMIC,DISC;0.27NF,10%,2KV,Y5P,TP,6.3	
2	C816	2401-000262	C-AL;100uF,20%,160V,HR,TP,16x25,7.5	
2	C817	2201-000599	C-CERAMIC,DISC;0.56nF,10%,500V,Y5P,TP,5.	
2	C819	2201-000599	C-CERAMIC,DISC;0.56nF,10%,500V,Y5P,TP,5.	
2	C822	2201-000599	C-CERAMIC,DISC;0.56nF,10%,500V,Y5P,TP,5.	
2	C818	2401-000722	C-AL;2200uF,20%,25V,WT,TP,16x25,7.5	
2	C910	2201-000980	C-CERAMIC,DISC;0.03NF,5%,50V,C0G,TP,5X3M	
2	C911	2201-000980	C-CERAMIC,DISC;0.03NF,5%,50V,C0G,TP,5X3M	
2	C913	2401-000287	C-AL;100uF,20%,16V,WT,TP,6.3x11,5	
2	C915	2401-000287	C-AL;100uF,20%,16V,WT,TP,6.3x11,5	
2	C918	2401-000287	C-AL;100uF,20%,16V,WT,TP,6.3x11,5	
2	C210	2401-000287	C-AL;100uF,20%,16V,WT,TP,6.3x11,5	
2	D201	0401-000005	DIODE-SWITCHING;1N4148,100V,200mA,DO-35,	
2	D202	0401-000005	DIODE-SWITCHING;1N4148,100V,200mA,DO-35,	
2	D207	0401-000005	DIODE-SWITCHING;1N4148,100V,200mA,DO-35,	
2	D208	0401-000005	DIODE-SWITCHING;1N4148,100V,200mA,DO-35,	
2	D209	0401-000005	DIODE-SWITCHING;1N4148,100V,200mA,DO-35,	
2	D210	0401-000005	DIODE-SWITCHING;1N4148,100V,200mA,DO-35,	
2	D211	0401-000005	DIODE-SWITCHING;1N4148,100V,200mA,DO-35,	
2	D602	0401-000005	DIODE-SWITCHING;1N4148,100V,200mA,DO-35,	
⚠ 2	D804	0401-000005	DIODE-SWITCHING;1N4148,100V,200mA,DO-35,	
2	DZ402	0401-000005	DIODE-SWITCHING;1N4148,100V,200mA,DO-35,	
2	D906	0401-000005	DIODE-SWITCHING;1N4148,100V,200mA,DO-35,	
⚠ 2	D405	0401-000005	DIODE-SWITCHING;1N4148,100V,200mA,DO-35,	
2	D604	0401-000005	DIODE-SWITCHING;1N4148,100V,200mA,DO-35,	
2	D301	0402-001105	DIODE-RECTIFIER;ERB43-04SV1,400V,1.0A,-,	
⚠ 2	D411	0402-001105	DIODE-RECTIFIER;ERB43-04SV1,400V,1.0A,-,	
⚠ 2	D803	0402-001105	DIODE-RECTIFIER;ERB43-04SV1,400V,1.0A,-,	
⚠ 2	D816	0402-001105	DIODE-RECTIFIER;ERB43-04SV1,400V,1.0A,-,	
⚠ 2	D401	0402-000540	DIODE-RECTIFIER;RU20A,600V,1.5A,-,TP	
⚠ 2	D404	0402-000540	DIODE-RECTIFIER;RU20A,600V,1.5A,-,TP	
⚠ 2	D402	0402-000534	DIODE-RECTIFIER;RG10V,400V,1.2A,DO-201,T	
⚠ 2	D403	0402-000132	DIODE-RECTIFIER;1N4004,400V,1A,DO-41,TP	
⚠ 2	D406	0402-000132	DIODE-RECTIFIER;1N4004,400V,1A,DO-41,TP	
⚠ 2	D810	0402-000132	DIODE-RECTIFIER;1N4004,400V,1A,DO-41,TP	
⚠ 2	D811	0402-000132	DIODE-RECTIFIER;1N4004,400V,1A,DO-41,TP	
2	D907	0402-000132	DIODE-RECTIFIER;1N4004,400V,1A,DO-41,TP	
⚠ 2	D413	0402-000537	DIODE-RECTIFIER;RH1A,600V,0.6A,DO-204AC	
⚠ 2	D801	0402-001111	DIODE-RECTIFIER;1N5397GP,600V,1.5A,DO-20	
2	DZ201	0403-000508	DIODE-ZENER;MTZJ5.6B,5.6V,5.45-5.73V,500	
2	DZ202	0403-000508	DIODE-ZENER;MTZJ5.6B,5.6V,5.45-5.73V,500	
2	DZ802	0403-000508	DIODE-ZENER;MTZJ5.6B,5.6V,5.45-5.73V,500	
2	DZ902	0403-000508	DIODE-ZENER;MTZJ5.6B,5.6V,5.45-5.73V,500	
2	DZ601	0403-000508	DIODE-ZENER;MTZJ5.6B,5.6V,5.45-5.73V,500	
2	DZ603	0403-000508	DIODE-ZENER;MTZJ5.6B,5.6V,5.45-5.73V,500	
2	DZ903	0403-000508	DIODE-ZENER;MTZJ5.6B,5.6V,5.45-5.73V,500	
2	DZ904	0403-000508	DIODE-ZENER;MTZJ5.6B,5.6V,5.45-5.73V,500	
2	DZ905	0403-000508	DIODE-ZENER;MTZJ5.6B,5.6V,5.45-5.73V,500	
2	DZ906	0403-000508	DIODE-ZENER;MTZJ5.6B,5.6V,5.45-5.73V,500	
2	DZ907	0403-000508	DIODE-ZENER;MTZJ5.6B,5.6V,5.45-5.73V,500	
2	DZ909	0403-000508	DIODE-ZENER;MTZJ5.6B,5.6V,5.45-5.73V,500	
2	DZ910	0403-000508	DIODE-ZENER;MTZJ5.6B,5.6V,5.45-5.73V,500	
2	DZ604	0403-000508	DIODE-ZENER;MTZJ5.6B,5.6V,5.45-5.73V,500	
2	DZ605	0403-000508	DIODE-ZENER;MTZJ5.6B,5.6V,5.45-5.73V,500	
2	DZ908	0403-000508	DIODE-ZENER;MTZJ5.6B,5.6V,5.45-5.73V,500	
2	DZ203	0403-001321	DIODE-ZENER;MTZJ6.8C,6.66-7.01V,500mW,DO	
2	DZ302	0403-001329	DIODE-ZENER;MTZJ24B,22.61-23.77V,500mW,D	
2	DZ303	0403-001329	DIODE-ZENER;MTZJ24B,22.61-23.77V,500mW,D	
2	DZ304	0403-001329	DIODE-ZENER;MTZJ24B,22.61-23.77V,500mW,D	
2	DZ305	0403-001221	DIODE-ZENER;UZ39BSB,35.36-37.19V,500MW,D	
2	DZ306	0403-000700	DIODE-ZENER;TZP33A,33V,31-35V,1W,DO-41,T	
2	DZ804	0403-000700	DIODE-ZENER;TZP33A,33V,31-35V,1W,DO-41,T	
2	DZ401	0403-001325	DIODE-ZENER;MTZJ15C,14.35-15.09V,500mW,D	
2	DZ801	0403-001322	DIODE-ZENER;MTZJ8.2B,7.78-8.19V,500mW,DO	
2	DZ808	0403-001322	DIODE-ZENER;MTZJ8.2B,7.78-8.19V,500mW,DO	
2	DZ204	0403-001322	DIODE-ZENER;MTZJ8.2B,7.78-8.19V,500mW,DO	
2	DZ205	0403-001322	DIODE-ZENER;MTZJ8.2B,7.78-8.19V,500mW,DO	
2	DZ805	1203-001217	IC-POSI.ADJUST REG.;431,TO-92,3P,4.58MIL	
2	GT101	AA60-40014A	PIN-GT,ASSY;AUTO	
2	GT102	AA60-40014A	PIN-GT,ASSY;AUTO	
2	GT301	AA60-40014A	PIN-GT,ASSY;AUTO	
2	GT302	AA60-40014A	PIN-GT,ASSY;AUTO	
2	GT401	AA60-40014A	PIN-GT,ASSY;AUTO	
2	GT402	AA60-40014A	PIN-GT,ASSY;AUTO	
2	GT801	AA60-40014A	PIN-GT,ASSY;AUTO	
2	GT802	AA60-40014A	PIN-GT,ASSY;AUTO	
2	GT803	AA60-40014A	PIN-GT,ASSY;AUTO	
2	GT804	AA60-40014A	PIN-GT,ASSY;AUTO	
2	GT805	AA60-40014A	PIN-GT,ASSY;AUTO	
2	GT806	AA60-40014A	PIN-GT,ASSY;AUTO	
2	GT103	AA60-40014A	PIN-GT,ASSY;AUTO	
2	GT409	AA60-40014A	PIN-GT,ASSY;AUTO	
2	J102	3812-000219	WIRE-NO SHEATH CU;TCWA,300V,52mm(TAPING)	
2	J103	3812-000219	WIRE-NO SHEATH CU;TCWA,300V,52mm(TAPING)	
2	J105	3812-000219	WIRE-NO SHEATH CU;TCWA,300V,52mm(TAPING)	
2	J108	3812-000219	WIRE-NO SHEATH CU;TCWA,300V,52mm(TAPING)	
2	J111	3812-000219	WIRE-NO SHEATH CU;TCWA,300V,52mm(TAPING)	
2	J112	3812-000219	WIRE-NO SHEATH CU;TCWA,300V,52mm(TAPING)	
2	J113	3812-000219	WIRE-NO SHEATH CU;TCWA,300V,52mm(TAPING)	
2	J114	3812-000219	WIRE-NO SHEATH CU;TCWA,300V,52mm(TAPING)	
2	J115	3812-000219	WIRE-NO SHEATH CU;TCWA,300V,52mm(TAPING)	
2	J116	3812-000219	WIRE-NO SHEATH CU;TCWA,300V,52mm(TAPING)	

Level	Loc. No.	Code No.	Description ; Specification	Remark
2	J117	3812-000219	WIRE-NO SHEATH CU;TCWA,300V,52mm(TAPING)	
2	J119	3812-000219	WIRE-NO SHEATH CU;TCWA,300V,52mm(TAPING)	
2	J122	3812-000219	WIRE-NO SHEATH CU;TCWA,300V,52mm(TAPING)	
2	J123	3812-000219	WIRE-NO SHEATH CU;TCWA,300V,52mm(TAPING)	
2	J124	3812-000219	WIRE-NO SHEATH CU;TCWA,300V,52mm(TAPING)	
2	J203	3812-000219	WIRE-NO SHEATH CU;TCWA,300V,52mm(TAPING)	
2	J205	3812-000219	WIRE-NO SHEATH CU;TCWA,300V,52mm(TAPING)	
2	J206	3812-000219	WIRE-NO SHEATH CU;TCWA,300V,52mm(TAPING)	
2	J207	3812-000219	WIRE-NO SHEATH CU;TCWA,300V,52mm(TAPING)	
2	J208	3812-000219	WIRE-NO SHEATH CU;TCWA,300V,52mm(TAPING)	
2	J209	3812-000219	WIRE-NO SHEATH CU;TCWA,300V,52mm(TAPING)	
2	J210	3812-000219	WIRE-NO SHEATH CU;TCWA,300V,52mm(TAPING)	
2	J212	3812-000219	WIRE-NO SHEATH CU;TCWA,300V,52mm(TAPING)	
2	J213	3812-000219	WIRE-NO SHEATH CU;TCWA,300V,52mm(TAPING)	
2	J214	3812-000219	WIRE-NO SHEATH CU;TCWA,300V,52mm(TAPING)	
2	J216	3812-000219	WIRE-NO SHEATH CU;TCWA,300V,52mm(TAPING)	
2	J217	3812-000219	WIRE-NO SHEATH CU;TCWA,300V,52mm(TAPING)	
2	J218	3812-000219	WIRE-NO SHEATH CU;TCWA,300V,52mm(TAPING)	
2	J219	3812-000219	WIRE-NO SHEATH CU;TCWA,300V,52mm(TAPING)	
2	J222	3812-000219	WIRE-NO SHEATH CU;TCWA,300V,52mm(TAPING)	
2	J223	3812-000219	WIRE-NO SHEATH CU;TCWA,300V,52mm(TAPING)	
2	J224	3812-000219	WIRE-NO SHEATH CU;TCWA,300V,52mm(TAPING)	
2	J225	3812-000219	WIRE-NO SHEATH CU;TCWA,300V,52mm(TAPING)	
2	J226	3812-000219	WIRE-NO SHEATH CU;TCWA,300V,52mm(TAPING)	
2	J227	3812-000219	WIRE-NO SHEATH CU;TCWA,300V,52mm(TAPING)	
2	J228	3812-000219	WIRE-NO SHEATH CU;TCWA,300V,52mm(TAPING)	
2	J229	3812-000219	WIRE-NO SHEATH CU;TCWA,300V,52mm(TAPING)	
2	J230	3812-000219	WIRE-NO SHEATH CU;TCWA,300V,52mm(TAPING)	
2	J232	3812-000219	WIRE-NO SHEATH CU;TCWA,300V,52mm(TAPING)	
2	J234	3812-000219	WIRE-NO SHEATH CU;TCWA,300V,52mm(TAPING)	
2	J236	3812-000219	WIRE-NO SHEATH CU;TCWA,300V,52mm(TAPING)	
2	J237	3812-000219	WIRE-NO SHEATH CU;TCWA,300V,52mm(TAPING)	
2	J238	3812-000219	WIRE-NO SHEATH CU;TCWA,300V,52mm(TAPING)	
2	J239	3812-000219	WIRE-NO SHEATH CU;TCWA,300V,52mm(TAPING)	
2	J242	3812-000219	WIRE-NO SHEATH CU;TCWA,300V,52mm(TAPING)	
2	J244	3812-000219	WIRE-NO SHEATH CU;TCWA,300V,52mm(TAPING)	
2	J246	3812-000219	WIRE-NO SHEATH CU;TCWA,300V,52mm(TAPING)	
2	J247	3812-000219	WIRE-NO SHEATH CU;TCWA,300V,52mm(TAPING)	
2	J248	3812-000219	WIRE-NO SHEATH CU;TCWA,300V,52mm(TAPING)	
2	J401	3812-000219	WIRE-NO SHEATH CU;TCWA,300V,52mm(TAPING)	
2	J402	3812-000219	WIRE-NO SHEATH CU;TCWA,300V,52mm(TAPING)	
2	J404	3812-000219	WIRE-NO SHEATH CU;TCWA,300V,52mm(TAPING)	
2	J409	3812-000219	WIRE-NO SHEATH CU;TCWA,300V,52mm(TAPING)	
2	J412	3812-000219	WIRE-NO SHEATH CU;TCWA,300V,52mm(TAPING)	
2	J414	3812-000219	WIRE-NO SHEATH CU;TCWA,300V,52mm(TAPING)	
2	J416	3812-000219	WIRE-NO SHEATH CU;TCWA,300V,52mm(TAPING)	
2	J421	3812-000219	WIRE-NO SHEATH CU;TCWA,300V,52mm(TAPING)	
2	J422	3812-000219	WIRE-NO SHEATH CU;TCWA,300V,52mm(TAPING)	
2	J424	3812-000219	WIRE-NO SHEATH CU;TCWA,300V,52mm(TAPING)	
2	J428	3812-000219	WIRE-NO SHEATH CU;TCWA,300V,52mm(TAPING)	
2	J601	3812-000219	WIRE-NO SHEATH CU;TCWA,300V,52mm(TAPING)	
2	J602	3812-000219	WIRE-NO SHEATH CU;TCWA,300V,52mm(TAPING)	
2	J603	3812-000219	WIRE-NO SHEATH CU;TCWA,300V,52mm(TAPING)	
2	J604	3812-000219	WIRE-NO SHEATH CU;TCWA,300V,52mm(TAPING)	
2	J606	3812-000219	WIRE-NO SHEATH CU;TCWA,300V,52mm(TAPING)	
2	J607	3812-000219	WIRE-NO SHEATH CU;TCWA,300V,52mm(TAPING)	
2	J611	3812-000219	WIRE-NO SHEATH CU;TCWA,300V,52mm(TAPING)	
2	J614	3812-000219	WIRE-NO SHEATH CU;TCWA,300V,52mm(TAPING)	
2	J615	3812-000219	WIRE-NO SHEATH CU;TCWA,300V,52mm(TAPING)	
2	J616	3812-000219	WIRE-NO SHEATH CU;TCWA,300V,52mm(TAPING)	
2	J617	3812-000219	WIRE-NO SHEATH CU;TCWA,300V,52mm(TAPING)	
2	J618	3812-000219	WIRE-NO SHEATH CU;TCWA,300V,52mm(TAPING)	
2	J619	3812-000219	WIRE-NO SHEATH CU;TCWA,300V,52mm(TAPING)	
2	J620	3812-000219	WIRE-NO SHEATH CU;TCWA,300V,52mm(TAPING)	
2	J621	3812-000219	WIRE-NO SHEATH CU;TCWA,300V,52mm(TAPING)	
2	J622	3812-000219	WIRE-NO SHEATH CU;TCWA,300V,52mm(TAPING)	
2	J624	3812-000219	WIRE-NO SHEATH CU;TCWA,300V,52mm(TAPING)	
2	J627	3812-000219	WIRE-NO SHEATH CU;TCWA,300V,52mm(TAPING)	
2	J629	3812-000219	WIRE-NO SHEATH CU;TCWA,300V,52mm(TAPING)	
2	J631	3812-000219	WIRE-NO SHEATH CU;TCWA,300V,52mm(TAPING)	
2	J632	3812-000219	WIRE-NO SHEATH CU;TCWA,300V,52mm(TAPING)	
2	J703	3812-000219	WIRE-NO SHEATH CU;TCWA,300V,52mm(TAPING)	
2	J704	3812-000219	WIRE-NO SHEATH CU;TCWA,300V,52mm(TAPING)	
2	J708	3812-000219	WIRE-NO SHEATH CU;TCWA,300V,52mm(TAPING)	
2	J715	3812-000219	WIRE-NO SHEATH CU;TCWA,300V,52mm(TAPING)	
2	J716	3812-000219	WIRE-NO SHEATH CU;TCWA,300V,52mm(TAPING)	
2	J717	3812-000219	WIRE-NO SHEATH CU;TCWA,300V,52mm(TAPING)	
2	J805	3812-000219	WIRE-NO SHEATH CU;TCWA,300V,52mm(TAPING)	
2	J806	3812-000219	WIRE-NO SHEATH CU;TCWA,300V,52mm(TAPING)	
2	J807	3812-000219	WIRE-NO SHEATH CU;TCWA,300V,52mm(TAPING)	
2	J810	3812-000219	WIRE-NO SHEATH CU;TCWA,300V,52mm(TAPING)	
2	J811	3812-000219	WIRE-NO SHEATH CU;TCWA,300V,52mm(TAPING)	
2	J816	3812-000219	WIRE-NO SHEATH CU;TCWA,300V,52mm(TAPING)	
2	J819	3812-000219	WIRE-NO SHEATH CU;TCWA,300V,52mm(TAPING)	
2	J820	3812-000219	WIRE-NO SHEATH CU;TCWA,300V,52mm(TAPING)	
2	J821	3812-000219	WIRE-NO SHEATH CU;TCWA,300V,52mm(TAPING)	
2	J824	3812-000219	WIRE-NO SHEATH CU;TCWA,300V,52mm(TAPING)	
2	J826	3812-000219	WIRE-NO SHEATH CU;TCWA,300V,52mm(TAPING)	
2	J829	3812-000219	WIRE-NO SHEATH CU;TCWA,300V,52mm(TAPING)	
2	J830	3812-000219	WIRE-NO SHEATH CU;TCWA,300V,52mm(TAPING)	
2	J831	3812-000219	WIRE-NO SHEATH CU;TCWA,300V,52mm(TAPING)	
2	J832	3812-000219	WIRE-NO SHEATH CU;TCWA,300V,52mm(TAPING)	
2	J833	3812-000219	WIRE-NO SHEATH CU;TCWA,300V,52mm(TAPING)	
2	J909	3812-000219	WIRE-NO SHEATH CU;TCWA,300V,52mm(TAPING)	
2	J911	3812-000219	WIRE-NO SHEATH CU;TCWA,300V,52mm(TAPING)	
2	J912	3812-000219	WIRE-NO SHEATH CU;TCWA,300V,52mm(TAPING)	
2	J913	3812-000219	WIRE-NO SHEATH CU;TCWA,300V,52mm(TAPING)	
2	J915	3812-000219	WIRE-NO SHEATH CU;TCWA,300V,52mm(TAPING)	
2	J916	3812-000219	WIRE-NO SHEATH CU;TCWA,300V,52mm(TAPING)	
2	J917	3812-000219	WIRE-NO SHEATH CU;TCWA,300V,52mm(TAPING)	
2	J924	3812-000219	WIRE-NO SHEATH CU;TCWA,300V,52mm(TAPING)	
2	J925	3812-000219	WIRE-NO SHEATH CU;TCWA,300V,52mm(TAPING)	
2	J926	3812-000219	WIRE-NO SHEATH CU;TCWA,300V,52mm(TAPING)	
2	J927	3812-000219	WIRE-NO SHEATH CU;TCWA,300V,52mm(TAPING)	
2	J928	3812-000219	WIRE-NO SHEATH CU;TCWA,300V,52mm(TAPING)	
2	J932	3812-000219	WIRE-NO SHEATH CU;TCWA,300V,52mm(TAPING)	
2	J933	3812-000219	WIRE-NO SHEATH CU;TCWA,300V,52mm(TAPING)	
2	J934	3812-000219	WIRE-NO SHEATH CU;TCWA,300V,52mm(TAPING)	
2	J936	3812-000219	WIRE-NO SHEATH CU;TCWA,300V,52mm(TAPING)	
2	J939	3812-000219	WIRE-NO SHEATH CU;TCWA,300V,52mm(TAPING)	
2	J941	3812-000219	WIRE-NO SHEATH CU;TCWA,300V,52mm(TAPING)	
2	J942	3812-000219	WIRE-NO SHEATH CU;TCWA,300V,52mm(TAPING)	
2	R939	3812-000219	WIRE-NO SHEATH CU;TCWA,300V,52mm(TAPING)	
2	J714	3812-000219	WIRE-NO SHEATH CU;TCWA,300V,52mm(TAPING)	
2	J249	3812-000219	WIRE-NO SHEATH CU;TCWA,300V,52mm(TAPING)	
2	D908	3812-000219	WIRE-NO SHEATH CU;TCWA,300V,52mm(TAPING)	
2	J835	3812-000219	WIRE-NO SHEATH CU;TCWA,300V,52mm(TAPING)	
2	J425	3812-000219	WIRE-NO SHEATH CU;TCWA,300V,52mm(TAPING)	
2	J633	3812-000219	WIRE-NO SHEATH CU;TCWA,300V,52mm(TAPING)	
2	J818	3812-000219	WIRE-NO SHEATH CU;TCWA,300V,52mm(TAPING)	
2	J612	3812-000219	WIRE-NO SHEATH CU;TCWA,300V,52mm(TAPING)	
2	L610	3812-000219	WIRE-NO SHEATH CU;TCWA,300V,52mm(TAPING)	
2	J937	3812-000219	WIRE-NO SHEATH CU;TCWA,300V,52mm(TAPING)	
2	J918	3812-000219	WIRE-NO SHEATH CU;TCWA,300V,52mm(TAPING)	
2	J626	3812-000219	WIRE-NO SHEATH CU;TCWA,300V,52mm(TAPING)	
2	J126	3812-000219	WIRE-NO SHEATH CU;TCWA,300V,52mm(TAPING)	
2	J118	3812-000219	WIRE-NO SHEATH CU;TCWA,300V,52mm(TAPING)	
2	J101	3812-000219	WIRE-NO SHEATH CU;TCWA,300V,52mm(TAPING)	
2	J253	3812-000219	WIRE-NO SHEATH CU;TCWA,300V,52mm(TAPING)	
2	J943	3812-000219	WIRE-NO SHEATH CU;TCWA,300V,52mm(TAPING)	
2	J944	3812-000219	WIRE-NO SHEATH CU;TCWA,300V,52mm(TAPING)	
2	J705	3812-000219	WIRE-NO SHEATH CU;TCWA,300V,52mm(TAPING)	
2	J707	3812-000219	WIRE-NO SHEATH CU;TCWA,300V,52mm(TAPING)	
2	J127	3812-000219	WIRE-NO SHEATH CU;TCWA,300V,52mm(TAPING)	
2	J605	3812-000219	WIRE-NO SHEATH CU;TCWA,300V,52mm(TAPING)	
2	J608	3812-000219	WIRE-NO SHEATH CU;TCWA,300V,52mm(TAPING)	
2	J609	3812-000219	WIRE-NO SHEATH CU;TCWA,300V,52mm(TAPING)	
2	L107	3812-000219	WIRE-NO SHEATH CU;TCWA,300V,52mm(TAPING)	
2	J902	3812-000219	WIRE-NO SHEATH CU;TCWA,300V,52mm(TAPING)	
⚠ 2	D407	3812-000219	WIRE-NO SHEATH CU;TCWA,300V,52mm(TAPING)	
2	J407	3812-000219	WIRE-NO SHEATH CU;TCWA,300V,52mm(TAPING)	
2	J419	3812-000219	WIRE-NO SHEATH CU;TCWA,300V,52mm(TAPING)	
2	J801	3812-000219	WIRE-NO SHEATH CU;TCWA,300V,52mm(TAPING)	
2	J802	3812-000219	WIRE-NO SHEATH CU;TCWA,300V,52mm(TAPING)	
2	J803	3812-000219	WIRE-NO SHEATH CU;TCWA,300V,52mm(TAPING)	
2	J804	3812-000219	WIRE-NO SHEATH CU;TCWA,300V,52mm(TAPING)	
2	J211	3812-000219	WIRE-NO SHEATH CU;TCWA,300V,52mm(TAPING)	
2	J241	3812-000219	WIRE-NO SHEATH CU;TCWA,300V,52mm(TAPING)	
2	J630	3812-000219	WIRE-NO SHEATH CU;TCWA,300V,52mm(TAPING)	
2	L410	3812-000219	WIRE-NO SHEATH CU;TCWA,300V,52mm(TAPING)	
2	J834	3812-000219	WIRE-NO SHEATH CU;TCWA,300V,52mm(TAPING)	
2	J204	3812-000219	WIRE-NO SHEATH CU;TCWA,300V,52mm(TAPING)	

Level	Loc. No.	Code No.	Description ; Specification	Remark
2	R926	3812-000219	WIRE-NO SHEATH CU;TCWA,300V,52mm(TAPING)	
2	J701	3812-000219	WIRE-NO SHEATH CU;TCWA,300V,52mm(TAPING)	
2	J817	3812-000219	WIRE-NO SHEATH CU;TCWA,300V,52mm(TAPING)	
2	L413	3812-000219	WIRE-NO SHEATH CU;TCWA,300V,52mm(TAPING)	
2	J940	3812-000219	WIRE-NO SHEATH CU;TCWA,300V,52mm(TAPING)	
2	EY301	AA60-40011A	K EYELET;ID2.0,OD2.8,BST	
2	EY302	AA60-40011A	K EYELET;ID2.0,OD2.8,BST	
2	EY303	AA60-40011A	K EYELET;ID2.0,OD2.8,BST	
2	EY304	AA60-40011A	K EYELET;ID2.0,OD2.8,BST	
2	EY401	AA60-40011A	K EYELET;ID2.0,OD2.8,BST	
2	EY402	AA60-40011A	K EYELET;ID2.0,OD2.8,BST	
2	EY403	AA60-40011A	K EYELET;ID2.0,OD2.8,BST	
2	EY404	AA60-40011A	K EYELET;ID2.0,OD2.8,BST	
2	EY405	AA60-40011A	K EYELET;ID2.0,OD2.8,BST	
2	EY406	AA60-40011A	K EYELET;ID2.0,OD2.8,BST	
2	EY407	AA60-40011A	K EYELET;ID2.0,OD2.8,BST	
2	EY408	AA60-40011A	K EYELET;ID2.0,OD2.8,BST	
2	EY409	AA60-40011A	K EYELET;ID2.0,OD2.8,BST	
2	EY410	AA60-40011A	K EYELET;ID2.0,OD2.8,BST	
2	EY411	AA60-40011A	K EYELET;ID2.0,OD2.8,BST	
2	EY412	AA60-40011A	K EYELET;ID2.0,OD2.8,BST	
2	EY413	AA60-40011A	K EYELET;ID2.0,OD2.8,BST	
2	EY414	AA60-40011A	K EYELET;ID2.0,OD2.8,BST	
2	EY415	AA60-40011A	K EYELET;ID2.0,OD2.8,BST	
2	EY416	AA60-40011A	K EYELET;ID2.0,OD2.8,BST	
2	EY417	AA60-40011A	K EYELET;ID2.0,OD2.8,BST	
2	EY418	AA60-40011A	K EYELET;ID2.0,OD2.8,BST	
2	EY419	AA60-40011A	K EYELET;ID2.0,OD2.8,BST	
2	EY420	AA60-40011A	K EYELET;ID2.0,OD2.8,BST	
2	EY421	AA60-40011A	K EYELET;ID2.0,OD2.8,BST	
2	EY422	AA60-40011A	K EYELET;ID2.0,OD2.8,BST	
2	EY423	AA60-40011A	K EYELET;ID2.0,OD2.8,BST	
2	EY424	AA60-40011A	K EYELET;ID2.0,OD2.8,BST	
2	EY425	AA60-40011A	K EYELET;ID2.0,OD2.8,BST	
2	EY426	AA60-40011A	K EYELET;ID2.0,OD2.8,BST	
2	EY427	AA60-40011A	K EYELET;ID2.0,OD2.8,BST	
2	EY428	AA60-40011A	K EYELET;ID2.0,OD2.8,BST	
2	EY429	AA60-40011A	K EYELET;ID2.0,OD2.8,BST	
2	EY430	AA60-40011A	K EYELET;ID2.0,OD2.8,BST	
2	EY431	AA60-40011A	K EYELET;ID2.0,OD2.8,BST	
2	EY432	AA60-40011A	K EYELET;ID2.0,OD2.8,BST	
2	EY433	AA60-40011A	K EYELET;ID2.0,OD2.8,BST	
2	EY434	AA60-40011A	K EYELET;ID2.0,OD2.8,BST	
2	EY435	AA60-40011A	K EYELET;ID2.0,OD2.8,BST	
2	EY436	AA60-40011A	K EYELET;ID2.0,OD2.8,BST	
2	EY437	AA60-40011A	K EYELET;ID2.0,OD2.8,BST	
2	EY438	AA60-40011A	K EYELET;ID2.0,OD2.8,BST	
2	EY439	AA60-40011A	K EYELET;ID2.0,OD2.8,BST	
2	EY440	AA60-40011A	K EYELET;ID2.0,OD2.8,BST	
2	EY441	AA60-40011A	K EYELET;ID2.0,OD2.8,BST	
2	EY442	AA60-40011A	K EYELET;ID2.0,OD2.8,BST	
2	EY443	AA60-40011A	K EYELET;ID2.0,OD2.8,BST	
2	EY444	AA60-40011A	K EYELET;ID2.0,OD2.8,BST	
2	EY445	AA60-40011A	K EYELET;ID2.0,OD2.8,BST	
2	EY446	AA60-40011A	K EYELET;ID2.0,OD2.8,BST	
2	EY447	AA60-40011A	K EYELET;ID2.0,OD2.8,BST	
2	EY448	AA60-40011A	K EYELET;ID2.0,OD2.8,BST	
2	EY449	AA60-40011A	K EYELET;ID2.0,OD2.8,BST	
2	EY450	AA60-40011A	K EYELET;ID2.0,OD2.8,BST	
2	EY451	AA60-40011A	K EYELET;ID2.0,OD2.8,BST	
2	EY452	AA60-40011A	K EYELET;ID2.0,OD2.8,BST	
2	EY453	AA60-40011A	K EYELET;ID2.0,OD2.8,BST	
2	EY454	AA60-40011A	K EYELET;ID2.0,OD2.8,BST	
2	EY455	AA60-40011A	K EYELET;ID2.0,OD2.8,BST	
2	EY456	AA60-40011A	K EYELET;ID2.0,OD2.8,BST	
2	EY457	AA60-40011A	K EYELET;ID2.0,OD2.8,BST	
2	EY458	AA60-40011A	K EYELET;ID2.0,OD2.8,BST	
2	EY601	AA60-40011A	K EYELET;ID2.0,OD2.8,BST	
2	EY602	AA60-40011A	K EYELET;ID2.0,OD2.8,BST	
2	EY603	AA60-40011A	K EYELET;ID2.0,OD2.8,BST	
2	EY604	AA60-40011A	K EYELET;ID2.0,OD2.8,BST	
2	EY701	AA60-40011A	K EYELET;ID2.0,OD2.8,BST	
2	EY702	AA60-40011A	K EYELET;ID2.0,OD2.8,BST	
2	EY703	AA60-40011A	K EYELET;ID2.0,OD2.8,BST	
2	EY704	AA60-40011A	K EYELET;ID2.0,OD2.8,BST	
2	EY801	AA60-40011A	K EYELET;ID2.0,OD2.8,BST	
2	EY802	AA60-40011A	K EYELET;ID2.0,OD2.8,BST	
2	EY803	AA60-40011A	K EYELET;ID2.0,OD2.8,BST	
2	EY804	AA60-40011A	K EYELET;ID2.0,OD2.8,BST	
2	EY805	AA60-40011A	K EYELET;ID2.0,OD2.8,BST	
2	EY806	AA60-40011A	K EYELET;ID2.0,OD2.8,BST	
2	EY807	AA60-40011A	K EYELET;ID2.0,OD2.8,BST	
2	EY808	AA60-40011A	K EYELET;ID2.0,OD2.8,BST	
2	EY809	AA60-40011A	K EYELET;ID2.0,OD2.8,BST	
2	EY810	AA60-40011A	K EYELET;ID2.0,OD2.8,BST	
2	EY811	AA60-40011A	K EYELET;ID2.0,OD2.8,BST	
2	EY812	AA60-40011A	K EYELET;ID2.0,OD2.8,BST	
2	EY813	AA60-40011A	K EYELET;ID2.0,OD2.8,BST	
2	EY814	AA60-40011A	K EYELET;ID2.0,OD2.8,BST	
2	EY815	AA60-40011A	K EYELET;ID2.0,OD2.8,BST	
2	EY816	AA60-40011A	K EYELET;ID2.0,OD2.8,BST	
2	EY817	AA60-40011A	K EYELET;ID2.0,OD2.8,BST	
2	EY818	AA60-40011A	K EYELET;ID2.0,OD2.8,BST	
2	EY819	AA60-40011A	K EYELET;ID2.0,OD2.8,BST	
2	EY820	AA60-40011A	K EYELET;ID2.0,OD2.8,BST	
2	EY822	AA60-40011A	K EYELET;ID2.0,OD2.8,BST	
2	EY823	AA60-40011A	K EYELET;ID2.0,OD2.8,BST	
2	EY824	AA60-40011A	K EYELET;ID2.0,OD2.8,BST	
2	EY825	AA60-40011A	K EYELET;ID2.0,OD2.8,BST	
2	EY826	AA60-40011A	K EYELET;ID2.0,OD2.8,BST	
2	EY827	AA60-40011A	K EYELET;ID2.0,OD2.8,BST	
2	EY828	AA60-40011A	K EYELET;ID2.0,OD2.8,BST	
2	EY829	AA60-40011A	K EYELET;ID2.0,OD2.8,BST	
2	EY830	AA60-40011A	K EYELET;ID2.0,OD2.8,BST	
2	EY831	AA60-40011A	K EYELET;ID2.0,OD2.8,BST	
2	EY832	AA60-40011A	K EYELET;ID2.0,OD2.8,BST	
2	EY833	AA60-40011A	K EYELET;ID2.0,OD2.8,BST	
2	EY834	AA60-40011A	K EYELET;ID2.0,OD2.8,BST	
2	EY835	AA60-40011A	K EYELET;ID2.0,OD2.8,BST	
2	EY836	AA60-40011A	K EYELET;ID2.0,OD2.8,BST	
2	EY837	AA60-40011A	K EYELET;ID2.0,OD2.8,BST	
2	EY838	AA60-40011A	K EYELET;ID2.0,OD2.8,BST	
2	EY839	AA60-40011A	K EYELET;ID2.0,OD2.8,BST	
2	EY840	AA60-40011A	K EYELET;ID2.0,OD2.8,BST	
2	EY841	AA60-40011A	K EYELET;ID2.0,OD2.8,BST	
2	EY842	AA60-40011A	K EYELET;ID2.0,OD2.8,BST	
2	EY844	AA60-40011A	K EYELET;ID2.0,OD2.8,BST	
2	EY845	AA60-40011A	K EYELET;ID2.0,OD2.8,BST	
2	EY846	AA60-40011A	K EYELET;ID2.0,OD2.8,BST	
2	EY847	AA60-40011A	K EYELET;ID2.0,OD2.8,BST	
2	EY848	AA60-40011A	K EYELET;ID2.0,OD2.8,BST	
2	EY849	AA60-40011A	K EYELET;ID2.0,OD2.8,BST	
2	EY850	AA60-40011A	K EYELET;ID2.0,OD2.8,BST	
2	EY851	AA60-40011A	K EYELET;ID2.0,OD2.8,BST	
2	EY852	AA60-40011A	K EYELET;ID2.0,OD2.8,BST	
2	EY853	AA60-40011A	K EYELET;ID2.0,OD2.8,BST	
2	EY854	AA60-40011A	K EYELET;ID2.0,OD2.8,BST	
2	EY855	AA60-40011A	K EYELET;ID2.0,OD2.8,BST	
2	EY856	AA60-40011A	K EYELET;ID2.0,OD2.8,BST	
2	EY857	AA60-40011A	K EYELET;ID2.0,OD2.8,BST	
2	EY858	AA60-40011A	K EYELET;ID2.0,OD2.8,BST	
2	EY859	AA60-40011A	K EYELET;ID2.0,OD2.8,BST	
2	EY860	AA60-40011A	K EYELET;ID2.0,OD2.8,BST	
2	EY861	AA60-40011A	K EYELET;ID2.0,OD2.8,BST	
2	TOP1	AA60-40011A	K EYELET;ID2.0,OD2.8,BST	
2	TOP2	AA60-40011A	K EYELET;ID2.0,OD2.8,BST	
2	EL401	AA60-40011B	K EYELET;ID2.2,OD3.2,BSP	
2	EL402	AA60-40011B	K EYELET;ID2.2,OD3.2,BSP	
2	EL403	AA60-40011B	K EYELET;ID2.2,OD3.2,BSP	
2	EL404	AA60-40011B	K EYELET;ID2.2,OD3.2,BSP	
2	EL405	AA60-40011B	K EYELET;ID2.2,OD3.2,BSP	
2	EL406	AA60-40011B	K EYELET;ID2.2,OD3.2,BSP	
2	EL407	AA60-40011B	K EYELET;ID2.2,OD3.2,BSP	
2	EL408	AA60-40011B	K EYELET;ID2.2,OD3.2,BSP	
2	EL802	AA60-40011B	K EYELET;ID2.2,OD3.2,BSP	
2	EL803	AA60-40011B	K EYELET;ID2.2,OD3.2,BSP	
2	EL805	AA60-40011B	K EYELET;ID2.2,OD3.2,BSP	
2	EL806	AA60-40011B	K EYELET;ID2.2,OD3.2,BSP	
2	EL807	AA60-40011B	K EYELET;ID2.2,OD3.2,BSP	
2	EL808	AA60-40011B	K EYELET;ID2.2,OD3.2,BSP	
2	EL809	AA60-40011B	K EYELET;ID2.2,OD3.2,BSP	
2	EL810	AA60-40011B	K EYELET;ID2.2,OD3.2,BSP	
2	EL811	AA60-40011B	K EYELET;ID2.2,OD3.2,BSP	
2	R236	2001-000515	R-CARBON;220OHM,5%,1/8W,AA,TP,1.8X3.2MM	

Level	Loc. No.	Code No.	Description ; Specification	Remark
2	R237	2001-000515	R-CARBON;220OHM,5%,1/8W,AA,TP,1.8X3.2MM	
2	R238	2001-000515	R-CARBON;220OHM,5%,1/8W,AA,TP,1.8X3.2MM	
2	R247	2001-000515	R-CARBON;220OHM,5%,1/8W,AA,TP,1.8X3.2MM	
2	R622	2001-000577	R-CARBON;2KOHM,5%,1/8W,AA,TP,1.8X3.2MM	
2	R621	2001-000577	R-CARBON;2KOHM,5%,1/8W,AA,TP,1.8X3.2MM	
2	R935	2001-000290	R-CARBON;10KOHM,5%,1/8W,AA,TP,1.8X3.2MM	
2	R202	2001-000290	R-CARBON;10KOHM,5%,1/8W,AA,TP,1.8X3.2MM	
2	R205	2001-000290	R-CARBON;10KOHM,5%,1/8W,AA,TP,1.8X3.2MM	
2	R243	2001-000290	R-CARBON;10KOHM,5%,1/8W,AA,TP,1.8X3.2MM	
2	R245	2001-000290	R-CARBON;10KOHM,5%,1/8W,AA,TP,1.8X3.2MM	
2	R246	2001-000290	R-CARBON;10KOHM,5%,1/8W,AA,TP,1.8X3.2MM	
2	R310	2001-000290	R-CARBON;10KOHM,5%,1/8W,AA,TP,1.8X3.2MM	
2	R716	2001-000290	R-CARBON;10KOHM,5%,1/8W,AA,TP,1.8X3.2MM	
2	R715	2001-000290	R-CARBON;10KOHM,5%,1/8W,AA,TP,1.8X3.2MM	
2	R606	2001-000290	R-CARBON;10KOHM,5%,1/8W,AA,TP,1.8X3.2MM	
2	R602	2001-000290	R-CARBON;10KOHM,5%,1/8W,AA,TP,1.8X3.2MM	
2	R601	2001-000290	R-CARBON;10KOHM,5%,1/8W,AA,TP,1.8X3.2MM	
2	R620	2001-000290	R-CARBON;10KOHM,5%,1/8W,AA,TP,1.8X3.2MM	
2	R629	2001-000290	R-CARBON;10KOHM,5%,1/8W,AA,TP,1.8X3.2MM	
2	R309	2001-000290	R-CARBON;10KOHM,5%,1/8W,AA,TP,1.8X3.2MM	
2	R206	2001-000290	R-CARBON;10KOHM,5%,1/8W,AA,TP,1.8X3.2MM	
2	R609	2001-000290	R-CARBON;10KOHM,5%,1/8W,AA,TP,1.8X3.2MM	
2	R912	2001-000290	R-CARBON;10KOHM,5%,1/8W,AA,TP,1.8X3.2MM	
2	R952	2001-000290	R-CARBON;10KOHM,5%,1/8W,AA,TP,1.8X3.2MM	
2	R940	2001-000281	R-CARBON;100OHM,5%,1/8W,AA,TP,1.8X3.2MM	
2	R941	2001-000281	R-CARBON;100OHM,5%,1/8W,AA,TP,1.8X3.2MM	
2	R942	2001-000281	R-CARBON;100OHM,5%,1/8W,AA,TP,1.8X3.2MM	
2	R947	2001-000281	R-CARBON;100OHM,5%,1/8W,AA,TP,1.8X3.2MM	
2	R948	2001-000281	R-CARBON;100OHM,5%,1/8W,AA,TP,1.8X3.2MM	
2	R102	2001-000281	R-CARBON;100OHM,5%,1/8W,AA,TP,1.8X3.2MM	
2	R103	2001-000281	R-CARBON;100OHM,5%,1/8W,AA,TP,1.8X3.2MM	
2	R203	2001-000281	R-CARBON;100OHM,5%,1/8W,AA,TP,1.8X3.2MM	
2	R204	2001-000281	R-CARBON;100OHM,5%,1/8W,AA,TP,1.8X3.2MM	
2	R604	2001-000281	R-CARBON;100OHM,5%,1/8W,AA,TP,1.8X3.2MM	
2	R605	2001-000281	R-CARBON;100OHM,5%,1/8W,AA,TP,1.8X3.2MM	
2	R610	2001-000281	R-CARBON;100OHM,5%,1/8W,AA,TP,1.8X3.2MM	
2	R611	2001-000281	R-CARBON;100OHM,5%,1/8W,AA,TP,1.8X3.2MM	
2	R612	2001-000281	R-CARBON;100OHM,5%,1/8W,AA,TP,1.8X3.2MM	
2	R613	2001-000281	R-CARBON;100OHM,5%,1/8W,AA,TP,1.8X3.2MM	
2	R628	2001-000281	R-CARBON;100OHM,5%,1/8W,AA,TP,1.8X3.2MM	
2	R627	2001-000281	R-CARBON;100OHM,5%,1/8W,AA,TP,1.8X3.2MM	
2	R706	2001-000281	R-CARBON;100OHM,5%,1/8W,AA,TP,1.8X3.2MM	
2	R707	2001-000281	R-CARBON;100OHM,5%,1/8W,AA,TP,1.8X3.2MM	
2	R708	2001-000281	R-CARBON;100OHM,5%,1/8W,AA,TP,1.8X3.2MM	
2	R723	2001-000281	R-CARBON;100OHM,5%,1/8W,AA,TP,1.8X3.2MM	
2	R909	2001-000281	R-CARBON;100OHM,5%,1/8W,AA,TP,1.8X3.2MM	
2	R907	2001-000281	R-CARBON;100OHM,5%,1/8W,AA,TP,1.8X3.2MM	
2	J920	2001-000281	R-CARBON;100OHM,5%,1/8W,AA,TP,1.8X3.2MM	
2	J904	2001-000281	R-CARBON;100OHM,5%,1/8W,AA,TP,1.8X3.2MM	
2	R925	2001-000281	R-CARBON;100OHM,5%,1/8W,AA,TP,1.8X3.2MM	
2	R955	2001-000281	R-CARBON;100OHM,5%,1/8W,AA,TP,1.8X3.2MM	
⚠ 2	RR430S	2001-001088	R-CARBON(S);1KOHM,5%,1/2W,AA,TP,2.4X6.4M	
2	R418	2001-001088	R-CARBON(S);1KOHM,5%,1/2W,AA,TP,2.4X6.4M	
⚠ 2	RY801S	2002-001011	R-COMPOSITION;3.3Mohm,5%,1/2W,AA,TP,3.7x	
⚠ 2	RY802S	2002-001013	R-COMPOSITION;4.7Mohm,5%,1/2W,AA,TP,3.7x	
⚠ 2	VP801S	1405-000187	VARISTOR;750V,1250A,12.5x7mm,TP	
⚠ 2	VX801S	1405-000187	VARISTOR;750V,1250A,12.5x7mm,TP	
2	X901	2801-003728	CRYSTAL-UNIT;6MHz,30ppm,28-AAM,20pF,40oh	
2	L103	2701-000115	INDUCTOR-AXIAL;10uH,10%,3x7mm	
2		0203-001123	TAPE-PAPER;#53131,T0.15,W6.0,L200000,YEL	
2	C707	2401-000939	C-AL;22uF,20%,25V,GP,TP,5x11,5	
2	L202	2701-000114	INDUCTOR-AXIAL;10uH,10%,2.5x3.4mm	
2	L301	2701-000114	INDUCTOR-AXIAL;10uH,10%,2.5x3.4mm	
2	L406	2701-000114	INDUCTOR-AXIAL;10uH,10%,2.5x3.4mm	
2	L907	2701-000114	INDUCTOR-AXIAL;10uH,10%,2.5x3.4mm	
2	L711	2701-000114	INDUCTOR-AXIAL;10uH,10%,2.5x3.4mm	
2	L108	2701-000114	INDUCTOR-AXIAL;10uH,10%,2.5x3.4mm	
2	L109	2701-000114	INDUCTOR-AXIAL;10uH,10%,2.5x3.4mm	
2	L204	2701-000184	INDUCTOR-AXIAL;4.7uH,10%,2.5x3.4mm	
2	L222	2701-000184	INDUCTOR-AXIAL;4.7uH,10%,2.5x3.4mm	
2	L302	3301-000287	CORE-FERRITE BEAD;AA,3.5x1.0x6.0mm,1500,	
2	L802	3301-000287	CORE-FERRITE BEAD;AA,3.5x1.0x6.0mm,1500,	
2	L803	3301-000287	CORE-FERRITE BEAD;AA,3.5x1.0x6.0mm,1500,	
2	L804	3301-000287	CORE-FERRITE BEAD;AA,3.5x1.0x6.0mm,1500,	
2	L809	3301-000287	CORE-FERRITE BEAD;AA,3.5x1.0x6.0mm,1500,	
2	J901	3301-000287	CORE-FERRITE BEAD;AA,3.5x1.0x6.0mm,1500,	
2	L303	3301-000287	CORE-FERRITE BEAD;AA,3.5x1.0x6.0mm,1500,	
2	L207	3301-000287	CORE-FERRITE BEAD;AA,3.5x1.0x6.0mm,1500,	
2	L412	3301-000287	CORE-FERRITE BEAD;AA,3.5x1.0x6.0mm,1500,	
2	J406	3301-000287	CORE-FERRITE BEAD;AA,3.5x1.0x6.0mm,1500,	
2	L407	2901-000297	FILTER-EMI ON BOARD;-,3A,-,-,3.5x5,TP,-	
2	L807	2901-000297	FILTER-EMI ON BOARD;-,3A,-,-,3.5x5,TP,-	
2	L601	2901-000297	FILTER-EMI ON BOARD;-,3A,-,-,3.5x5,TP,-	
2	L609	2901-000297	FILTER-EMI ON BOARD;-,3A,-,-,3.5x5,TP,-	
2	L201	2901-000297	FILTER-EMI ON BOARD;-,3A,-,-,3.5x5,TP,-	
2	L604	2701-000169	INDUCTOR-AXIAL;3.9uH,10%,2.5x3.4mm	
2	L905	2701-000211	INDUCTOR-AXIAL;68uH,10%,2.5x3.4mm	
2	Q201	0501-000389	TR-SMALL SIGNAL;KSC815,NPN,400mW,TO-92,T	
2	Q202	0501-000389	TR-SMALL SIGNAL;KSC815,NPN,400mW,TO-92,T	
2	Q203	0501-000389	TR-SMALL SIGNAL;KSC815,NPN,400mW,TO-92,T	
2	Q901	0501-000389	TR-SMALL SIGNAL;KSC815,NPN,400mW,TO-92,T	
2	Q906	0501-000389	TR-SMALL SIGNAL;KSC815,NPN,400mW,TO-92,T	
2	Q908	0501-000389	TR-SMALL SIGNAL;KSC815,NPN,400mW,TO-92,T	
2	Q701	0501-000389	TR-SMALL SIGNAL;KSC815,NPN,400mW,TO-92,T	
2	Q204	0501-000389	TR-SMALL SIGNAL;KSC815,NPN,400mW,TO-92,T	
2	Q601	0501-000389	TR-SMALL SIGNAL;KSC815,NPN,400mW,TO-92,T	
2	Q907	0501-000389	TR-SMALL SIGNAL;KSC815,NPN,400mW,TO-92,T	
2	R244	2001-000786	R-CARBON;47KOHM,5%,1/8W,AA,TP,1.8X3.2MM	
2	R954	2001-000786	R-CARBON;47KOHM,5%,1/8W,AA,TP,1.8X3.2MM	
2	R208	2001-000405	R-CARBON;180OHM,5%,1/8W,AA,TP,1.8X3.2MM	
2	R209	2001-000405	R-CARBON;180OHM,5%,1/8W,AA,TP,1.8X3.2MM	
2	R215	2001-000522	R-CARBON;22KOHM,5%,1/8W,AA,TP,1.8X3.2MM	
2	R823	2001-000522	R-CARBON;22KOHM,5%,1/8W,AA,TP,1.8X3.2MM	
2	R910	2001-000522	R-CARBON;22KOHM,5%,1/8W,AA,TP,1.8X3.2MM	
2	R216	2001-000429	R-CARBON;1KOHM,5%,1/8W,AA,TP,1.8X3.2MM	
2	R234	2001-000429	R-CARBON;1KOHM,5%,1/8W,AA,TP,1.8X3.2MM	
2	R235	2001-000429	R-CARBON;1KOHM,5%,1/8W,AA,TP,1.8X3.2MM	
2	R603	2001-000429	R-CARBON;1KOHM,5%,1/8W,AA,TP,1.8X3.2MM	
2	R817	2001-000429	R-CARBON;1KOHM,5%,1/8W,AA,TP,1.8X3.2MM	
2	R924	2001-000429	R-CARBON;1KOHM,5%,1/8W,AA,TP,1.8X3.2MM	
2	R914	2001-000429	R-CARBON;1KOHM,5%,1/8W,AA,TP,1.8X3.2MM	
2	R252	2001-000429	R-CARBON;1KOHM,5%,1/8W,AA,TP,1.8X3.2MM	
2	R726	2001-000429	R-CARBON;1KOHM,5%,1/8W,AA,TP,1.8X3.2MM	
2	R902	2001-000429	R-CARBON;1KOHM,5%,1/8W,AA,TP,1.8X3.2MM	
2	R816	2001-000429	R-CARBON;1KOHM,5%,1/8W,AA,TP,1.8X3.2MM	
2	R228	2001-000117	R-CARBON(S);68OHM,5%,1/2W,AA,TP,2.4X6.4M	
2	R301	2004-001397	R-METAL(S);4.7Kohm,1%,1/2W,AA,TP,2.4x6.4	
2	R423	2004-001397	R-METAL(S);4.7Kohm,1%,1/2W,AA,TP,2.4x6.4	
2	R303	2001-000016	R-CARBON(S);1OHM,5%,1/2W,AA,TP,2.4X6.4MM	
2	R828	2008-000266	R-FUSIBLE(S);1ohm,5%,2W,AF,TP,3.9x10mm	
2	R314	2004-001986	R-METAL(S);35.7Kohm,1%,1/2W,AA,TP,2.4x6.	
2	R411	2001-000028	R-CARBON(S);100OHM,5%,1/2W,AA,TP,2.4X6.4	
2	R412	2001-000020	R-CARBON(S);22OHM,5%,1/2W,AA,TP,2.4X6.4M	
2	R421	2001-001093	R-CARBON(S);2.2KOHM,5%,1/2W,AA,TP,2.4X6.	
2	R913	2001-000947	R-CARBON;7.5KOHM,5%,1/8W,AA,TP,1.8X3.2M	
2	R426	2003-000540	R-METAL OXIDE(S);1Kohm,5%,2W,AF,TP,4x12m	
2	R434	2003-000664	R-METAL OXIDE(S);33ohm,5%,2W,AF,TP,4x12m	
2	R614	2001-000780	R-CARBON;470OHM,5%,1/8W,AA,TP,1.8X3.2MM	
2	R615	2001-000780	R-CARBON;470OHM,5%,1/8W,AA,TP,1.8X3.2MM	
2	R616	2001-000780	R-CARBON;470OHM,5%,1/8W,AA,TP,1.8X3.2MM	
2	R617	2001-000780	R-CARBON;470OHM,5%,1/8W,AA,TP,1.8X3.2MM	
2	R920	2001-000780	R-CARBON;470OHM,5%,1/8W,AA,TP,1.8X3.2MM	
2	R226	2001-000780	R-CARBON;470OHM,5%,1/8W,AA,TP,1.8X3.2MM	
2	R224	2001-000780	R-CARBON;470OHM,5%,1/8W,AA,TP,1.8X3.2MM	
2	R225	2001-000780	R-CARBON;470OHM,5%,1/8W,AA,TP,1.8X3.2MM	
2	R931	2001-000780	R-CARBON;470OHM,5%,1/8W,AA,TP,1.8X3.2MM	
2	R812	2001-000780	R-CARBON;470OHM,5%,1/8W,AA,TP,1.8X3.2MM	
2	R831	2001-000780	R-CARBON;470OHM,5%,1/8W,AA,TP,1.8X3.2MM	
2	R956	2001-000780	R-CARBON;470OHM,5%,1/8W,AA,TP,1.8X3.2MM	
2	R919	2001-000780	R-CARBON;470OHM,5%,1/8W,AA,TP,1.8X3.2MM	
2	R214	2001-000411	R-CARBON;18KOHM,5%,1/8W,AA,TP,1.8X3.2MM	
2	R701	2001-000969	R-CARBON;75OHM,5%,1/8W,AA,TP,1.8X3.2MM	
2	R702	2001-000969	R-CARBON;75OHM,5%,1/8W,AA,TP,1.8X3.2MM	
2	R703	2001-000969	R-CARBON;75OHM,5%,1/8W,AA,TP,1.8X3.2MM	
2	R704	2001-000969	R-CARBON;75OHM,5%,1/8W,AA,TP,1.8X3.2MM	
2	R719	2001-000969	R-CARBON;75OHM,5%,1/8W,AA,TP,1.8X3.2MM	
2	R705	2001-000969	R-CARBON;75OHM,5%,1/8W,AA,TP,1.8X3.2MM	
2	R242	2001-000969	R-CARBON;75OHM,5%,1/8W,AA,TP,1.8X3.2MM	
2	R802	2003-001025	R-METAL OXIDE(S);15Kohm,5%,2W,AF,TP,3.9x	
2	R803	2003-001025	R-METAL OXIDE(S);15Kohm,5%,2W,AF,TP,3.9x	
2	R804	2003-001025	R-METAL OXIDE(S);15Kohm,5%,2W,AF,TP,3.9x	
2	R805	2001-001150	R-CARBON(S);470KOHM,5%,1/2W,AA,TP,2.4X6.	

Level	Loc. No.	Code No.	Description ; Specification	Remark
2	R806	2001-001150	R-CARBON(S);470KOHM,5%,1/2W,AA,TP,2.4X6.	
2	R813	2001-001153	R-CARBON(S);47OHM,5%,1/2W,AA,TP,2.4X6.4M	
2	R832	2001-001153	R-CARBON(S);47OHM,5%,1/2W,AA,TP,2.4X6.4M	
2	R810	2001-001178	R-CARBON(S);680OHM,5%,1/2W,AA,TP,2.4X6.4	
2	R819	2004-001983	R-METAL(S);2.49Kohm,1%,1/2W,AA,TP,2.4x6.	
2	R820	2001-001096	R-CARBON(S);2.2OHM,5%,1/2W,AA,TP,2.4X6.4	
2	R822	2001-000273	R-CARBON;100KOHM,5%,1/8W,AA,TP,1.8X3.2M	
2	R824	2001-000273	R-CARBON;100KOHM,5%,1/8W,AA,TP,1.8X3.2M	
2	R825	2001-000066	R-CARBON(S);10KOHM,5%,1/2W,AA,TP,2.4X6.4	
2	R901	2001-000734	R-CARBON;4.7KOHM,5%,1/8W,AA,TP,1.8X3.2M	
2	R903	2001-000734	R-CARBON;4.7KOHM,5%,1/8W,AA,TP,1.8X3.2M	
2	R904	2001-000734	R-CARBON;4.7KOHM,5%,1/8W,AA,TP,1.8X3.2M	
2	R905	2001-000734	R-CARBON;4.7KOHM,5%,1/8W,AA,TP,1.8X3.2M	
2	R906	2001-000734	R-CARBON;4.7KOHM,5%,1/8W,AA,TP,1.8X3.2M	
2	R908	2001-000734	R-CARBON;4.7KOHM,5%,1/8W,AA,TP,1.8X3.2M	
2	R921	2001-000734	R-CARBON;4.7KOHM,5%,1/8W,AA,TP,1.8X3.2M	
2	R927	2001-000734	R-CARBON;4.7KOHM,5%,1/8W,AA,TP,1.8X3.2M	
2	R928	2001-000734	R-CARBON;4.7KOHM,5%,1/8W,AA,TP,1.8X3.2M	
2	R937	2001-000734	R-CARBON;4.7KOHM,5%,1/8W,AA,TP,1.8X3.2M	
2	R724	2001-000734	R-CARBON;4.7KOHM,5%,1/8W,AA,TP,1.8X3.2M	
2	R725	2001-000734	R-CARBON;4.7KOHM,5%,1/8W,AA,TP,1.8X3.2M	
2	R251	2001-000734	R-CARBON;4.7KOHM,5%,1/8W,AA,TP,1.8X3.2M	
2	R223	2001-000003	R-CARBON;330ohm,5%,1/8W,AA,TP,1.8x3.2mm	
2	R248	2001-000003	R-CARBON;330ohm,5%,1/8W,AA,TP,1.8x3.2mm	
2	R249	2001-000003	R-CARBON;330ohm,5%,1/8W,AA,TP,1.8x3.2mm	
2	R250	2001-000003	R-CARBON;330ohm,5%,1/8W,AA,TP,1.8x3.2mm	
2	R207	2001-000003	R-CARBON;330ohm,5%,1/8W,AA,TP,1.8x3.2mm	
2	R911	2001-000003	R-CARBON;330ohm,5%,1/8W,AA,TP,1.8x3.2mm	
2	R922	2001-000924	R-CARBON;680OHM,5%,1/8W,AA,TP,1.8X3.2MM	
2	R923	2001-000924	R-CARBON;680OHM,5%,1/8W,AA,TP,1.8X3.2MM	
2	C411	2301-000104	C-FILM,PEF;1.2NF,5%,50V,TP,6.5X3.0X5.5MM	
2	C412	2301-000313	C-FILM,PEF;8.2nF,5%,100V,TP,7x3.2x7mm,5m	
2	C427	2401-002267	C-AL;2.2uF,20%,250V,GP,TP,8x11.5,5	
2	C833	2401-002619	C-AL;47uF,20%,25V,GP,TP,5x11,5	
2	C229	2401-002619	C-AL;47uF,20%,25V,GP,TP,5x11,5	
2	CN602	3711-002644	CONNECTOR-HEADER;BOX,5P,1R,2.5mm,STRAIGH	
2	CN901	3711-002644	CONNECTOR-HEADER;BOX,5P,1R,2.5mm,STRAIGH	
2	CW901	2503-000156	C-NETWORK;100pFx4,20%,50V	
2	D203	0404-000156	DIODE-SCHOTTKY;RB441Q,10V,100mA,DO-34,TP	
2	D204	0404-000156	DIODE-SCHOTTKY;RB441Q,10V,100mA,DO-34,TP	
2	D205	0404-000156	DIODE-SCHOTTKY;RB441Q,10V,100mA,DO-34,TP	
2	D206	0404-000156	DIODE-SCHOTTKY;RB441Q,10V,100mA,DO-34,TP	
2	D901	0404-000156	DIODE-SCHOTTKY;RB441Q,10V,100mA,DO-34,TP	
2	D902	0404-000156	DIODE-SCHOTTKY;RB441Q,10V,100mA,DO-34,TP	
2	D903	0404-000156	DIODE-SCHOTTKY;RB441Q,10V,100mA,DO-34,TP	
2	D904	0404-000156	DIODE-SCHOTTKY;RB441Q,10V,100mA,DO-34,TP	
2	DZ803	0403-001167	DIODE-ZENER;MTZJ30D,30V,29.02-30.51V,500	
⚠ 2	FA802S	3601-001086	FUSE-AXIAL LEAD;125V,5A,FAST-ACTING,GLAS	
2	HIC202	AA13-00093A	IC HYBRID;-,DRGB001A,SIP,5P,-,TP	
2	HIC203	AA13-00093A	IC HYBRID;-,DRGB001A,SIP,5P,-,TP	
2	HIC204	AA13-00093A	IC HYBRID;-,DRGB001A,SIP,5P,-,TP	
2	HIC201	AA13-00093A	IC HYBRID;-,DRGB001A,SIP,5P,-,TP	
2	R302	2004-001984	R-METAL(S);26.7Kohm,1%,1/2W,AA,TP,2.4x6.	
2	R409	2003-002009	R-METAL OXIDE(S);390ohm,5%,2W,AF,TP,3.9x	
2	R410	2003-002009	R-METAL OXIDE(S);390ohm,5%,2W,AF,TP,3.9x	
2	R413	2008-001018	R-FUSIBLE(S);0.47ohm,10%,2W,AF,TP,3.9x10	
2	R424	2008-001018	R-FUSIBLE(S);0.47ohm,10%,2W,AF,TP,3.9x10	
2	R425	2008-001018	R-FUSIBLE(S);0.47ohm,10%,2W,AF,TP,3.9x10	
2	R405	2008-001018	R-FUSIBLE(S);0.47ohm,10%,2W,AF,TP,3.9x10	
2	R827	2008-000284	R-FUSIBLE(S);0.10HM,10%,2W,AF,TP,3.9X10M	
2	R829	2008-001029	R-FUSIBLE(S);5.6ohm,5%,2W,AF,TP,3.9x10mm	
2	R835	2003-002181	R-METAL OXIDE(S);68Kohm,5%,2W,AG,TP,3.9x	
2	R836	2003-002181	R-METAL OXIDE(S);68Kohm,5%,2W,AG,TP,3.9x	
2	R433	2003-001042	R-METAL OXIDE(S);5.6Kohm,5%,2W,AF,TP,3.9	
2	R717	2001-000702	R-CARBON;39KOHM,5%,1/8W,AA,TP,1.8X3.2MM	
2	R718	2001-000702	R-CARBON;39KOHM,5%,1/8W,AA,TP,1.8X3.2MM	
2	R105	2001-000702	R-CARBON;39KOHM,5%,1/8W,AA,TP,1.8X3.2MM	
2	X201	2801-003432	CRYSTAL-UNIT;20.25MHZ,30PPM,28-AAM,13PF,	
2	X601	2801-003903	CRYSTAL-UNIT;18.432MHz,25ppm,28-AAM,12pF	
2	IC904	1203-001943	IC-VOL. DETECTOR;7025,TO-92,3P-,PLASTIC	
2	PCB	AA41-00168H	PCB-MAIN;CS29A6,FR-1,1L,H,1.6T,330X245,K	
2	Q909	0505-000109	FET-SILICON;2N7000,N,60V,200mA,5ohm,400m	
2	Q910	0505-000109	FET-SILICON;2N7000,N,60V,200mA,5ohm,400m	
2	R403	2003-001091	R-METAL OXIDE(S);10ohm,5%,2W,AF,TP,4x12m	
2	L705	2701-000180	INDUCTOR-AXIAL;33uH,5%,2.5x3.4mm	
2	L706	2701-000180	INDUCTOR-AXIAL;33uH,5%,2.5x3.4mm	
2	L605	2701-000180	INDUCTOR-AXIAL;33uH,5%,2.5x3.4mm	
2	L606	2701-000180	INDUCTOR-AXIAL;33uH,5%,2.5x3.4mm	
2	L607	2701-000180	INDUCTOR-AXIAL;33uH,5%,2.5x3.4mm	
2	L608	2701-000180	INDUCTOR-AXIAL;33uH,5%,2.5x3.4mm	
2	L701	2701-000180	INDUCTOR-AXIAL;33uH,5%,2.5x3.4mm	
2	L702	2701-000180	INDUCTOR-AXIAL;33uH,5%,2.5x3.4mm	
2	R106	2001-000864	R-CARBON;56KOHM,5%,1/8W,AA,TP,1.8X3.2MM	
2	R313	2004-001137	R-METAL;6.8Kohm,1%,1/8W,AA,TP,1.8x3.2m	
2	R710	2001-000938	R-CARBON;68OHM,5%,1/8W,AA,TP,1.8X3.2MM	
2	R709	2001-000938	R-CARBON;68OHM,5%,1/8W,AA,TP,1.8X3.2MM	
2	R241	2001-000938	R-CARBON;68OHM,5%,1/8W,AA,TP,1.8X3.2MM	
2	R315	2004-004970	R-METAL(S);62Kohm,1%,1/8W,AA,TP,1.8x3.2m	
2	R811	2004-001408	R-METAL(S);91Kohm,1%,1/2W,AA,TP,2.4x6.4m	
2	R809	2001-000022	R-CARBON(S);33OHM,5%,1/2W,AA,TP,2.4X6.4M	
2	KEZI	2001-001155	R-CARBON(S);5.6KOHM,5%,1/2W,AA,TP,2.4X6.	
2	L901	2702-001094	INDUCTOR-RADIAL;10uH,10%,6x4mm	
2	L903	2702-001094	INDUCTOR-RADIAL;10uH,10%,6x4mm	
2	L904	2702-001094	INDUCTOR-RADIAL;10uH,10%,6x4mm	
2	L909	2701-000191	INDUCTOR-AXIAL;47uH,10%,2.5x3.4mm	
2	L908	2701-000191	INDUCTOR-AXIAL;47uH,10%,2.5x3.4mm	
2	R818	2001-001113	R-CARBON(S);270KOHM,5%,1/2W,AA,TP,2.4X6.	
2	CN702	3711-002647	CONNECTOR-HEADER;BOX,8P,1R,2.5mm,STRAIGH	
2	C656	2201-000304	C-CERAMIC,DISC;0.001NF,0.25PF,50V,C0G,TP	
2	C657	2201-000304	C-CERAMIC,DISC;0.001NF,0.25PF,50V,C0G,TP	
2	C306	2301-000342	C-FILM,PEF;2.2nF,5%,50V,TP,7.4x3.9x13mm,	
2	R422	2001-000037	R-CARBON(S);33OOHM,5%,1/2W,AA,TP,2.4X6.4	
2	C621	2401-002458	C-AL;1000uF,20%,35V,GP,TP,16x25,7.5	
2	C824	2401-003046	C-AL;47uF,20%,50V,WT,TP,6.3x11,2.5	
2	C823	2401-003046	C-AL;47uF,20%,50V,WT,TP,6.3x11,2.5	
2	C808	2401-003046	C-AL;47uF,20%,50V,WT,TP,6.3x11,2.5	
2	C115	2202-000121	C-CERAMIC,MLC-AXIAL;100pF,10%,50V,Y5P,TP	
2	C116	2202-000121	C-CERAMIC,MLC-AXIAL;100pF,10%,50V,Y5P,TP	
2	C244	2202-000121	C-CERAMIC,MLC-AXIAL;100pF,10%,50V,Y5P,TP	
2	C245	2202-000121	C-CERAMIC,MLC-AXIAL;100pF,10%,50V,Y5P,TP	
2	L209	2701-000168	INDUCTOR-AXIAL;3.3uH,5%,2.5x3.4mm	
2	L210	2701-000168	INDUCTOR-AXIAL;3.3uH,5%,2.5x3.4mm	
2	L801	3301-001223	CORE-FERRITE BEAD;AA,62ohm,3.5x0.8x5mm,-	
2	L806	3301-001223	CORE-FERRITE BEAD;AA,62ohm,3.5x0.8x5mm,-	
2	R945	2001-000449	R-CARBON;2.2KOHM,5%,1/8W,AA,TP,1.8X3.2M	
2	R946	2001-000449	R-CARBON;2.2KOHM,5%,1/8W,AA,TP,1.8X3.2M	
2	C104	2401-002463	C-AL;470uF,20%,16V,GP,TP,8x11.5,5	
2	R210	2001-000812	R-CARBON;5.6KOHM,5%,1/8W,AA,TP,1.8X3.2M	
2	C835	2401-002289	C-AL;470uF,20%,35V,WT,TP,10x20,5	
2	C840	2401-002212	C-AL;10uF,20%,25V,WT,TP,5x11,5	
2	C827	2401-002212	C-AL;10uF,20%,25V,WT,TP,5x11,5	
2	C301	2401-000611	C-AL;1uF,20%,50V,WT,TP,5x11,5	
2	C106	2401-000611	C-AL;1uF,20%,50V,WT,TP,5x11,5	
2	DZ602	0403-000720	DIODE-ZENER;MTZJ9.1B,9.1V,8.57-9.01V,500	
2	R808	2001-001079	R-CARBON(S);15OHM,5%,1/2W,AA,TP,2.4X6.4M	
2	C248	2202-000210	C-CERAMIC,MLC-AXIAL;270pF,10%,50V,Y5P,TP	
2	C246	2202-000210	C-CERAMIC,MLC-AXIAL;270pF,10%,50V,Y5P,TP	
2	R304	2008-000254	R-FUSIBLE(S);0.68ohm,5%,2W,AF,TP,3.9x10m	
2	C102	2401-001513	C-AL;47uF,20%,16V,WT,TP,5x11,5	
2	L208	2701-000147	INDUCTOR-AXIAL;2.2uH,5%,2.4x3.4mm	
2	C247	2202-000849	C-CERAMIC,MLC-AXIAL;18pF,5%,50V,CH,TP,3.	
2		HA68-02176A	LABEL;LABEL	
2	L102	2701-000159	INDUCTOR-AXIAL;22uH,10%,4.2x9.8mm	
2	C654	2201-000611	C-CERAMIC,DISC;0.056NF,5%,50V,C0G,TP,7X3	
2	R305	2003-002205	R-METAL OXIDE(S);330ohm,5%,2W,AG,TP,3.9X	
2	R306	2003-002205	R-METAL OXIDE(S);330ohm,5%,2W,AG,TP,3.9X	
2	R414	2008-000253	R-FUSIBLE(S);0.47ohm,5%,1W,AF,TP,3.9x10m	
2	R420	2004-001406	R-METAL(S);8.2Kohm,1%,1/2W,AA,TP,2.4x6.4	
2	R428	2001-001184	R-CARBON(S);750KOHM,5%,1/2W,AA,TP,2.4X6.	
2	R429	2001-001103	R-CARBON(S);20KOHM,5%,1/2W,AA,TP,2.4X6.4	
2	R436	2003-002008	R-METAL OXIDE(S);18Kohm,5%,2W,AF,TP,3.9x	
2	R607	2001-000007	R-CARBON;3KOHM,5%,1/8W,AA,TP,1.8X3.2MM	
2	R608	2001-000007	R-CARBON;3KOHM,5%,1/8W,AA,TP,1.8X3.2MM	
2	CN903	3711-002642	CONNECTOR-HEADER;BOX,3P,1R,2.5mm,STRAIGH	
2	C409	2301-001268	C-FILM,PPF;33nF,5%,630V,TP,20x11x17,7.5	
2	CN502	3711-002646	CONNECTOR-HEADER;BOX,7P,1R,2.5mm,STRAIGH	
2	R821	2004-001891	R-METAL(S);133Kohm,1%,1/2W,AA,TP,2.5x6.5	
2	C410	2301-000213	C-FILM,PEF;220nF,5%,250V,TP,21.5x11,7.5	
2	R213	2001-000232	R-CARBON;1.3KOHM,5%,1/8W,AA,TP,1.8X3.2M	
2	R404	2008-000282	R-FUSIBLE;0.47ohm,5%,1W,AA,TP,3.9x12mm	
2	C425	2301-001259	C-FILM,MPPF;100nF,5%,400V,TP,19x8x16,7.5	
2	R212	2004-000218	R-METAL;10Kohm,1%,1/8W,AA,TP,1.8x3.2mm	
⚠ 2	FA803S	3601-001228	FUSE-AXIAL LEAD;125V,10A,FAST-ACTING,EPO	
2	DZ806	0403-001316	DIODE-ZENER;MTZJ3.0A,2.85-3.07V,500mW,DO	

Level	Loc. No.	Code No.	Description ; Specification	Remark
2	R401	2003-000586	R-METAL OXIDE(S);22Kohm,5%,2W,AF,TP,4x12	
2	R402	2003-000586	R-METAL OXIDE(S);22Kohm,5%,2W,AF,TP,4x12	
2	J914	2001-000674	R-CARBON;360OHM,5%,1/8W,AA,TP,1.8X3.2MM	
2	C925	2202-000127	C-CERAMIC,MLC-AXIAL;10nF,+80-20%,25V,Y5V	
2	C420	2305-001003	C-FILM,MPEF;10nF,5%,250V,TP,13x4.5x9mm,7	
2	C828	2201-000376	C-CERAMIC,DISC;0.22NF,5%,50V,SL,TP,6.3X3	
2	J919	2701-000183	INDUCTOR-AXIAL;39uH,5%,2.5x3.4mm	
2	C203	2401-000480	C-AL;10uF,20%,50V,GP,TP,5x11,5	
2	R944	2001-000613	R-CARBON;3.9KOHM,5%,1/8W,AA,TP,1.8X3.2M	
2	L910	2701-000215	INDUCTOR-AXIAL;8.2uH,10%,2.5x3.4mm	
2	C926	2202-000154	C-CERAMIC,MLC-AXIAL;150pF,10%,50V,Y5P,TP	
2	F801A	3602-000114	FUSE-HOLDER;-,-,30mohm	
2	F801B	3602-000114	FUSE-HOLDER;-,-,30mohm	
⚠ 2	FP801S	3601-000297	FUSE-CARTRIDGE;250V,5A,TIME-LAG,GLASS,5.	
⚠ 2	RX801S	2002-001010	R-COMPOSITION;1.8Mohm,5%,1/2W,AA,TP,3.7x	
2	R415	2004-004083	R-METAL(S);3.6Kohm,2%,1/2W,AA,TP,2.5x6.5	
⚠ 2	D408	0402-000493	DIODE-RECTIFIER;1R5GU41,400V,1.5A,DO-15L	
2	CN501	3711-002641	CONNECTOR-HEADER;BOX,10P,1R,2.54mm,STRAI	
2	CN801	3711-004721	CONNECTOR-HEADER;3WALL,2P,1R,12.5mm,STRA	
2	CN802	3711-004720	CONNECTOR-HEADER;3WALL,2P,1R,12.5mm,STRA	
2		AA39-20010B	LEAD CONNECTOR-ASSY;,1P,YFH800-01,S,500,	

ASSY PCB CRT

1		AA95-01532A	ASSY PCB CRT;,KS3A,28,32,W5-W6-W7,50HZ	
2	VA999	3704-000114	SOCKET-CRT;14P,29.1,35.5,SN,ISH09S/BK	
2	QF04	HA96-50149A	ASSY-H/S;-,AA62-30013A,2SC2344,-	
3		0502-000153	TR-POWER;2SC2344-D,NPN,1.2W,TO-220,-,60	
3	SCR09	6003-000334	SCREW-TAPTITE;RH,+,2S,M3,L6,ZPC(YEL),SWR	
3	H/S09	AA62-30013A	HEAT SINK-ES;-,A6063 EXTR,-,-,45(21) T02	
2	QF05	HA96-50149B	ASSY-H/S;-,TR,AA62-30013A,2SA1011,-	
3	QV10	0502-000131	TR-POWER;2SA1011-D,PNP,1.2W,TO-220,-,60	
3	SCR10	6003-000334	SCREW-TAPTITE;RH,+,2S,M3,L6,ZPC(YEL),SWR	
3	H/S10	AA62-30013A	HEAT SINK-ES;-,A6063 EXTR,-,-,45(21) T02	
2	IC501	HA96-50151A	ASSY-H/S;-,TR,AA61-10060A,TDA6101Q,-	
2	IC502	HA96-50151A	ASSY-H/S;-,TR,AA61-10060A,TDA6101Q,-	
2	IC503	HA96-50151A	ASSY-H/S;-,TR,AA61-10060A,TDA6101Q,-	
3		1201-000539	IC-VIDEO AMP;6101,ZIP,9P,-,SINGLE,-,PLAS	
3		6001-000057	SCREW-MACHINE;RH,+,M3,L6,ZPC(BLK),SWRCH1	
3		6021-000154	NUT-HEXAGON;2C,M3,ZPC(YEL),SM20C	
3	BRC501	AA61-10060A	BRACKET-TR;W3220,CUS-1 1/2H,T0.5,-,-,-,-	
2		HA68-02176A	LABEL;LABEL	
2	GT501	AA60-40014A	PIN-GT,ASSY;AUTO	
2	GT502	AA60-40014A	PIN-GT,ASSY;AUTO	
2	GT507	AA60-40014A	PIN-GT,ASSY;AUTO	
2	GT503	AA60-40014A	PIN-GT,ASSY;AUTO	
2	GT504	AA60-40014A	PIN-GT,ASSY;AUTO	
2	GT505	AA60-40014A	PIN-GT,ASSY;AUTO	
2	EL81	AA60-40011B	K EYELET;ID2.2,OD3.2,BSP	
2	EL82	AA60-40011B	K EYELET;ID2.2,OD3.2,BSP	
2	EL83	AA60-40011B	K EYELET;ID2.2,OD3.2,BSP	
2	EL84	AA60-40011B	K EYELET;ID2.2,OD3.2,BSP	
2	EL85	AA60-40011B	K EYELET;ID2.2,OD3.2,BSP	
2	EL86	AA60-40011B	K EYELET;ID2.2,OD3.2,BSP	
2	EL87	AA60-40011B	K EYELET;ID2.2,OD3.2,BSP	
2	EL88	AA60-40011B	K EYELET;ID2.2,OD3.2,BSP	
2	EL89	AA60-40011B	K EYELET;ID2.2,OD3.2,BSP	
2	EL90	AA60-40011B	K EYELET;ID2.2,OD3.2,BSP	
2	EL91	AA60-40011B	K EYELET;ID2.2,OD3.2,BSP	
2	EL92	AA60-40011B	K EYELET;ID2.2,OD3.2,BSP	
2	EL93	AA60-40011B	K EYELET;ID2.2,OD3.2,BSP	
2	J501	3812-000219	WIRE-NO SHEATH CU;TCWA,300V,52mm(TAPING)	
2	J502	3812-000219	WIRE-NO SHEATH CU;TCWA,300V,52mm(TAPING)	
2	J503	3812-000219	WIRE-NO SHEATH CU;TCWA,300V,52mm(TAPING)	
2	J506	3812-000219	WIRE-NO SHEATH CU;TCWA,300V,52mm(TAPING)	
2	J507	3812-000219	WIRE-NO SHEATH CU;TCWA,300V,52mm(TAPING)	
2	J508	3812-000219	WIRE-NO SHEATH CU;TCWA,300V,52mm(TAPING)	
2	J509	3812-000219	WIRE-NO SHEATH CU;TCWA,300V,52mm(TAPING)	
2	J510	3812-000219	WIRE-NO SHEATH CU;TCWA,300V,52mm(TAPING)	
2	JF02	3812-000219	WIRE-NO SHEATH CU;TCWA,300V,52mm(TAPING)	
2	JF03	3812-000219	WIRE-NO SHEATH CU;TCWA,300V,52mm(TAPING)	
2	JF04	3812-000219	WIRE-NO SHEATH CU;TCWA,300V,52mm(TAPING)	
2	J511	3812-000219	WIRE-NO SHEATH CU;TCWA,300V,52mm(TAPING)	
2	JF05	3812-000219	WIRE-NO SHEATH CU;TCWA,300V,52mm(TAPING)	
2	L502	3812-000219	WIRE-NO SHEATH CU;TCWA,300V,52mm(TAPING)	
2	JF01	3812-000219	WIRE-NO SHEATH CU;TCWA,300V,52mm(TAPING)	
2	J512	3812-000219	WIRE-NO SHEATH CU;TCWA,300V,52mm(TAPING)	
2	J513	3812-000219	WIRE-NO SHEATH CU;TCWA,300V,52mm(TAPING)	
2	J514	3812-000219	WIRE-NO SHEATH CU;TCWA,300V,52mm(TAPING)	
2	J516	3812-000219	WIRE-NO SHEATH CU;TCWA,300V,52mm(TAPING)	
2	J520	3812-000219	WIRE-NO SHEATH CU;TCWA,300V,52mm(TAPING)	
2	J521	3812-000219	WIRE-NO SHEATH CU;TCWA,300V,52mm(TAPING)	
2	J523	3812-000219	WIRE-NO SHEATH CU;TCWA,300V,52mm(TAPING)	
2	J524	3812-000219	WIRE-NO SHEATH CU;TCWA,300V,52mm(TAPING)	
2	J526	3812-000219	WIRE-NO SHEATH CU;TCWA,300V,52mm(TAPING)	
2	J527	3812-000219	WIRE-NO SHEATH CU;TCWA,300V,52mm(TAPING)	
2	J528	3812-000219	WIRE-NO SHEATH CU;TCWA,300V,52mm(TAPING)	
2	J529	3812-000219	WIRE-NO SHEATH CU;TCWA,300V,52mm(TAPING)	
2	J530	3812-000219	WIRE-NO SHEATH CU;TCWA,300V,52mm(TAPING)	
2	R546	3812-000219	WIRE-NO SHEATH CU;TCWA,300V,52mm(TAPING)	
2	JF06	3812-000219	WIRE-NO SHEATH CU;TCWA,300V,52mm(TAPING)	
2	JF07	3812-000219	WIRE-NO SHEATH CU;TCWA,300V,52mm(TAPING)	
2	R504	3812-000219	WIRE-NO SHEATH CU;TCWA,300V,52mm(TAPING)	
2	R509	3812-000219	WIRE-NO SHEATH CU;TCWA,300V,52mm(TAPING)	
2	J515	3812-000219	WIRE-NO SHEATH CU;TCWA,300V,52mm(TAPING)	
2	R539	3812-000219	WIRE-NO SHEATH CU;TCWA,300V,52mm(TAPING)	
2	DF01	0401-000005	DIODE-SWITCHING;1N4148,100V,200mA,DO-35,	
2	DF04	0401-000005	DIODE-SWITCHING;1N4148,100V,200mA,DO-35,	
2	D502	0402-000132	DIODE-RECTIFIER;1N4004,400V,1A,DO-41,TP	
2	D507	0402-001105	DIODE-RECTIFIER;ERB43-04SV1,400V,1.0A,-,	
2	D508	0402-001105	DIODE-RECTIFIER;ERB43-04SV1,400V,1.0A,-,	
2	D509	0402-001105	DIODE-RECTIFIER;ERB43-04SV1,400V,1.0A,-,	
2	D510	0402-001105	DIODE-RECTIFIER;ERB43-04SV1,400V,1.0A,-,	
2	D511	0402-001105	DIODE-RECTIFIER;ERB43-04SV1,400V,1.0A,-,	
2	D512	0402-001105	DIODE-RECTIFIER;ERB43-04SV1,400V,1.0A,-,	
2	DF02	0402-001105	DIODE-RECTIFIER;ERB43-04SV1,400V,1.0A,-,	
2	DF03	0402-001105	DIODE-RECTIFIER;ERB43-04SV1,400V,1.0A,-,	
2	DZ503	0403-001211	DIODE-ZENER;MTZJ12B,11.44-12.03V,500MW,D	
2	Q501	0501-000283	TR-SMALL SIGNAL;KSA539,PNP,400mW,TO-92,T	
2	QF03	0501-000369	TR-SMALL SIGNAL;KSC2331-Y,NPN,1000mW,TO-	
2	QF01	0501-000389	TR-SMALL SIGNAL;KSC815,NPN,400mW,TO-92,T	
2	QF02	0501-000389	TR-SMALL SIGNAL;KSC815,NPN,400mW,TO-92,T	
2	RF09	2001-000221	R-CARBON;1.2KOHM,5%,1/8W,AA,TP,1.8X3.2M	
2	RF12	2001-000221	R-CARBON;1.2KOHM,5%,1/8W,AA,TP,1.8X3.2M	
2	RF10	2001-000241	R-CARBON;1.5KOHM,5%,1/8W,AA,TP,1.8X3.2M	
2	RF11	2001-000241	R-CARBON;1.5KOHM,5%,1/8W,AA,TP,1.8X3.2M	
2	R521	2001-000290	R-CARBON;10KOHM,5%,1/8W,AA,TP,1.8X3.2MM	
2	R526	2001-000290	R-CARBON;10KOHM,5%,1/8W,AA,TP,1.8X3.2MM	
2	RF08	2001-000313	R-CARBON;11KOHM,5%,1/8W,AA,TP,1.8X3.2MM	
2	RF03	2001-000362	R-CARBON;150OHM,5%,1/8W,AA,TP,1.8X3.2MM	
2	R529	2001-000429	R-CARBON;1KOHM,5%,1/8W,AA,TP,1.8X3.2MM	
2	R530	2001-000429	R-CARBON;1KOHM,5%,1/8W,AA,TP,1.8X3.2MM	
2	R536	2001-000429	R-CARBON;1KOHM,5%,1/8W,AA,TP,1.8X3.2MM	
2	RF04	2001-000449	R-CARBON;2.2KOHM,5%,1/8W,AA,TP,1.8X3.2M	
2	RF05	2001-000522	R-CARBON;22KOHM,5%,1/8W,AA,TP,1.8X3.2MM	
2	RF02	2001-000734	R-CARBON;4.7KOHM,5%,1/8W,AA,TP,1.8X3.2M	
2	R520	2001-000924	R-CARBON;680OHM,5%,1/8W,AA,TP,1.8X3.2MM	
2	RF06	2001-000989	R-CARBON;820KOHM,5%,1/8W,AA,TP,1.8X3.2M	
2	R517	2001-001062	R-CARBON(S);10MOHM,5%,1/2W,AA,TP,2.4X6.4	
2	RF14	2001-001071	R-CARBON(S);12KOHM,5%,1/2W,AA,TP,2.4X6.4	
2	R502	2001-001049	R-CARBON(S);1.3KOHM,5%,1/2W,AA,TP,2.4X6.	
2	R507	2001-001049	R-CARBON(S);1.3KOHM,5%,1/2W,AA,TP,2.4X6.	
2	R512	2001-001049	R-CARBON(S);1.3KOHM,5%,1/2W,AA,TP,2.4X6.	
2	RF15	2001-001100	R-CARBON(S);2.7OHM,5%,1/2W,AA,TP,2.4X6.4	
2	RF17	2001-001100	R-CARBON(S);2.7OHM,5%,1/2W,AA,TP,2.4X6.4	
2	RF13	2001-001179	R-CARBON(S);68KOHM,5%,1/2W,AA,TP,2.4X6.4	
2	RF16	2001-001179	R-CARBON(S);68KOHM,5%,1/2W,AA,TP,2.4X6.4	
2	R503	2001-001194	R-CARBON(S);82KOHM,5%,1/2W,AA,TP,2.4X6.4	
2	R508	2001-001194	R-CARBON(S);82KOHM,5%,1/2W,AA,TP,2.4X6.4	
2	R513	2001-001194	R-CARBON(S);82KOHM,5%,1/2W,AA,TP,2.4X6.4	
2	R505	2002-001017	R-COMPOSITION;1Kohm,10%,1/2W,AA,TP,3.7x9	
2	R510	2002-001017	R-COMPOSITION;1Kohm,10%,1/2W,AA,TP,3.7x9	
2	R515	2002-001017	R-COMPOSITION;1Kohm,10%,1/2W,AA,TP,3.7x9	
2	RF18	2003-000458	R-METAL OXIDE(S);100ohm,5%,2W,AF,TP,4x12	
2	RF23	2003-000746	R-METAL OXIDE(S);56ohm,5%,2W,AF,TP,4x12m	
2	RF24	2003-000746	R-METAL OXIDE(S);56ohm,5%,2W,AF,TP,4x12m	
2	RF19	2003-001023	R-METAL OXIDE(S);120ohm,5%,2W,AF,TP,3.9x	
2	RF20	2003-001045	R-METAL OXIDE(S);680ohm,5%,2W,AF,TP,3.9x	
2	RF21	2003-001045	R-METAL OXIDE(S);680ohm,5%,2W,AF,TP,3.9x	
2	RF22	2003-001045	R-METAL OXIDE(S);680ohm,5%,2W,AF,TP,3.9x	

Level	Loc. No.	Code No.	Description ; Specification	Remark
2	RF25	2003-002009	R-METAL OXIDE(S);390ohm,5%,2W,AF,TP,3.9x	
2	RF07	2004-001989	R-METAL;620ohm,5%,1/8W,AA,TP,1.8x3.2mm	
2	CF01	2201-000180	C-CERAMIC,DISC;10NF,10%,50V,Y5V,TP,7X3MM	
2	CF03	2201-000376	C-CERAMIC,DISC;0.22NF,5%,50V,SL,TP,6.3X3	
2	CF06	2201-000516	C-CERAMIC,DISC;4.7nF,+100-0%,500V,Y5U,TP	
2	C503	2201-000599	C-CERAMIC,DISC;0.56nF,10%,500V,Y5P,TP,5.	
2	C506	2201-000599	C-CERAMIC,DISC;0.56nF,10%,500V,Y5P,TP,5.	
2	C509	2201-000599	C-CERAMIC,DISC;0.56nF,10%,500V,Y5P,TP,5.	
2	CF04	2201-000653	C-CERAMIC,DISC;0.068nF,5%,50V,SL,TP,5x3,	
2	CF08	2201-000653	C-CERAMIC,DISC;0.068nF,5%,50V,SL,TP,5x3,	
2	CF14	2401-000832	C-AL;220uF,20%,25V,GP,TP,8x11.5,5	
2	CF02	2301-000192	C-FILM,PEF;1nF,5%,50V,TP,5.3x10mm,5mm	
2	C516	2301-000192	C-FILM,PEF;1nF,5%,50V,TP,5.3x10mm,5mm	
2	C518	2301-000224	C-FILM,PEF;22nF,5%,50V,TP,7.4x3.9x13mm,5	
2	C519	2301-000224	C-FILM,PEF;22nF,5%,50V,TP,7.4x3.9x13mm,5	
2	C520	2301-000224	C-FILM,PEF;22nF,5%,50V,TP,7.4x3.9x13mm,5	
2	C521	2301-000224	C-FILM,PEF;22nF,5%,50V,TP,7.4x3.9x13mm,5	
2	C522	2301-000224	C-FILM,PEF;22nF,5%,50V,TP,7.4x3.9x13mm,5	
2	C523	2301-000224	C-FILM,PEF;22nF,5%,50V,TP,7.4x3.9x13mm,5	
2	CF05	2301-000261	C-FILM,PEF;4.7nF,5%,100V,TP,10.5x12.5x6.	
2	C502	2305-000704	C-FILM,MPEF;100nF,5%,250V,TP,16.5x10.3x5	
2	C505	2305-000704	C-FILM,MPEF;100nF,5%,250V,TP,16.5x10.3x5	
2	C508	2305-000704	C-FILM,MPEF;100nF,5%,250V,TP,16.5x10.3x5	
2	CF07	2305-000704	C-FILM,MPEF;100nF,5%,250V,TP,16.5x10.3x5	
2	C514	2401-000430	C-AL;10uF,20%,250V,GP,TP,10x16mm,5m	
2	C512	2401-000914	C-AL;22uF,20%,16V,GP,TP,5x11,5	
2	C515	2401-000914	C-AL;22uF,20%,16V,GP,TP,5x11,5	
2	C526	2401-000914	C-AL;22uF,20%,16V,GP,TP,5x11,5	
2	C511	2401-001232	C-AL;4.7uF,20%,250V,GP,TP,10x12.5,5	
2	CF10	2401-001840	C-AL;100uF,20%,16V,GP,TP,6.3x11,5	
2	CF12	2401-001840	C-AL;100uF,20%,16V,GP,TP,6.3x11,5	
2	L501	2701-000112	INDUCTOR-AXIAL;100uH,10%,3x7mm	
2	LF02	2701-000112	INDUCTOR-AXIAL;100uH,10%,3x7mm	
2	LF01	3301-000287	CORE-FERRITE BEAD;AA,3.5x1.0x6.0mm,1500,	
2	L505	3301-000287	CORE-FERRITE BEAD;AA,3.5x1.0x6.0mm,1500,	
2	L506	3301-000287	CORE-FERRITE BEAD;AA,3.5x1.0x6.0mm,1500,	
2	PCB	AA41-00210D	PCB-CRT;CS29A6,FR-1,1L,D,1.6T,330x245,KS	
2	DZF01	0403-001039	DIODE-ZENER;MA2560,56V,52-60V,1W,DO-41,T	
2	DZF02	0403-001039	DIODE-ZENER;MA2560,56V,52-60V,1W,DO-41,T	
2	R522	2001-000591	R-CARBON;3.3KOHM,5%,1/8W,AA,TP,1.8X3.2M	
2	R527	2001-000591	R-CARBON;3.3KOHM,5%,1/8W,AA,TP,1.8X3.2M	
2	R525	2003-001043	R-METAL OXIDE(S);510ohm,5%,1W,AF,TP,2.5x	
2	R518	2003-002171	R-METAL OXIDE(S);150ohm,5%,2W,AG,TP,3.9x	
2	L503	2901-000297	FILTER-EMI ON BOARD;-,3A,-,-,3.5x5,TP,-	
2	L504	2901-000297	FILTER-EMI ON BOARD;-,3A,-,-,3.5x5,TP,-	
2	LF04	2901-000297	FILTER-EMI ON BOARD;-,3A,-,-,3.5x5,TP,-	
2	LF05	2901-000297	FILTER-EMI ON BOARD;-,3A,-,-,3.5x5,TP,-	
2	R519	2002-001009	R-COMPOSITION;2.7Kohm,10%,1/2W,AA,TP,3.7	
2	L507	2701-000215	INDUCTOR-AXIAL;8.2uH,10%,2.5x3.4mm	
2	SG501	AA27-00084A	COIL;S-23,-,-,-,-,-,-,S-23,5000Mohm	
2	SG502	AA27-00084A	COIL;S-23,-,-,-,-,-,-,S-23,5000Mohm	
2	SG503	AA27-00084A	COIL;S-23,-,-,-,-,-,-,S-23,5000Mohm	
2	SG504	AA27-00084A	COIL;S-23,-,-,-,-,-,-,S-23,5000Mohm	
2	SG505	AA27-00084A	COIL;S-23,-,-,-,-,-,-,S-23,5000Mohm	
2	R501	2001-000995	R-CARBON;820OHM,5%,1/8W,AA,TP,1.8X3.2MM	
2	R506	2001-000995	R-CARBON;820OHM,5%,1/8W,AA,TP,1.8X3.2MM	
2	R511	2001-000995	R-CARBON;820OHM,5%,1/8W,AA,TP,1.8X3.2MM	
2		HA98-00003A	ASSY SUB PART;ASSY-SUB,PART;S53A,PCB,CRT	
3		0202-000008	SOLDER-WIRE;S63S-W3.0,S63S,D3,63Sn/37Pb,	
3		0202-000187	SOLDER-WIRE FLUX;-,RS60S,D1.2,63Sn/37Pb	
3		0204-001095	THINNER;#4520,-,-,-	
3		0202-001046	FLUX;CF-110VH-2A,-,-,-,-	
2	GT507	AA39-20010D	LEAD CONNECTOR-ASSY;,1P,YFH800-01,S,400,	
2	CN501A	AA39-00225A	LEAD CONNECTOR-ASSY;,10P,67096-010,S,600	
2	CN501A	3711-002641	CONNECTOR-HEADER;BOX,10P,1R,2.54mm,STRAI	
2	CN502A	AA39-20029K	LEAD CONNECTOR-ASSY;,7P,67096-007,S,400,	
2	CNF01	AA39-20033C	LEAD CONNECTOR-ASSY;,3(2)P,67096-003,S,2	
2	CF11	2401-000927	C-AL;22uF,20%,250V,GP,TP,13x20,5	
2	C513	2201-000723	C-CERAMIC,DISC;4.7nF,20%,3KV,Y5U,TP,16x5	
2	R523	2008-000265	R-FUSIBLE(S);1ohm,5%,2W,AA,TP,3.9x10mm	
2	C510	2401-001525	C-AL;47uF,20%,250V,GP,BK,16x25mm,7.	
2	JA501	3722-001503	JACK-PIN;1P,1PI,NI,RED,SCR-JACK	
2	CNF01	3711-002642	CONNECTOR-HEADER;BOX,3P,1R,2.5mm,STRAIGH	
2	CN502A	3711-002646	CONNECTOR-HEADER;BOX,7P,1R,2.5mm,STRAIGH	

ASSY PCB CONTROL

Level	Loc. No.	Code No.	Description ; Specification	Remark
1		AA95-01529A	ASSY PCB CONTROL;,KS3A,XXW7-C9,50HZ	
2	LDY01	0601-000198	LED;ROUND,RED/GRN,5.0mm,630/565nm	
2	JH701	3722-001061	JACK-PHONE;1P,3.6PI,AG,BLK,N	
2	CNY02	AA39-20005A	LEAD CONNECTOR-ASSY;,3P,YBNH025-03,67096	
2	CNY01	AA39-20069C	LEAD CONNECTOR-ASSY;,5P,YBNH025-05,67096	
2	CN703	AA39-20069C	LEAD CONNECTOR-ASSY;,5P,YBNH025-05,67096	
2	CN701	AA39-20068E	LEAD CONNECTOR-ASSY;,8P,YBNH025-08,67096	
2	CN704	AA39-20499B	LEAD CONNECTOR-ASSY;,4P,YBNH025-04,SMP02	
2	RMY01	AA59-60003J	MODULE REMOCON;-,ORC-06H2,38KHz,940nm,ME	
⚠ 2	SW811S	3403-001107	SWITCH-PUSH;250V,5A,DPST,-,KDC-A04	
2	GUIDE	AA61-50032A	GUIDE-LED;6201,ABS,-,-,-,BLK,HB	
2		6001-000057	SCREW-MACHINE;RH,+,M3,L6,ZPC(BLK),SWRCH1	
2	CY01	2401-002144	C-AL;47uF,20%,16V,GP,TP,5x11,5	
2	C701	2202-000121	C-CERAMIC,MLC-AXIAL;100pF,10%,50V,Y5P,TP	
2	C702	2202-000121	C-CERAMIC,MLC-AXIAL;100pF,10%,50V,Y5P,TP	
2	C705	2401-002009	C-AL;100uF,20%,16V,GP,TP,6.3x7,5	
2	C706	2401-002009	C-AL;100uF,20%,16V,GP,TP,6.3x7,5	
2	DZY01	0403-000508	DIODE-ZENER;MTZJ5.6B,5.6V,5.45-5.73V,500	
2	DZY02	0403-000508	DIODE-ZENER;MTZJ5.6B,5.6V,5.45-5.73V,500	
2	DZY03	0403-000508	DIODE-ZENER;MTZJ5.6B,5.6V,5.45-5.73V,500	
2	L701	2701-000114	INDUCTOR-AXIAL;10uH,10%,2.5x3.4mm	
2	L702	2701-000114	INDUCTOR-AXIAL;10uH,10%,2.5x3.4mm	
2	L703	2701-000114	INDUCTOR-AXIAL;10uH,10%,2.5x3.4mm	
2	L704	2701-000114	INDUCTOR-AXIAL;10uH,10%,2.5x3.4mm	
2	L709	2701-000114	INDUCTOR-AXIAL;10uH,10%,2.5x3.4mm	
2	LY01	2701-000114	INDUCTOR-AXIAL;10uH,10%,2.5x3.4mm	
2	RY02	2001-000577	R-CARBON;2KOHM,5%,1/8W,AA,TP,1.8X3.2MM	
2	RY03	2001-000007	R-CARBON;3KOHM,5%,1/8W,AA,TP,1.8X3.2MM	
2	RY04	2001-000878	R-CARBON;6.2KOHM,5%,1/8W,AA,TP,1.8X3.2M	
2	RY01	2001-000020	R-CARBON(S);22OHM,5%,1/2W,AA,TP,2.4X6.4M	
2	EL01	AA60-40011A	K EYELET;ID2.0,OD2.8,BST	
2	EL02	AA60-40011A	K EYELET;ID2.0,OD2.8,BST	
2	EL03	AA60-40011A	K EYELET;ID2.0,OD2.8,BST	
2	EL04	AA60-40011A	K EYELET;ID2.0,OD2.8,BST	
2	GTY05	AA60-40014A	PIN-GT,ASSY;AUTO	
2	GTY06	AA60-40014A	PIN-GT,ASSY;AUTO	
2	GTY07	AA60-40014A	PIN-GT,ASSY;AUTO	
2	GTY08	AA60-40014A	PIN-GT,ASSY;AUTO	
2	GTY09	AA60-40014A	PIN-GT,ASSY;AUTO	
2	GTY10	AA60-40014A	PIN-GT,ASSY;AUTO	
2	PCB	AA41-00395B	PCB-CONTROL+POWER S/W;CW28C9,CEM-1,1L,B,	
2	R701	2001-000281	R-CARBON;100OHM,5%,1/8W,AA,TP,1.8X3.2MM	
2	R702	2001-000281	R-CARBON;100OHM,5%,1/8W,AA,TP,1.8X3.2MM	
2	RY05	2001-000009	R-CARBON;20KOHM,5%,1/8W,AA,TP,1.8X3.2MM	
2	J701	3812-000219	WIRE-NO SHEATH CU;TCWA,300V,52mm(TAPING)	
2	L707	3301-000287	CORE-FERRITE BEAD;AA,3.5x1.0x6.0mm,1500,	
2	L708	3301-000287	CORE-FERRITE BEAD;AA,3.5x1.0x6.0mm,1500,	
2	C703	2202-000231	C-CERAMIC,MLC-AXIAL;330pF,10%,50V,Y5P,TP	
2	C704	2202-000231	C-CERAMIC,MLC-AXIAL;330pF,10%,50V,Y5P,TP	
2	SWY02	3404-000282	SWITCH-TACT;12Vdc,50mA,120gf,6x6x5mm,SPS	
2	SWY03	3404-000282	SWITCH-TACT;12Vdc,50mA,120gf,6x6x5mm,SPS	
2	SWY04	3404-000282	SWITCH-TACT;12Vdc,50mA,120gf,6x6x5mm,SPS	
2	SWY05	3404-000282	SWITCH-TACT;12Vdc,50mA,120gf,6x6x5mm,SPS	
2	SWY06	3404-000282	SWITCH-TACT;12Vdc,50mA,120gf,6x6x5mm,SPS	
2		AA63-10002A	BAND-TIE;NYLON66 V2,L100,NTR	
2	GT801-	AA39-20041B	LEAD CONNECTOR-ASSY;,2P,YFH800-02,S,300,	
2	JA701C	3722-001369	JACK-PIN;1P,3.4MM,AU,RED,-	
2	JA701B	3722-001368	JACK-PIN;1P,3.4MM,AU,WHT,-	
2	JA701A	3722-001367	JACK-PIN;1P,3.4MM,AU,YEL,-	

ASSY CRT

Level	Loc. No.	Code No.	Description ; Specification	Remark
1		HA94-01694A	ASSY CRT;W76EGX023X215,+380MG,32,ITC,-	
⚠ 2		AA03-00107A	CRT COLOR;W76EGV023X215,+380mG,1.15mH,12	
2		AA39-20518A	LEAD CONNECTOR-ASSY;,6(4)P,YFH806-06,350	
2		AA27-00043A	COIL DEGAUSSING;-,32,-,70T,3700,E	
2		AA63-10002A	BAND-TIE;NYLON66 V2,L100,NTR	
2		AA98-00026A	ASSY TBC WIRE(P);DP,32INCH,AA98-70012C,2	

Level	Loc. No.	Code No.	Description ; Specification	Remark

ASSYPCB-PFC

1		HA94-05785D	ASSYPCB-PFC;W7,32W7,EXC,100HZ,5785B	
2	EYH38	AA60-40011A	K EYELET;ID2.0,OD2.8,BST	
2	EYH39	AA60-40011A	K EYELET;ID2.0,OD2.8,BST	
2	EYH40	AA60-40011A	K EYELET;ID2.0,OD2.8,BST	
2	EYH41	AA60-40011A	K EYELET;ID2.0,OD2.8,BST	
2	EYH42	AA60-40011A	K EYELET;ID2.0,OD2.8,BST	
2	EYH43	AA60-40011A	K EYELET;ID2.0,OD2.8,BST	
2	EYH44	AA60-40011A	K EYELET;ID2.0,OD2.8,BST	
2	EYH45	AA60-40011A	K EYELET;ID2.0,OD2.8,BST	
2	EYH46	AA60-40011A	K EYELET;ID2.0,OD2.8,BST	
2	EYH47	AA60-40011A	K EYELET;ID2.0,OD2.8,BST	
2	EYH56	AA60-40011A	K EYELET;ID2.0,OD2.8,BST	
2	EYH57	AA60-40011A	K EYELET;ID2.0,OD2.8,BST	
2	EYH36	AA60-40011A	K EYELET;ID2.0,OD2.8,BST	
2	EYH37	AA60-40011A	K EYELET;ID2.0,OD2.8,BST	
2	EYH28	AA60-40011A	K EYELET;ID2.0,OD2.8,BST	
2	EYH29	AA60-40011A	K EYELET;ID2.0,OD2.8,BST	
2	EYH30	AA60-40011A	K EYELET;ID2.0,OD2.8,BST	
2	EYH31	AA60-40011A	K EYELET;ID2.0,OD2.8,BST	
2	JH805	3812-000219	WIRE-NO SHEATH CU;TCWA,300V,52mm(TAPING)	
2	JH806	3812-000219	WIRE-NO SHEATH CU;TCWA,300V,52mm(TAPING)	
2	PCB	AA41-00421A	PCB-PFC;CS29A5,CEM-1,1L,A,1.6T,245X245,K	
⚠ 2	LP801S	AA27-00116A	COIL CHOKE;CODE_NO,-,35mH,-0, +5%,-,2.8O	
2		HA98-600020	ASSY-SUB,PART;KS4A,PFC PCB	
3		0202-000008	SOLDER-WIRE;S63S-W3.0,S63S,D3,63Sn/37Pb,	
3		0202-000187	SOLDER-WIRE FLUX;-,RS60S,D1.2,63Sn/37Pb	
3		0202-001046	FLUX;CF-110VH-2A,-,-,-,-	
3		0204-001095	THINNER;#4520,-,-,-	
2	CN804	3711-004721	CONNECTOR-HEADER;3WALL,2P,1R,12.5mm,STRA	
2	CN804	AA39-00236A	LEAD CONNECTOR-ASSY,;3(2)P,YHL500-03A BL	
2	TOP	3711-004720	CONNECTOR-HEADER;3WALL,2P,1R,12.5mm,STRA	
2	TOP	AA39-00235A	LEAD CONNECTOR-ASSY,;3(2)P,YHL500-03A BL	
2		HA61-00552B	HOLDER-PCB;29K3,HIPS,-,-,-,BLK,V0	
2		6003-001023	SCREW-TAPTITE;RWH,+,B,M3,L10,ZPC(YEL),SW	
⚠ 2	LX804S	AA29-00015A	FILTER LINE NOISE;WS32W8,28-20MH 1.5A,+-	
⚠ 2	CX804S	2306-000318	C-FILM,MPPF;220nF,20%,250V,TP,-,22.5mm	

ASSY-CABINET(COM)

1		AA90-01099E	ASSY-CABINET(COM);VL-1823,32W7,KS3A	
2		HA64-02453B	CABINET BACK;32W7,VL-1823,GRY	
3		AA81-00096A	RESIN-A;VL-1823,G5433,A	
2		AA65-30113A	CLAMPER CORE-D,COIL;-,NYLON 66,V2,-,BLK,	
2		AA65-30008A	CLAMPER CORE-CORD;-,PE,HB,-,BLK,-	
2	CRT+CF	AA60-10050V	SCREW-ASSY;-,SWRCH18A,M6,L30,HH,+,WC,-,Z	
2	CB+CF	6003-001025	SCREW-TAPTITE;RH,+,B,M4,L20,ZPC(BLK),SWR	
2		AA65-30009A	CLAMPER CORE-FBT;-,ABS,V0,-,BLK,-	
2		AA63-10002A	BAND-TIE;NYLON66 V2,L100,NTR	
2	SPK+CF	AA60-10050A	SCREW-ASSY;-,SWRCH18A,M4,L25,RH,+,WP,-,Z	
2		AA64-00894L	INLAY-BACK;21K2,PS SHEET,T0.3,BLK,KS1B 2	
2	CB+SCR	6002-000515	SCREW-TAPPING;RH,+,2,M4,L15,ZPC(WHT),SWR	
2		HA68-02179A	LABEL-RATING;58MM,53MM,WHITE	
2		AA65-30018A	CLAMPER CORE-WIRE;DONG-A,NYLON-66,-,-,-,	
2	qms	HA83-00052A	LP-TAPE-INK;,WIDTH 55 MM	
2	rating	HA83-00052A	LP-TAPE-INK;,WIDTH 55 MM	
2		AA65-30007A	CLAMPER CORE-D,COIL;-,NYLON-66,V0,-,NTR,	
2		HA68-02177B	LABEL-PQS;ALL,30MM,65MM,WHITE,AA68-02177	

ASSY CABINET FRONT

1		HA91-00884N	ASSY CABINET FRONT;,32W7,COR-PROT,SV-012	
2		AA61-60003J	SPRING ETC-CS;-,SUS304,-,-,OD6,N7,OD6,-,	
2		AA64-02463A	WINDOW REMOCON-LED;28C9,V0,VIOLET	
3		HA83-00010A	LP-RESIN;,OROGLAS,VM-100 ZHN 2	
2		AA64-70117B	BADGE-BRAND;-,AL,-,-,L65,R2000,SILVER,SS	
2		AA61-30001A	LATCH-DOOR;-,-,-,-,-,-,KIFUCO LA701	
2		AA65-30105A	CLAMPER CORE-WIRE;ALL MODEL,NYLON 66,V2,	
2		AA64-01564C	INLAY-CONTROL;28C9,PS SHEET,T0.3,-,-,-,K	
2	KC+CF	6002-000515	SCREW-TAPPING;RH,+,2,M4,L15,ZPC(WHT),SWR	
2	IND+CF	6002-000515	SCREW-TAPPING;RH,+,2,M4,L15,ZPC(WHT),SWR	
2		AA64-02480A	KNOB CONTROL;32W7,HIPS,HB,BLK	
3		HA83-00006A	LP-RESIN HIPS;,BASF495F,NTR,HB	
3		HA83-00007A	LP-RESIN;,M BATCH,WILSON 902-BK-60,BLK	
2		AA64-02508A	KNOB POWER;32W7,HIPS,HB,SV-012P-II,GRY	
3		HA83-00040A	LP-MARKING PAINT;,METALLIC SILVER,SV-012	
3		HA83-00006A	LP-RESIN HIPS;,BASF495F,NTR,HB	
3		HA83-00012A	LP-RESIN;,M BATCH,WILSON 6053-GY-60,GRY	
2		AA64-02445D	CABINET-FRONT;32W7,VL-1823,SV-012P-II,CO	
3		HA83-00040A	LP-MARKING PAINT;,METALLIC SILVER,SV-012	
3		AA81-00106A	A/S-MARKING PAINT;,P432U,DARK GREY,TPC	
3		AA81-00096A	RESIN-A;VL-1823,G5433,A	
2		AA64-02592B	DOOR CONTROL;32W7D,HIPS,SV-012P-II,SILVE	
3		HA83-00040A	LP-MARKING PAINT;,METALLIC SILVER,SV-012	
3		HA83-00006A	LP-RESIN HIPS;,BASF495F,NTR,HB	
3		HA83-00011A	LP-RESIN;,M BATCH,WILSON 6007-GY-60,GRY	
2		HA83-00049A	LP-ADHESIVE-HM;12MM,NTR	
2		AA61-40113A	STOPPER-PCB;501H,HIPS,-,-,HB,NTR,-	
2		0203-001290	TAPE-OPP MASKING;ANT 100C,T0.073,W30,L50	

ASSY POWER CORD

⚠ 1		AA96-01126B	ASSY POWER CORD;DP,AA39-10001G,CP2,H/C40	
2		AA39-10001G	CBF POWER CORD;-,KKP-419C,KLCE-2F,2.286m	
2		AA61-20284A	HOLDER;P-CORD,PP,-,-,-,BLK,VO,KE-002	

ASSY HOLDER SPK

1		AA91-00150B	ASSY HOLDER SPK;DP,-,8OHM/15W,-,AA91-001	

ASSY ACCESSORY

1		AA94-05820A	ASSY ACCESSORY;50HZ,KS3A,XEC	
2		4301-000120	BATTERY-MN;1.5V,-,AA,14.5x50mm,-	
2		HA83-00047A	LP-TAPEACETATE;T0.1MM,W20MM,L200MM	
2		HA69-00276A	BAG VINYL;HDPE,T0.025,L400,W240,-,W/O LO	
2		HA68-00335A	LABEL CAUTION;A/P100(G),S51A,HUN,POL,-,-	
2		HA68-00336B	CARD-WARRANTY;A/P100(G),A5,NEW VERSION,I	

REMOCON

1		AA59-00104K	REMOCON;-,TM59,DREAM,29,L/GRAY,PAL-TT	

7-6 WS32W76VS8XXEC

ASSY PCB MAIN(OPT)

Level	Loc. No.	Code No.	Description ; Specification	Remark
1		AA94-05592B	ASSY PCB MAIN(OPT);WS32W7DH,KS3A/H,TH,IN	
2	C815	2401-003602	C-AL;220uF,20%,160V,GP,BK,22x25mm,1	
2	CN501	3711-002641	CONNECTOR-HEADER;BOX,10P,1R,2.54mm,STRAI	
⚠ 2	CX801S	2306-000321	C-FILM,MPPF;470NF,5%,275V,TP,-,22.5	
2	IC301	HA96-50406B	ASSY-H/S;ASSY-H/S;-,AA62-30180B,LA7845	
3		1204-000517	IC-VERTICAL DEF.;LA7845,SIP,7P,-,PLASTIC	
3		AA62-30180B	HEAT SINK-ES;-,A6063 EXTR.,2,WHT,70MM,-,	
3		6003-000333	SCREW-TAPTITE;RH,+,2S,M3,L10,ZPC(YEL),SW	
3		0205-000129	GREASE-SILICON;SC102,JAPAN	
⚠ 2	IC401	1202-000103	IC-VOLTAGE COMP.;393,DIP,8P,300MIL,DUAL,	
⚠ 2	IC801S	HA96-50371C	ASSY H/S;-,-,AA62-30181H,KA3A1265R,-	
3		AA13-00101A	IC HYBRID;KA3S1265RD,CN5039,5PIN,-50TO12	
3		AA61-10386A	BRACKET-IC;-,SECC 100,T1.0,-,-,-,KA2S068	
3		AA62-30197D	HEAT SINK-ES;DP,-,-,-,AA62-30181H,-,-,-	
3		6003-000333	SCREW-TAPTITE;RH,+,2S,M3,L10,ZPC(YEL),SW	
3		HA68-02189A	LABEL-WARNING;,33MM,18MM,WHITE	
3		0205-000129	GREASE-SILICON;SC102,JAPAN	
2	JA701	3722-000195	JACK-SCART;42P,-,SN,BLK,NO	
⚠ 2	NT802S	1404-001045	THERMISTOR-NTC;4.7ohm,15%,2900K,35.0mW,T	
⚠ 2	PC801S	0604-001038	PHOTO-COUPLER;TR,130-260%,200mW,DIP-4,ST	
⚠ 2	PT801S	1404-000002	THERMISTOR-PTC;9ohm,20%,-,-,TR,RECT,-	
⚠ 2	RL801S	3501-001040	RELAY-POWER;12VDC,500mW,10A,1FormA,15mS,	
2	HC801	HA96-00274B	ASSY-H/S;-,COMPLEX,AA62-00066B,FMLG12S	
3		6003-000334	SCREW-TAPTITE;RH,+,2S,M3,L6,ZPC(YEL),SWR	
3		AA62-00066B	HEAT SINK;D2,D3,AL ,T1.0,89,70,-,AA62-00	
⚠ 3	D802	0402-001230	DIODE-RECTIFIER;FMG-G2CS,1000V,3A,TO-220	
⚠ 3	D805	0402-000233	DIODE-RECTIFIER;FML-G12S,200V,5A,-,-	
⚠ 3	D806	0402-000233	DIODE-RECTIFIER;FML-G12S,200V,5A,-,-	
⚠ 3	D807	0402-000233	DIODE-RECTIFIER;FML-G12S,200V,5A,-,-	
⚠ 3	IC805	1203-001006	IC-VOLTAGE REGULATOR;78R05,TO-220F,4P,-,	
3		0205-000129	GREASE-SILICON;SC102,JAPAN	
2	HC401	HA96-00275D	ASSY-H/S;-,COMPLEX,AA62-00051B,2SC5446	
3		AA62-00067B	HEAT SINK-PS;-,DP,-,-,-,-,AA62-00051B,-	
⚠ 3	D414	0402-001296	DIODE-RECTIFIER;FMP-3FU,1.5KV,5A,TO-3PF,	
3	Q401	0502-001175	TR-POWER;2SC5446,NPN,200000mW,TO-3PL,BK	
3		6003-000333	SCREW-TAPTITE;RH,+,2S,M3,L10,ZPC(YEL),SW	
3		AA60-30001A	WASHER-PLATE;M3,ID3.5,15X8.5,T1.0,SBHG	
3		AA62-00092A	HEAT SINK;STB,A6063 EXTR.,T1.3,28*28,H12	
3	Q401	AA02-00007A	SUB ETC-MICA;,MICA,22X30X0.1MM	
3		6003-000334	SCREW-TAPTITE;RH,+,2S,M3,L6,ZPC(YEL),SWR	
3		0205-000129	GREASE-SILICON;SC102,JAPAN	
⚠ 2	D801S	0402-001399	DIODE-BRIDGE;GSIB660,600V,6A,SIP-4,BK	
2	IC602	HA96-50369B	ASSY-H/S;-,-,AA62-30181F,TDA7297,-	
3		1201-001064	IC-POWER AMP;7297,ZIP,15P,-,DUAL,32dB,PL	
3		AA62-30181F	HEAT SINK-ES;-,AL6063 EXTR.,2,WHT,50MM,-	
3		6003-000333	SCREW-TAPTITE;RH,+,2S,M3,L10,ZPC(YEL),SW	
3		0205-000129	GREASE-SILICON;SC102,JAPAN	
2	IC902	1103-001171	IC-EEPROM;L51DC,16KBit,DIP,8P,300MIL,10m	
2	C105	2301-000383	C-FILM,PEF;10nF,5%,50V,TP,6x7x3.2mm,5mm	
2	C103	2301-000383	C-FILM,PEF;10nF,5%,50V,TP,6x7x3.2mm,5mm	
2	C101	2301-000383	C-FILM,PEF;10nF,5%,50V,TP,6x7x3.2mm,5mm	
2	C416	2301-000383	C-FILM,PEF;10nF,5%,50V,TP,6x7x3.2mm,5mm	
2	C909	2301-000383	C-FILM,PEF;10nF,5%,50V,TP,6x7x3.2mm,5mm	
2	C228	2301-000356	C-FILM,PEF;47nF,5%,50V,TP,7.5x4.0x6.5,5m	
2	C230	2301-000356	C-FILM,PEF;47nF,5%,50V,TP,7.5x4.0x6.5,5m	
2	C809	2301-000356	C-FILM,PEF;47nF,5%,50V,TP,7.5x4.0x6.5,5m	
2	C810	2301-000356	C-FILM,PEF;47nF,5%,50V,TP,7.5x4.0x6.5,5m	
2	C811	2301-000356	C-FILM,PEF;47nF,5%,50V,TP,7.5x4.0x6.5,5m	
2	C202	2401-002235	C-AL;10uF,20%,16V,GP,TP,5x11mm,5mm	
2	C205	2401-002235	C-AL;10uF,20%,16V,GP,TP,5x11mm,5mm	
2	C920	2401-002235	C-AL;10uF,20%,16V,GP,TP,5x11mm,5mm	
2	C231	2401-002235	C-AL;10uF,20%,16V,GP,TP,5x11mm,5mm	
2	C215	2401-002235	C-AL;10uF,20%,16V,GP,TP,5x11mm,5mm	
2	C630	2401-002235	C-AL;10uF,20%,16V,GP,TP,5x11mm,5mm	
2	C631	2401-002235	C-AL;10uF,20%,16V,GP,TP,5x11mm,5mm	
2	C645	2401-002235	C-AL;10uF,20%,16V,GP,TP,5x11mm,5mm	
2	C652	2401-002235	C-AL;10uF,20%,16V,GP,TP,5x11mm,5mm	
2	C603	2401-002235	C-AL;10uF,20%,16V,GP,TP,5x11mm,5mm	
2	C207	2401-002235	C-AL;10uF,20%,16V,GP,TP,5x11mm,5mm	
2	C708	2401-002235	C-AL;10uF,20%,16V,GP,TP,5x11mm,5mm	
2	C239	2401-002235	C-AL;10uF,20%,16V,GP,TP,5x11mm,5mm	
2	C214	2305-000665	C-FILM,MPEF;100nF,5%,63V,TP,7.5x4.0x5.0m	
2	C605	2305-000665	C-FILM,MPEF;100nF,5%,63V,TP,7.5x4.0x5.0m	
2	C620	2305-000665	C-FILM,MPEF;100nF,5%,63V,TP,7.5x4.0x5.0m	
2	C635	2305-000665	C-FILM,MPEF;100nF,5%,63V,TP,7.5x4.0x5.0m	
2	C646	2305-000665	C-FILM,MPEF;100nF,5%,63V,TP,7.5x4.0x5.0m	
2	C829	2305-000665	C-FILM,MPEF;100nF,5%,63V,TP,7.5x4.0x5.0m	
2	C837	2305-000665	C-FILM,MPEF;100nF,5%,63V,TP,7.5x4.0x5.0m	
2	C839	2305-000665	C-FILM,MPEF;100nF,5%,63V,TP,7.5x4.0x5.0m	
2	C916	2305-000665	C-FILM,MPEF;100nF,5%,63V,TP,7.5x4.0x5.0m	
2	C914	2305-000665	C-FILM,MPEF;100nF,5%,63V,TP,7.5x4.0x5.0m	
2	C831	2305-000665	C-FILM,MPEF;100nF,5%,63V,TP,7.5x4.0x5.0m	
2	C825	2305-000665	C-FILM,MPEF;100nF,5%,63V,TP,7.5x4.0x5.0m	
2	C240	2305-000665	C-FILM,MPEF;100nF,5%,63V,TP,7.5x4.0x5.0m	
2	C208	2401-001026	C-AL;3.3UF,20%,50V,GP,TP,5X11,5	
2	C636	2401-001026	C-AL;3.3UF,20%,50V,GP,TP,5X11,5	
2	C905	2202-000796	C-CERAMIC,MLC-AXIAL;1NF,10%,50V,Y5P,TP,3	
2	C607	2202-000796	C-CERAMIC,MLC-AXIAL;1NF,10%,50V,Y5P,TP,3	
2	C608	2202-000796	C-CERAMIC,MLC-AXIAL;1NF,10%,50V,Y5P,TP,3	
2	C211	2202-000796	C-CERAMIC,MLC-AXIAL;1NF,10%,50V,Y5P,TP,3	
2	C212	2301-000224	C-FILM,PEF;22nF,5%,50V,TP,7.4x3.9x13mm,5	
2	C213	2301-000247	C-FILM,PEF;33nF,5%,50V,TP,8.1x4.5x13mm,5	
2	C218	2202-000632	C-CERAMIC,MLC-AXIAL;100nF,20%,50V,Z5U,TP	
2	C219	2202-000632	C-CERAMIC,MLC-AXIAL;100nF,20%,50V,Z5U,TP	
2	C220	2202-000632	C-CERAMIC,MLC-AXIAL;100nF,20%,50V,Z5U,TP	
2	C901	2202-000632	C-CERAMIC,MLC-AXIAL;100nF,20%,50V,Z5U,TP	
2	C921	2202-000632	C-CERAMIC,MLC-AXIAL;100nF,20%,50V,Z5U,TP	
2	C922	2202-000632	C-CERAMIC,MLC-AXIAL;100nF,20%,50V,Z5U,TP	
2	C919	2202-000632	C-CERAMIC,MLC-AXIAL;100nF,20%,50V,Z5U,TP	
2	C924	2202-000632	C-CERAMIC,MLC-AXIAL;100nF,20%,50V,Z5U,TP	
2	C907	2305-000412	C-FILM,MPEF;470nF,5%,63V,TP,-,5mm	
2	C308	2305-000412	C-FILM,MPEF;470nF,5%,63V,TP,-,5mm	
2	C237	2401-000914	C-AL;22uF,20%,16V,GP,TP,5x11,5	
2	C604	2401-000603	C-AL;1uF,20%,50V,GP,TP,5x11,5	
2	C201	2401-000603	C-AL;1uF,20%,50V,GP,TP,5x11,5	
2	C841	2401-000603	C-AL;1uF,20%,50V,GP,TP,5x11,5	
2	C304	2305-000285	C-FILM,MPEF;220NF,5%,100V,TP,10.5X5.5X15	
2	C305	2305-000149	C-FILM,MPEF;100nF,5%,100V,TP,12x12.5x6.5	
2	C821	2301-000192	C-FILM,PEF;1nF,5%,50V,TP,5.3x10mm,5mm	
2	C902	2301-000192	C-FILM,PEF;1nF,5%,50V,TP,5.3x10mm,5mm	
2	C307	2401-000360	C-AL;100uF,20%,50V,GP,TP,8x11.5,5	
2	C302	2401-000360	C-AL;100uF,20%,50V,GP,TP,8x11.5,5	
2	C401	2201-000556	C-CERAMIC,DISC;0.47nF,10%,500V,Y5P,TP,5.	
2	C403	2201-000556	C-CERAMIC,DISC;0.47nF,10%,500V,Y5P,TP,5.	
2	C421	2201-000556	C-CERAMIC,DISC;0.47nF,10%,500V,Y5P,TP,5.	
2	C402	2401-001397	C-AL;470uF,20%,25V,GP,TP,10x16,5	
2	C404	2401-001397	C-AL;470uF,20%,25V,GP,TP,10x16,5	
2	C408	2305-000382	C-FILM,MPEF;4.7nF,5%,400V,TP,-,5mm	
2	C414	2401-002597	C-AL;220uF,20%,35V,GP,TP,10x12.5,5	
2	C418	2401-002597	C-AL;220uF,20%,35V,GP,TP,10x12.5,5	
2	C422	2401-001527	C-AL;47uF,20%,250V,HR,TP,13x25mm,5m	
2	C424	2201-000132	C-CERAMIC,DISC;0.1NF,10%,500V,Y5P,TP,6.5	
2	C601	2201-000558	C-CERAMIC,DISC;0.47nF,10%,50V,Y5P,TP,5x3	
2	C610	2301-000445	C-FILM,PEF;4.7nF,5%,50V,TP,5.5x7x3mm,5mm	
2	C611	2301-000445	C-FILM,PEF;4.7nF,5%,50V,TP,5.5x7x3mm,5mm	
2	C612	2401-001914	C-AL;1uF,20%,50V,BP,TP,5x11,5	
2	C613	2401-001914	C-AL;1uF,20%,50V,BP,TP,5x11,5	
2	C209	2401-001914	C-AL;1uF,20%,50V,BP,TP,5x11,5	
2	C617	2401-000493	C-AL;10uF,20%,50V,LZ,TP,5x11mm,5mm	
2	C917	2401-000493	C-AL;10uF,20%,50V,LZ,TP,5x11mm,5mm	
2	C413	2401-000493	C-AL;10uF,20%,50V,LZ,TP,5x11mm,5mm	
2	C623	2202-000231	C-CERAMIC,MLC-AXIAL;330pF,10%,50V,Y5P,TP	
2	C624	2202-000231	C-CERAMIC,MLC-AXIAL;330pF,10%,50V,Y5P,TP	
2	C627	2202-000231	C-CERAMIC,MLC-AXIAL;330pF,10%,50V,Y5P,TP	
2	C629	2202-000231	C-CERAMIC,MLC-AXIAL;330pF,10%,50V,Y5P,TP	
2	C642	2202-000231	C-CERAMIC,MLC-AXIAL;330pF,10%,50V,Y5P,TP	
2	C644	2202-000231	C-CERAMIC,MLC-AXIAL;330pF,10%,50V,Y5P,TP	
2	C638	2202-000231	C-CERAMIC,MLC-AXIAL;330pF,10%,50V,Y5P,TP	
2	C639	2202-000231	C-CERAMIC,MLC-AXIAL;330pF,10%,50V,Y5P,TP	
2	C249	2202-000231	C-CERAMIC,MLC-AXIAL;330pF,10%,50V,Y5P,TP	

Level	Loc. No.	Code No.	Description ; Specification	Remark
2	C632	2202-000806	C-CERAMIC,MLC-AXIAL;220pF,10%,50V,Y5P,TP	
2	C634	2401-001840	C-AL;100uF,20%,16V,GP,TP,6.3x11,5	
2	C832	2401-001840	C-AL;100uF,20%,16V,GP,TP,6.3x11,5	
2	C838	2401-001840	C-AL;100uF,20%,16V,GP,TP,6.3x11,5	
2	C826	2401-001840	C-AL;100uF,20%,16V,GP,TP,6.3x11,5	
2	C637	2401-000027	C-AL;4.7uF,20%,50V,GP,TP,5x11,5	
2	C640	2401-000027	C-AL;4.7uF,20%,50V,GP,TP,5x11,5	
2	C641	2401-000027	C-AL;4.7uF,20%,50V,GP,TP,5x11,5	
2	C643	2401-000027	C-AL;4.7uF,20%,50V,GP,TP,5x11,5	
2	C912	2401-000027	C-AL;4.7uF,20%,50V,GP,TP,5x11,5	
2	C647	2202-000286	C-CERAMIC,MLC-AXIAL;56pF,5%,50V,SL,TP,1.	
2	C649	2301-000108	C-FILM,PEF;1.5nF,5%,50V,TP,6.5x3.0x5.5mm	
2	C804	2201-000332	C-CERAMIC,DISC;2.2NF,20%,250V,Y5U,TP,9X4	
2	C805	2201-000332	C-CERAMIC,DISC;2.2NF,20%,250V,Y5U,TP,9X4	
2	C807	2301-001397	C-FILM,PPF;2.2nF,5%,1.2kV,TP,15x8.5x13.5	
2	C814	2201-000406	C-CERAMIC,DISC;0.27NF,10%,2KV,Y5P,TP,6.3	
2	C817	2201-000599	C-CERAMIC,DISC;0.56nF,10%,500V,Y5P,TP,5.	
2	C819	2201-000599	C-CERAMIC,DISC;0.56nF,10%,500V,Y5P,TP,5.	
2	C822	2201-000599	C-CERAMIC,DISC;0.56nF,10%,500V,Y5P,TP,5.	
2	C818	2401-000722	C-AL;2200uF,20%,25V,WT,TP,16x25,7.5	
2	C910	2201-000980	C-CERAMIC,DISC;0.03NF,5%,50V,C0G,TP,5X3M	
2	C911	2201-000980	C-CERAMIC,DISC;0.03NF,5%,50V,C0G,TP,5X3M	
2	D201	0401-000005	DIODE-SWITCHING;1N4148,100V,200mA,DO-35,	
2	D202	0401-000005	DIODE-SWITCHING;1N4148,100V,200mA,DO-35,	
2	D207	0401-000005	DIODE-SWITCHING;1N4148,100V,200mA,DO-35,	
2	D208	0401-000005	DIODE-SWITCHING;1N4148,100V,200mA,DO-35,	
2	D209	0401-000005	DIODE-SWITCHING;1N4148,100V,200mA,DO-35,	
2	D210	0401-000005	DIODE-SWITCHING;1N4148,100V,200mA,DO-35,	
2	D211	0401-000005	DIODE-SWITCHING;1N4148,100V,200mA,DO-35,	
2	D602	0401-000005	DIODE-SWITCHING;1N4148,100V,200mA,DO-35,	
⚠ 2	D804	0401-000005	DIODE-SWITCHING;1N4148,100V,200mA,DO-35,	
2	DZ402	0401-000005	DIODE-SWITCHING;1N4148,100V,200mA,DO-35,	
2	D906	0401-000005	DIODE-SWITCHING;1N4148,100V,200mA,DO-35,	
⚠ 2	D405	0401-000005	DIODE-SWITCHING;1N4148,100V,200mA,DO-35,	
2	D604	0401-000005	DIODE-SWITCHING;1N4148,100V,200mA,DO-35,	
⚠ 2	D401	0402-000540	DIODE-RECTIFIER;RU20A,600V,1.5A,-,TP	
⚠ 2	D402	0402-000534	DIODE-RECTIFIER;RG10V,400V,1.2A,DO-201,T	
⚠ 2	D404	0402-000534	DIODE-RECTIFIER;RG10V,400V,1.2A,DO-201,T	
⚠ 2	D411	0402-000534	DIODE-RECTIFIER;RG10V,400V,1.2A,DO-201,T	
⚠ 2	D407	0402-000534	DIODE-RECTIFIER;RG10V,400V,1.2A,DO-201,T	
⚠ 2	D406	0402-000132	DIODE-RECTIFIER;1N4004,400V,1A,DO-41,TP	
⚠ 2	D808	0402-000132	DIODE-RECTIFIER;1N4004,400V,1A,DO-41,TP	
⚠ 2	D810	0402-000132	DIODE-RECTIFIER;1N4004,400V,1A,DO-41,TP	
⚠ 2	D811	0402-000132	DIODE-RECTIFIER;1N4004,400V,1A,DO-41,TP	
2	D907	0402-000132	DIODE-RECTIFIER;1N4004,400V,1A,DO-41,TP	
⚠ 2	D403	0402-000132	DIODE-RECTIFIER;1N4004,400V,1A,DO-41,TP	
⚠ 2	D801	0402-001111	DIODE-RECTIFIER;1N5397GP,600V,1.5A,DO-20	
2	DZ201	0403-000508	DIODE-ZENER;MTZJ5.6B,5.6V,5.45-5.73V,500	
2	DZ202	0403-000508	DIODE-ZENER;MTZJ5.6B,5.6V,5.45-5.73V,500	
2	DZ802	0403-000508	DIODE-ZENER;MTZJ5.6B,5.6V,5.45-5.73V,500	
2	DZ902	0403-000508	DIODE-ZENER;MTZJ5.6B,5.6V,5.45-5.73V,500	
2	DZ601	0403-000508	DIODE-ZENER;MTZJ5.6B,5.6V,5.45-5.73V,500	
2	DZ603	0403-000508	DIODE-ZENER;MTZJ5.6B,5.6V,5.45-5.73V,500	
2	DZ806	0403-000508	DIODE-ZENER;MTZJ5.6B,5.6V,5.45-5.73V,500	
2	DZ903	0403-000508	DIODE-ZENER;MTZJ5.6B,5.6V,5.45-5.73V,500	
2	DZ904	0403-000508	DIODE-ZENER;MTZJ5.6B,5.6V,5.45-5.73V,500	
2	DZ905	0403-000508	DIODE-ZENER;MTZJ5.6B,5.6V,5.45-5.73V,500	
2	DZ906	0403-000508	DIODE-ZENER;MTZJ5.6B,5.6V,5.45-5.73V,500	
2	DZ907	0403-000508	DIODE-ZENER;MTZJ5.6B,5.6V,5.45-5.73V,500	
2	DZ909	0403-000508	DIODE-ZENER;MTZJ5.6B,5.6V,5.45-5.73V,500	
2	DZ910	0403-000508	DIODE-ZENER;MTZJ5.6B,5.6V,5.45-5.73V,500	
2	DZ604	0403-000508	DIODE-ZENER;MTZJ5.6B,5.6V,5.45-5.73V,500	
2	DZ605	0403-000508	DIODE-ZENER;MTZJ5.6B,5.6V,5.45-5.73V,500	
2	DZ908	0403-000508	DIODE-ZENER;MTZJ5.6B,5.6V,5.45-5.73V,500	
2	DZ203	0403-001321	DIODE-ZENER;MTZJ6.8C,6.66-7.01V,500mW,DO	
2	DZ302	0403-001329	DIODE-ZENER;MTZJ24B,22.61-23.77V,500mW,D	
2	DZ303	0403-001329	DIODE-ZENER;MTZJ24B,22.61-23.77V,500mW,D	
2	DZ304	0403-001329	DIODE-ZENER;MTZJ24B,22.61-23.77V,500mW,D	
2	DZ305	0403-001221	DIODE-ZENER;UZ39BSB,35.36-37.19V,500MW,D	
2	DZ306	0403-000700	DIODE-ZENER;TZP33A,33V,31-35V,1W,DO-41,T	
2	DZ804	0403-000700	DIODE-ZENER;TZP33A,33V,31-35V,1W,DO-41,T	
2	DZ401	0403-001325	DIODE-ZENER;MTZJ15C,14.35-15.09V,500mW,D	
2	DZ801	0403-001322	DIODE-ZENER;MTZJ8.2B,7.78-8.19V,500mW,DO	
2	DZ808	0403-001322	DIODE-ZENER;MTZJ8.2B,7.78-8.19V,500mW,DO	
2	DZ204	0403-001322	DIODE-ZENER;MTZJ8.2B,7.78-8.19V,500mW,DO	
2	DZ205	0403-001322	DIODE-ZENER;MTZJ8.2B,7.78-8.19V,500mW,DO	
2	DZ805	1203-001217	IC-POSI.ADJUST REG.;431,TO-92,3P,4.58MIL	
2	GT101	AA60-40014A	PIN-GT,ASSY;AUTO	
2	GT102	AA60-40014A	PIN-GT,ASSY;AUTO	
2	GT301	AA60-40014A	PIN-GT,ASSY;AUTO	
2	GT302	AA60-40014A	PIN-GT,ASSY;AUTO	
2	GT401	AA60-40014A	PIN-GT,ASSY;AUTO	
2	GT402	AA60-40014A	PIN-GT,ASSY;AUTO	
2	GT801	AA60-40014A	PIN-GT,ASSY;AUTO	
2	GT802	AA60-40014A	PIN-GT,ASSY;AUTO	
2	GT803	AA60-40014A	PIN-GT,ASSY;AUTO	
2	GT804	AA60-40014A	PIN-GT,ASSY;AUTO	
2	GT805	AA60-40014A	PIN-GT,ASSY;AUTO	
2	GT806	AA60-40014A	PIN-GT,ASSY;AUTO	
2	GT404	AA60-40014A	PIN-GT,ASSY;AUTO	
2	GT409	AA60-40014A	PIN-GT,ASSY;AUTO	
2	GT103	AA60-40014A	PIN-GT,ASSY;AUTO	
2	J102	3812-000219	WIRE-NO SHEATH CU;TCWA,300V,52mm(TAPING)	
2	J103	3812-000219	WIRE-NO SHEATH CU;TCWA,300V,52mm(TAPING)	
2	J105	3812-000219	WIRE-NO SHEATH CU;TCWA,300V,52mm(TAPING)	
2	J111	3812-000219	WIRE-NO SHEATH CU;TCWA,300V,52mm(TAPING)	
2	J112	3812-000219	WIRE-NO SHEATH CU;TCWA,300V,52mm(TAPING)	
2	J114	3812-000219	WIRE-NO SHEATH CU;TCWA,300V,52mm(TAPING)	
2	J115	3812-000219	WIRE-NO SHEATH CU;TCWA,300V,52mm(TAPING)	
2	J116	3812-000219	WIRE-NO SHEATH CU;TCWA,300V,52mm(TAPING)	
2	J117	3812-000219	WIRE-NO SHEATH CU;TCWA,300V,52mm(TAPING)	
2	J119	3812-000219	WIRE-NO SHEATH CU;TCWA,300V,52mm(TAPING)	
2	J122	3812-000219	WIRE-NO SHEATH CU;TCWA,300V,52mm(TAPING)	
2	J123	3812-000219	WIRE-NO SHEATH CU;TCWA,300V,52mm(TAPING)	
2	J124	3812-000219	WIRE-NO SHEATH CU;TCWA,300V,52mm(TAPING)	
2	J203	3812-000219	WIRE-NO SHEATH CU;TCWA,300V,52mm(TAPING)	
2	J205	3812-000219	WIRE-NO SHEATH CU;TCWA,300V,52mm(TAPING)	
2	J206	3812-000219	WIRE-NO SHEATH CU;TCWA,300V,52mm(TAPING)	
2	J207	3812-000219	WIRE-NO SHEATH CU;TCWA,300V,52mm(TAPING)	
2	J208	3812-000219	WIRE-NO SHEATH CU;TCWA,300V,52mm(TAPING)	
2	J209	3812-000219	WIRE-NO SHEATH CU;TCWA,300V,52mm(TAPING)	
2	J210	3812-000219	WIRE-NO SHEATH CU;TCWA,300V,52mm(TAPING)	
2	J211	3812-000219	WIRE-NO SHEATH CU;TCWA,300V,52mm(TAPING)	
2	J212	3812-000219	WIRE-NO SHEATH CU;TCWA,300V,52mm(TAPING)	
2	J213	3812-000219	WIRE-NO SHEATH CU;TCWA,300V,52mm(TAPING)	
2	J214	3812-000219	WIRE-NO SHEATH CU;TCWA,300V,52mm(TAPING)	
2	J215	3812-000219	WIRE-NO SHEATH CU;TCWA,300V,52mm(TAPING)	
2	J216	3812-000219	WIRE-NO SHEATH CU;TCWA,300V,52mm(TAPING)	
2	J217	3812-000219	WIRE-NO SHEATH CU;TCWA,300V,52mm(TAPING)	
2	J218	3812-000219	WIRE-NO SHEATH CU;TCWA,300V,52mm(TAPING)	
2	J219	3812-000219	WIRE-NO SHEATH CU;TCWA,300V,52mm(TAPING)	
2	J222	3812-000219	WIRE-NO SHEATH CU;TCWA,300V,52mm(TAPING)	
2	J223	3812-000219	WIRE-NO SHEATH CU;TCWA,300V,52mm(TAPING)	
2	J224	3812-000219	WIRE-NO SHEATH CU;TCWA,300V,52mm(TAPING)	
2	J225	3812-000219	WIRE-NO SHEATH CU;TCWA,300V,52mm(TAPING)	
2	J227	3812-000219	WIRE-NO SHEATH CU;TCWA,300V,52mm(TAPING)	
2	J228	3812-000219	WIRE-NO SHEATH CU;TCWA,300V,52mm(TAPING)	
2	J229	3812-000219	WIRE-NO SHEATH CU;TCWA,300V,52mm(TAPING)	
2	J230	3812-000219	WIRE-NO SHEATH CU;TCWA,300V,52mm(TAPING)	
2	J232	3812-000219	WIRE-NO SHEATH CU;TCWA,300V,52mm(TAPING)	
2	J234	3812-000219	WIRE-NO SHEATH CU;TCWA,300V,52mm(TAPING)	
2	J236	3812-000219	WIRE-NO SHEATH CU;TCWA,300V,52mm(TAPING)	
2	J237	3812-000219	WIRE-NO SHEATH CU;TCWA,300V,52mm(TAPING)	
2	J238	3812-000219	WIRE-NO SHEATH CU;TCWA,300V,52mm(TAPING)	
2	J239	3812-000219	WIRE-NO SHEATH CU;TCWA,300V,52mm(TAPING)	
2	J241	3812-000219	WIRE-NO SHEATH CU;TCWA,300V,52mm(TAPING)	
2	J244	3812-000219	WIRE-NO SHEATH CU;TCWA,300V,52mm(TAPING)	
2	J246	3812-000219	WIRE-NO SHEATH CU;TCWA,300V,52mm(TAPING)	
2	J247	3812-000219	WIRE-NO SHEATH CU;TCWA,300V,52mm(TAPING)	
2	J248	3812-000219	WIRE-NO SHEATH CU;TCWA,300V,52mm(TAPING)	
2	J401	3812-000219	WIRE-NO SHEATH CU;TCWA,300V,52mm(TAPING)	
2	J402	3812-000219	WIRE-NO SHEATH CU;TCWA,300V,52mm(TAPING)	
2	J404	3812-000219	WIRE-NO SHEATH CU;TCWA,300V,52mm(TAPING)	
2	J409	3812-000219	WIRE-NO SHEATH CU;TCWA,300V,52mm(TAPING)	
2	J416	3812-000219	WIRE-NO SHEATH CU;TCWA,300V,52mm(TAPING)	
2	J421	3812-000219	WIRE-NO SHEATH CU;TCWA,300V,52mm(TAPING)	
2	J422	3812-000219	WIRE-NO SHEATH CU;TCWA,300V,52mm(TAPING)	
2	J424	3812-000219	WIRE-NO SHEATH CU;TCWA,300V,52mm(TAPING)	
2	J428	3812-000219	WIRE-NO SHEATH CU;TCWA,300V,52mm(TAPING)	
2	J601	3812-000219	WIRE-NO SHEATH CU;TCWA,300V,52mm(TAPING)	
2	J602	3812-000219	WIRE-NO SHEATH CU;TCWA,300V,52mm(TAPING)	
2	J603	3812-000219	WIRE-NO SHEATH CU;TCWA,300V,52mm(TAPING)	

Level	Loc. No.	Code No.	Description ; Specification	Remark
2	J604	3812-000219	WIRE-NO SHEATH CU;TCWA,300V,52mm(TAPING)	
2	J606	3812-000219	WIRE-NO SHEATH CU;TCWA,300V,52mm(TAPING)	
2	J607	3812-000219	WIRE-NO SHEATH CU;TCWA,300V,52mm(TAPING)	
2	J611	3812-000219	WIRE-NO SHEATH CU;TCWA,300V,52mm(TAPING)	
2	J614	3812-000219	WIRE-NO SHEATH CU;TCWA,300V,52mm(TAPING)	
2	J615	3812-000219	WIRE-NO SHEATH CU;TCWA,300V,52mm(TAPING)	
2	J616	3812-000219	WIRE-NO SHEATH CU;TCWA,300V,52mm(TAPING)	
2	J617	3812-000219	WIRE-NO SHEATH CU;TCWA,300V,52mm(TAPING)	
2	J618	3812-000219	WIRE-NO SHEATH CU;TCWA,300V,52mm(TAPING)	
2	J619	3812-000219	WIRE-NO SHEATH CU;TCWA,300V,52mm(TAPING)	
2	J620	3812-000219	WIRE-NO SHEATH CU;TCWA,300V,52mm(TAPING)	
2	J621	3812-000219	WIRE-NO SHEATH CU;TCWA,300V,52mm(TAPING)	
2	J622	3812-000219	WIRE-NO SHEATH CU;TCWA,300V,52mm(TAPING)	
2	J624	3812-000219	WIRE-NO SHEATH CU;TCWA,300V,52mm(TAPING)	
2	J627	3812-000219	WIRE-NO SHEATH CU;TCWA,300V,52mm(TAPING)	
2	J629	3812-000219	WIRE-NO SHEATH CU;TCWA,300V,52mm(TAPING)	
2	J631	3812-000219	WIRE-NO SHEATH CU;TCWA,300V,52mm(TAPING)	
2	J632	3812-000219	WIRE-NO SHEATH CU;TCWA,300V,52mm(TAPING)	
2	J703	3812-000219	WIRE-NO SHEATH CU;TCWA,300V,52mm(TAPING)	
2	J704	3812-000219	WIRE-NO SHEATH CU;TCWA,300V,52mm(TAPING)	
2	J708	3812-000219	WIRE-NO SHEATH CU;TCWA,300V,52mm(TAPING)	
2	J715	3812-000219	WIRE-NO SHEATH CU;TCWA,300V,52mm(TAPING)	
2	J716	3812-000219	WIRE-NO SHEATH CU;TCWA,300V,52mm(TAPING)	
2	J717	3812-000219	WIRE-NO SHEATH CU;TCWA,300V,52mm(TAPING)	
2	J801	3812-000219	WIRE-NO SHEATH CU;TCWA,300V,52mm(TAPING)	
2	J802	3812-000219	WIRE-NO SHEATH CU;TCWA,300V,52mm(TAPING)	
2	J803	3812-000219	WIRE-NO SHEATH CU;TCWA,300V,52mm(TAPING)	
2	J804	3812-000219	WIRE-NO SHEATH CU;TCWA,300V,52mm(TAPING)	
2	J805	3812-000219	WIRE-NO SHEATH CU;TCWA,300V,52mm(TAPING)	
2	J806	3812-000219	WIRE-NO SHEATH CU;TCWA,300V,52mm(TAPING)	
2	J807	3812-000219	WIRE-NO SHEATH CU;TCWA,300V,52mm(TAPING)	
2	J810	3812-000219	WIRE-NO SHEATH CU;TCWA,300V,52mm(TAPING)	
2	J811	3812-000219	WIRE-NO SHEATH CU;TCWA,300V,52mm(TAPING)	
2	J816	3812-000219	WIRE-NO SHEATH CU;TCWA,300V,52mm(TAPING)	
2	J819	3812-000219	WIRE-NO SHEATH CU;TCWA,300V,52mm(TAPING)	
2	J820	3812-000219	WIRE-NO SHEATH CU;TCWA,300V,52mm(TAPING)	
2	J821	3812-000219	WIRE-NO SHEATH CU;TCWA,300V,52mm(TAPING)	
2	J824	3812-000219	WIRE-NO SHEATH CU;TCWA,300V,52mm(TAPING)	
2	J826	3812-000219	WIRE-NO SHEATH CU;TCWA,300V,52mm(TAPING)	
2	J829	3812-000219	WIRE-NO SHEATH CU;TCWA,300V,52mm(TAPING)	
2	J830	3812-000219	WIRE-NO SHEATH CU;TCWA,300V,52mm(TAPING)	
2	J831	3812-000219	WIRE-NO SHEATH CU;TCWA,300V,52mm(TAPING)	
2	J832	3812-000219	WIRE-NO SHEATH CU;TCWA,300V,52mm(TAPING)	
2	J833	3812-000219	WIRE-NO SHEATH CU;TCWA,300V,52mm(TAPING)	
2	J909	3812-000219	WIRE-NO SHEATH CU;TCWA,300V,52mm(TAPING)	
2	J911	3812-000219	WIRE-NO SHEATH CU;TCWA,300V,52mm(TAPING)	
2	J912	3812-000219	WIRE-NO SHEATH CU;TCWA,300V,52mm(TAPING)	
2	J913	3812-000219	WIRE-NO SHEATH CU;TCWA,300V,52mm(TAPING)	
2	J915	3812-000219	WIRE-NO SHEATH CU;TCWA,300V,52mm(TAPING)	
2	J916	3812-000219	WIRE-NO SHEATH CU;TCWA,300V,52mm(TAPING)	
2	J924	3812-000219	WIRE-NO SHEATH CU;TCWA,300V,52mm(TAPING)	
2	J925	3812-000219	WIRE-NO SHEATH CU;TCWA,300V,52mm(TAPING)	
2	J926	3812-000219	WIRE-NO SHEATH CU;TCWA,300V,52mm(TAPING)	
2	J927	3812-000219	WIRE-NO SHEATH CU;TCWA,300V,52mm(TAPING)	
2	J928	3812-000219	WIRE-NO SHEATH CU;TCWA,300V,52mm(TAPING)	
2	J931	3812-000219	WIRE-NO SHEATH CU;TCWA,300V,52mm(TAPING)	
2	J932	3812-000219	WIRE-NO SHEATH CU;TCWA,300V,52mm(TAPING)	
2	J933	3812-000219	WIRE-NO SHEATH CU;TCWA,300V,52mm(TAPING)	
2	J934	3812-000219	WIRE-NO SHEATH CU;TCWA,300V,52mm(TAPING)	
2	J936	3812-000219	WIRE-NO SHEATH CU;TCWA,300V,52mm(TAPING)	
2	J941	3812-000219	WIRE-NO SHEATH CU;TCWA,300V,52mm(TAPING)	
2	J942	3812-000219	WIRE-NO SHEATH CU;TCWA,300V,52mm(TAPING)	
2	R939	3812-000219	WIRE-NO SHEATH CU;TCWA,300V,52mm(TAPING)	
2	J714	3812-000219	WIRE-NO SHEATH CU;TCWA,300V,52mm(TAPING)	
2	J249	3812-000219	WIRE-NO SHEATH CU;TCWA,300V,52mm(TAPING)	
2	D908	3812-000219	WIRE-NO SHEATH CU;TCWA,300V,52mm(TAPING)	
2	J835	3812-000219	WIRE-NO SHEATH CU;TCWA,300V,52mm(TAPING)	
2	J425	3812-000219	WIRE-NO SHEATH CU;TCWA,300V,52mm(TAPING)	
2	J633	3812-000219	WIRE-NO SHEATH CU;TCWA,300V,52mm(TAPING)	
2	J818	3812-000219	WIRE-NO SHEATH CU;TCWA,300V,52mm(TAPING)	
2	J612	3812-000219	WIRE-NO SHEATH CU;TCWA,300V,52mm(TAPING)	
2	L610	3812-000219	WIRE-NO SHEATH CU;TCWA,300V,52mm(TAPING)	
2	J940	3812-000219	WIRE-NO SHEATH CU;TCWA,300V,52mm(TAPING)	
2	J937	3812-000219	WIRE-NO SHEATH CU;TCWA,300V,52mm(TAPING)	
2	J918	3812-000219	WIRE-NO SHEATH CU;TCWA,300V,52mm(TAPING)	
2	J907	3812-000219	WIRE-NO SHEATH CU;TCWA,300V,52mm(TAPING)	
2	J906	3812-000219	WIRE-NO SHEATH CU;TCWA,300V,52mm(TAPING)	
2	J626	3812-000219	WIRE-NO SHEATH CU;TCWA,300V,52mm(TAPING)	
2	J121	3812-000219	WIRE-NO SHEATH CU;TCWA,300V,52mm(TAPING)	
2	J118	3812-000219	WIRE-NO SHEATH CU;TCWA,300V,52mm(TAPING)	
2	J101	3812-000219	WIRE-NO SHEATH CU;TCWA,300V,52mm(TAPING)	
2	J253	3812-000219	WIRE-NO SHEATH CU;TCWA,300V,52mm(TAPING)	
2	J943	3812-000219	WIRE-NO SHEATH CU;TCWA,300V,52mm(TAPING)	
2	J944	3812-000219	WIRE-NO SHEATH CU;TCWA,300V,52mm(TAPING)	
2	J705	3812-000219	WIRE-NO SHEATH CU;TCWA,300V,52mm(TAPING)	
2	J707	3812-000219	WIRE-NO SHEATH CU;TCWA,300V,52mm(TAPING)	
2	J407	3812-000219	WIRE-NO SHEATH CU;TCWA,300V,52mm(TAPING)	
2	J605	3812-000219	WIRE-NO SHEATH CU;TCWA,300V,52mm(TAPING)	
2	J608	3812-000219	WIRE-NO SHEATH CU;TCWA,300V,52mm(TAPING)	
2	J609	3812-000219	WIRE-NO SHEATH CU;TCWA,300V,52mm(TAPING)	
2	J419	3812-000219	WIRE-NO SHEATH CU;TCWA,300V,52mm(TAPING)	
2	J126	3812-000219	WIRE-NO SHEATH CU;TCWA,300V,52mm(TAPING)	
2	J108	3812-000219	WIRE-NO SHEATH CU;TCWA,300V,52mm(TAPING)	
2	J127	3812-000219	WIRE-NO SHEATH CU;TCWA,300V,52mm(TAPING)	
2	L107	3812-000219	WIRE-NO SHEATH CU;TCWA,300V,52mm(TAPING)	
2	R223	3812-000219	WIRE-NO SHEATH CU;TCWA,300V,52mm(TAPING)	
2	R234	3812-000219	WIRE-NO SHEATH CU;TCWA,300V,52mm(TAPING)	
2	L410	3812-000219	WIRE-NO SHEATH CU;TCWA,300V,52mm(TAPING)	
2	J914	3812-000219	WIRE-NO SHEATH CU;TCWA,300V,52mm(TAPING)	
2	J254	3812-000219	WIRE-NO SHEATH CU;TCWA,300V,52mm(TAPING)	
2	J411	3812-000219	WIRE-NO SHEATH CU;TCWA,300V,52mm(TAPING)	
2	C221	3812-000219	WIRE-NO SHEATH CU;TCWA,300V,52mm(TAPING)	
2	C222	3812-000219	WIRE-NO SHEATH CU;TCWA,300V,52mm(TAPING)	
2	C223	3812-000219	WIRE-NO SHEATH CU;TCWA,300V,52mm(TAPING)	
2	J412	3812-000219	WIRE-NO SHEATH CU;TCWA,300V,52mm(TAPING)	
2	L204	3812-000219	WIRE-NO SHEATH CU;TCWA,300V,52mm(TAPING)	
2	L804	3812-000219	WIRE-NO SHEATH CU;TCWA,300V,52mm(TAPING)	
2	J204	3812-000219	WIRE-NO SHEATH CU;TCWA,300V,52mm(TAPING)	
2	J701	3812-000219	WIRE-NO SHEATH CU;TCWA,300V,52mm(TAPING)	
2	J817	3812-000219	WIRE-NO SHEATH CU;TCWA,300V,52mm(TAPING)	
2	L413	3812-000219	WIRE-NO SHEATH CU;TCWA,300V,52mm(TAPING)	
2	R926	3812-000219	WIRE-NO SHEATH CU;TCWA,300V,52mm(TAPING)	
2	J902	3812-000219	WIRE-NO SHEATH CU;TCWA,300V,52mm(TAPING)	
2	C232	3812-000219	WIRE-NO SHEATH CU;TCWA,300V,52mm(TAPING)	
2	J623	3812-000219	WIRE-NO SHEATH CU;TCWA,300V,52mm(TAPING)	
2	L211	3812-000219	WIRE-NO SHEATH CU;TCWA,300V,52mm(TAPING)	
2	RH29	3812-000219	WIRE-NO SHEATH CU;TCWA,300V,52mm(TAPING)	
2	J226	3812-000219	WIRE-NO SHEATH CU;TCWA,300V,52mm(TAPING)	
2	J430	3812-000219	WIRE-NO SHEATH CU;TCWA,300V,52mm(TAPING)	
2	EY301	AA60-40011A	K EYELET;ID2.0,OD2.8,BST	
2	EY302	AA60-40011A	K EYELET;ID2.0,OD2.8,BST	
2	EY303	AA60-40011A	K EYELET;ID2.0,OD2.8,BST	
2	EY304	AA60-40011A	K EYELET;ID2.0,OD2.8,BST	
2	EY401	AA60-40011A	K EYELET;ID2.0,OD2.8,BST	
2	EY402	AA60-40011A	K EYELET;ID2.0,OD2.8,BST	
2	EY403	AA60-40011A	K EYELET;ID2.0,OD2.8,BST	
2	EY404	AA60-40011A	K EYELET;ID2.0,OD2.8,BST	
2	EY405	AA60-40011A	K EYELET;ID2.0,OD2.8,BST	
2	EY406	AA60-40011A	K EYELET;ID2.0,OD2.8,BST	
2	EY407	AA60-40011A	K EYELET;ID2.0,OD2.8,BST	
2	EY408	AA60-40011A	K EYELET;ID2.0,OD2.8,BST	
2	EY409	AA60-40011A	K EYELET;ID2.0,OD2.8,BST	
2	EY410	AA60-40011A	K EYELET;ID2.0,OD2.8,BST	
2	EY411	AA60-40011A	K EYELET;ID2.0,OD2.8,BST	
2	EY412	AA60-40011A	K EYELET;ID2.0,OD2.8,BST	
2	EY413	AA60-40011A	K EYELET;ID2.0,OD2.8,BST	
2	EY414	AA60-40011A	K EYELET;ID2.0,OD2.8,BST	
2	EY415	AA60-40011A	K EYELET;ID2.0,OD2.8,BST	
2	EY416	AA60-40011A	K EYELET;ID2.0,OD2.8,BST	
2	EY417	AA60-40011A	K EYELET;ID2.0,OD2.8,BST	
2	EY418	AA60-40011A	K EYELET;ID2.0,OD2.8,BST	
2	EY419	AA60-40011A	K EYELET;ID2.0,OD2.8,BST	
2	EY420	AA60-40011A	K EYELET;ID2.0,OD2.8,BST	
2	EY421	AA60-40011A	K EYELET;ID2.0,OD2.8,BST	
2	EY422	AA60-40011A	K EYELET;ID2.0,OD2.8,BST	
2	EY423	AA60-40011A	K EYELET;ID2.0,OD2.8,BST	
2	EY424	AA60-40011A	K EYELET;ID2.0,OD2.8,BST	
2	EY425	AA60-40011A	K EYELET;ID2.0,OD2.8,BST	
2	EY426	AA60-40011A	K EYELET;ID2.0,OD2.8,BST	
2	EY427	AA60-40011A	K EYELET;ID2.0,OD2.8,BST	
2	EY428	AA60-40011A	K EYELET;ID2.0,OD2.8,BST	
2	EY429	AA60-40011A	K EYELET;ID2.0,OD2.8,BST	
2	EY430	AA60-40011A	K EYELET;ID2.0,OD2.8,BST	
2	EY431	AA60-40011A	K EYELET;ID2.0,OD2.8,BST	

Level	Loc. No.	Code No.	Description ; Specification	Remark
2	EY432	AA60-40011A	K EYELET;ID2.0,OD2.8,BST	
2	EY433	AA60-40011A	K EYELET;ID2.0,OD2.8,BST	
2	EY434	AA60-40011A	K EYELET;ID2.0,OD2.8,BST	
2	EY435	AA60-40011A	K EYELET;ID2.0,OD2.8,BST	
2	EY436	AA60-40011A	K EYELET;ID2.0,OD2.8,BST	
2	EY437	AA60-40011A	K EYELET;ID2.0,OD2.8,BST	
2	EY438	AA60-40011A	K EYELET;ID2.0,OD2.8,BST	
2	EY439	AA60-40011A	K EYELET;ID2.0,OD2.8,BST	
2	EY440	AA60-40011A	K EYELET;ID2.0,OD2.8,BST	
2	EY441	AA60-40011A	K EYELET;ID2.0,OD2.8,BST	
2	EY442	AA60-40011A	K EYELET;ID2.0,OD2.8,BST	
2	EY443	AA60-40011A	K EYELET;ID2.0,OD2.8,BST	
2	EY444	AA60-40011A	K EYELET;ID2.0,OD2.8,BST	
2	EY445	AA60-40011A	K EYELET;ID2.0,OD2.8,BST	
2	EY446	AA60-40011A	K EYELET;ID2.0,OD2.8,BST	
2	EY447	AA60-40011A	K EYELET;ID2.0,OD2.8,BST	
2	EY448	AA60-40011A	K EYELET;ID2.0,OD2.8,BST	
2	EY449	AA60-40011A	K EYELET;ID2.0,OD2.8,BST	
2	EY450	AA60-40011A	K EYELET;ID2.0,OD2.8,BST	
2	EY451	AA60-40011A	K EYELET;ID2.0,OD2.8,BST	
2	EY452	AA60-40011A	K EYELET;ID2.0,OD2.8,BST	
2	EY453	AA60-40011A	K EYELET;ID2.0,OD2.8,BST	
2	EY454	AA60-40011A	K EYELET;ID2.0,OD2.8,BST	
2	EY455	AA60-40011A	K EYELET;ID2.0,OD2.8,BST	
2	EY456	AA60-40011A	K EYELET;ID2.0,OD2.8,BST	
2	EY457	AA60-40011A	K EYELET;ID2.0,OD2.8,BST	
2	EY458	AA60-40011A	K EYELET;ID2.0,OD2.8,BST	
2	EY601	AA60-40011A	K EYELET;ID2.0,OD2.8,BST	
2	EY602	AA60-40011A	K EYELET;ID2.0,OD2.8,BST	
2	EY603	AA60-40011A	K EYELET;ID2.0,OD2.8,BST	
2	EY604	AA60-40011A	K EYELET;ID2.0,OD2.8,BST	
2	EY701	AA60-40011A	K EYELET;ID2.0,OD2.8,BST	
2	EY702	AA60-40011A	K EYELET;ID2.0,OD2.8,BST	
2	EY703	AA60-40011A	K EYELET;ID2.0,OD2.8,BST	
2	EY704	AA60-40011A	K EYELET;ID2.0,OD2.8,BST	
2	EY801	AA60-40011A	K EYELET;ID2.0,OD2.8,BST	
2	EY802	AA60-40011A	K EYELET;ID2.0,OD2.8,BST	
2	EY803	AA60-40011A	K EYELET;ID2.0,OD2.8,BST	
2	EY804	AA60-40011A	K EYELET;ID2.0,OD2.8,BST	
2	EY805	AA60-40011A	K EYELET;ID2.0,OD2.8,BST	
2	EY806	AA60-40011A	K EYELET;ID2.0,OD2.8,BST	
2	EY807	AA60-40011A	K EYELET;ID2.0,OD2.8,BST	
2	EY808	AA60-40011A	K EYELET;ID2.0,OD2.8,BST	
2	EY809	AA60-40011A	K EYELET;ID2.0,OD2.8,BST	
2	EY810	AA60-40011A	K EYELET;ID2.0,OD2.8,BST	
2	EY811	AA60-40011A	K EYELET;ID2.0,OD2.8,BST	
2	EY812	AA60-40011A	K EYELET;ID2.0,OD2.8,BST	
2	EY813	AA60-40011A	K EYELET;ID2.0,OD2.8,BST	
2	EY814	AA60-40011A	K EYELET;ID2.0,OD2.8,BST	
2	EY815	AA60-40011A	K EYELET;ID2.0,OD2.8,BST	
2	EY816	AA60-40011A	K EYELET;ID2.0,OD2.8,BST	
2	EY817	AA60-40011A	K EYELET;ID2.0,OD2.8,BST	
2	EY818	AA60-40011A	K EYELET;ID2.0,OD2.8,BST	
2	EY819	AA60-40011A	K EYELET;ID2.0,OD2.8,BST	
2	EY820	AA60-40011A	K EYELET;ID2.0,OD2.8,BST	
2	EY822	AA60-40011A	K EYELET;ID2.0,OD2.8,BST	
2	EY823	AA60-40011A	K EYELET;ID2.0,OD2.8,BST	
2	EY824	AA60-40011A	K EYELET;ID2.0,OD2.8,BST	
2	EY825	AA60-40011A	K EYELET;ID2.0,OD2.8,BST	
2	EY826	AA60-40011A	K EYELET;ID2.0,OD2.8,BST	
2	EY827	AA60-40011A	K EYELET;ID2.0,OD2.8,BST	
2	EY828	AA60-40011A	K EYELET;ID2.0,OD2.8,BST	
2	EY829	AA60-40011A	K EYELET;ID2.0,OD2.8,BST	
2	EY830	AA60-40011A	K EYELET;ID2.0,OD2.8,BST	
2	EY831	AA60-40011A	K EYELET;ID2.0,OD2.8,BST	
2	EY832	AA60-40011A	K EYELET;ID2.0,OD2.8,BST	
2	EY833	AA60-40011A	K EYELET;ID2.0,OD2.8,BST	
2	EY834	AA60-40011A	K EYELET;ID2.0,OD2.8,BST	
2	EY835	AA60-40011A	K EYELET;ID2.0,OD2.8,BST	
2	EY836	AA60-40011A	K EYELET;ID2.0,OD2.8,BST	
2	EY837	AA60-40011A	K EYELET;ID2.0,OD2.8,BST	
2	EY838	AA60-40011A	K EYELET;ID2.0,OD2.8,BST	
2	EY839	AA60-40011A	K EYELET;ID2.0,OD2.8,BST	
2	EY840	AA60-40011A	K EYELET;ID2.0,OD2.8,BST	
2	EY841	AA60-40011A	K EYELET;ID2.0,OD2.8,BST	
2	EY842	AA60-40011A	K EYELET;ID2.0,OD2.8,BST	
2	EY844	AA60-40011A	K EYELET;ID2.0,OD2.8,BST	
2	EY845	AA60-40011A	K EYELET;ID2.0,OD2.8,BST	
2	EY846	AA60-40011A	K EYELET;ID2.0,OD2.8,BST	
2	EY847	AA60-40011A	K EYELET;ID2.0,OD2.8,BST	
2	EY848	AA60-40011A	K EYELET;ID2.0,OD2.8,BST	
2	EY849	AA60-40011A	K EYELET;ID2.0,OD2.8,BST	
2	EY850	AA60-40011A	K EYELET;ID2.0,OD2.8,BST	
2	EY851	AA60-40011A	K EYELET;ID2.0,OD2.8,BST	
2	EY852	AA60-40011A	K EYELET;ID2.0,OD2.8,BST	
2	EY853	AA60-40011A	K EYELET;ID2.0,OD2.8,BST	
2	EY854	AA60-40011A	K EYELET;ID2.0,OD2.8,BST	
2	EY855	AA60-40011A	K EYELET;ID2.0,OD2.8,BST	
2	EY856	AA60-40011A	K EYELET;ID2.0,OD2.8,BST	
2	EY857	AA60-40011A	K EYELET;ID2.0,OD2.8,BST	
2	EY858	AA60-40011A	K EYELET;ID2.0,OD2.8,BST	
2	EY859	AA60-40011A	K EYELET;ID2.0,OD2.8,BST	
2	EY860	AA60-40011A	K EYELET;ID2.0,OD2.8,BST	
2	EY861	AA60-40011A	K EYELET;ID2.0,OD2.8,BST	
2	TOP1	AA60-40011A	K EYELET;ID2.0,OD2.8,BST	
2	TOP2	AA60-40011A	K EYELET;ID2.0,OD2.8,BST	
2	EL401	AA60-40011B	K EYELET;ID2.2,OD3.2,BSP	
2	EL402	AA60-40011B	K EYELET;ID2.2,OD3.2,BSP	
2	EL403	AA60-40011B	K EYELET;ID2.2,OD3.2,BSP	
2	EL404	AA60-40011B	K EYELET;ID2.2,OD3.2,BSP	
2	EL405	AA60-40011B	K EYELET;ID2.2,OD3.2,BSP	
2	EL406	AA60-40011B	K EYELET;ID2.2,OD3.2,BSP	
2	EL407	AA60-40011B	K EYELET;ID2.2,OD3.2,BSP	
2	EL408	AA60-40011B	K EYELET;ID2.2,OD3.2,BSP	
2	EL802	AA60-40011B	K EYELET;ID2.2,OD3.2,BSP	
2	EL803	AA60-40011B	K EYELET;ID2.2,OD3.2,BSP	
2	EL805	AA60-40011B	K EYELET;ID2.2,OD3.2,BSP	
2	EL806	AA60-40011B	K EYELET;ID2.2,OD3.2,BSP	
2	EL807	AA60-40011B	K EYELET;ID2.2,OD3.2,BSP	
2	EL808	AA60-40011B	K EYELET;ID2.2,OD3.2,BSP	
2	EL809	AA60-40011B	K EYELET;ID2.2,OD3.2,BSP	
2	EL810	AA60-40011B	K EYELET;ID2.2,OD3.2,BSP	
2	EL811	AA60-40011B	K EYELET;ID2.2,OD3.2,BSP	
2	R236	2001-000515	R-CARBON;220OHM,5%,1/8W,AA,TP,1.8X3.2MM	
2	R237	2001-000515	R-CARBON;220OHM,5%,1/8W,AA,TP,1.8X3.2MM	
2	R238	2001-000515	R-CARBON;220OHM,5%,1/8W,AA,TP,1.8X3.2MM	
2	R247	2001-000515	R-CARBON;220OHM,5%,1/8W,AA,TP,1.8X3.2MM	
2	R235	2001-000515	R-CARBON;220OHM,5%,1/8W,AA,TP,1.8X3.2MM	
2	R622	2001-000577	R-CARBON;2KOHM,5%,1/8W,AA,TP,1.8X3.2MM	
2	R621	2001-000577	R-CARBON;2KOHM,5%,1/8W,AA,TP,1.8X3.2MM	
2	R935	2001-000290	R-CARBON;10KOHM,5%,1/8W,AA,TP,1.8X3.2MM	
2	R202	2001-000290	R-CARBON;10KOHM,5%,1/8W,AA,TP,1.8X3.2MM	
2	R205	2001-000290	R-CARBON;10KOHM,5%,1/8W,AA,TP,1.8X3.2MM	
2	R243	2001-000290	R-CARBON;10KOHM,5%,1/8W,AA,TP,1.8X3.2MM	
2	R245	2001-000290	R-CARBON;10KOHM,5%,1/8W,AA,TP,1.8X3.2MM	
2	R246	2001-000290	R-CARBON;10KOHM,5%,1/8W,AA,TP,1.8X3.2MM	
2	R310	2001-000290	R-CARBON;10KOHM,5%,1/8W,AA,TP,1.8X3.2MM	
2	R716	2001-000290	R-CARBON;10KOHM,5%,1/8W,AA,TP,1.8X3.2MM	
2	R715	2001-000290	R-CARBON;10KOHM,5%,1/8W,AA,TP,1.8X3.2MM	
2	R606	2001-000290	R-CARBON;10KOHM,5%,1/8W,AA,TP,1.8X3.2MM	
2	R620	2001-000290	R-CARBON;10KOHM,5%,1/8W,AA,TP,1.8X3.2MM	
2	R629	2001-000290	R-CARBON;10KOHM,5%,1/8W,AA,TP,1.8X3.2MM	
2	R309	2001-000290	R-CARBON;10KOHM,5%,1/8W,AA,TP,1.8X3.2MM	
2	R206	2001-000290	R-CARBON;10KOHM,5%,1/8W,AA,TP,1.8X3.2MM	
2	R609	2001-000290	R-CARBON;10KOHM,5%,1/8W,AA,TP,1.8X3.2MM	
2	R211	2001-000290	R-CARBON;10KOHM,5%,1/8W,AA,TP,1.8X3.2MM	
2	R912	2001-000290	R-CARBON;10KOHM,5%,1/8W,AA,TP,1.8X3.2MM	
2	R952	2001-000290	R-CARBON;10KOHM,5%,1/8W,AA,TP,1.8X3.2MM	
2	R940	2001-000281	R-CARBON;100OHM,5%,1/8W,AA,TP,1.8X3.2MM	
2	R941	2001-000281	R-CARBON;100OHM,5%,1/8W,AA,TP,1.8X3.2MM	
2	R942	2001-000281	R-CARBON;100OHM,5%,1/8W,AA,TP,1.8X3.2MM	
2	R947	2001-000281	R-CARBON;100OHM,5%,1/8W,AA,TP,1.8X3.2MM	
2	R948	2001-000281	R-CARBON;100OHM,5%,1/8W,AA,TP,1.8X3.2MM	
2	R102	2001-000281	R-CARBON;100OHM,5%,1/8W,AA,TP,1.8X3.2MM	
2	R103	2001-000281	R-CARBON;100OHM,5%,1/8W,AA,TP,1.8X3.2MM	
2	R203	2001-000281	R-CARBON;100OHM,5%,1/8W,AA,TP,1.8X3.2MM	
2	R204	2001-000281	R-CARBON;100OHM,5%,1/8W,AA,TP,1.8X3.2MM	
2	R604	2001-000281	R-CARBON;100OHM,5%,1/8W,AA,TP,1.8X3.2MM	
2	R605	2001-000281	R-CARBON;100OHM,5%,1/8W,AA,TP,1.8X3.2MM	
2	R610	2001-000281	R-CARBON;100OHM,5%,1/8W,AA,TP,1.8X3.2MM	
2	R611	2001-000281	R-CARBON;100OHM,5%,1/8W,AA,TP,1.8X3.2MM	
2	R612	2001-000281	R-CARBON;100OHM,5%,1/8W,AA,TP,1.8X3.2MM	

Level	Loc. No.	Code No.	Description ; Specification	Remark
2	R613	2001-000281	R-CARBON;100OHM,5%,1/8W,AA,TP,1.8X3.2MM	
2	R628	2001-000281	R-CARBON;100OHM,5%,1/8W,AA,TP,1.8X3.2MM	
2	R627	2001-000281	R-CARBON;100OHM,5%,1/8W,AA,TP,1.8X3.2MM	
2	R723	2001-000281	R-CARBON;100OHM,5%,1/8W,AA,TP,1.8X3.2MM	
2	R909	2001-000281	R-CARBON;100OHM,5%,1/8W,AA,TP,1.8X3.2MM	
2	R907	2001-000281	R-CARBON;100OHM,5%,1/8W,AA,TP,1.8X3.2MM	
2	J904	2001-000281	R-CARBON;100OHM,5%,1/8W,AA,TP,1.8X3.2MM	
2	R925	2001-000281	R-CARBON;100OHM,5%,1/8W,AA,TP,1.8X3.2MM	
2	J920	2001-000281	R-CARBON;100OHM,5%,1/8W,AA,TP,1.8X3.2MM	
2	R955	2001-000281	R-CARBON;100OHM,5%,1/8W,AA,TP,1.8X3.2MM	
2	R231	2001-000281	R-CARBON;100OHM,5%,1/8W,AA,TP,1.8X3.2MM	
2	R232	2001-000281	R-CARBON;100OHM,5%,1/8W,AA,TP,1.8X3.2MM	
2	RY801S	2002-001011	R-COMPOSITION;3.3Mohm,5%,1/2W,AA,TP,3.7x	
2	RY802S	2002-001013	R-COMPOSITION;4.7Mohm,5%,1/2W,AA,TP,3.7x	
2	VP801S	1405-000187	VARISTOR;750V,1250A,12.5x7mm,TP	
2	VX801S	1405-000187	VARISTOR;750V,1250A,12.5x7mm,TP	
2	X901	2801-003728	CRYSTAL-UNIT;6MHz,30ppm,28-AAM,20pF,40oh	
2	L103	2701-000115	INDUCTOR-AXIAL;10uH,10%,3x7mm	
2		0203-001123	TAPE-PAPER;#53131,T0.15,W6.0,L200000,YEL	
2	C707	2401-000939	C-AL;22uF,20%,25V,GP,TP,5x11,5	
2	L202	2701-000114	INDUCTOR-AXIAL;10uH,10%,2.5x3.4mm	
2	L301	2701-000114	INDUCTOR-AXIAL;10uH,10%,2.5x3.4mm	
2	L406	2701-000114	INDUCTOR-AXIAL;10uH,10%,2.5x3.4mm	
2	L907	2701-000114	INDUCTOR-AXIAL;10uH,10%,2.5x3.4mm	
2	L711	2701-000114	INDUCTOR-AXIAL;10uH,10%,2.5x3.4mm	
2	L108	2701-000114	INDUCTOR-AXIAL;10uH,10%,2.5x3.4mm	
2	L109	2701-000114	INDUCTOR-AXIAL;10uH,10%,2.5x3.4mm	
2	R706	2701-000114	INDUCTOR-AXIAL;10uH,10%,2.5x3.4mm	
2	R707	2701-000114	INDUCTOR-AXIAL;10uH,10%,2.5x3.4mm	
2	R708	2701-000114	INDUCTOR-AXIAL;10uH,10%,2.5x3.4mm	
2	L902	2701-000184	INDUCTOR-AXIAL;4.7uH,10%,2.5x3.4mm	
2	L222	2701-000184	INDUCTOR-AXIAL;4.7uH,10%,2.5x3.4mm	
2	L302	3301-000287	CORE-FERRITE BEAD;AA,3.5x1.0x6.0mm,1500,	
2	L802	3301-000287	CORE-FERRITE BEAD;AA,3.5x1.0x6.0mm,1500,	
2	L803	3301-000287	CORE-FERRITE BEAD;AA,3.5x1.0x6.0mm,1500,	
2	L809	3301-000287	CORE-FERRITE BEAD;AA,3.5x1.0x6.0mm,1500,	
2	J901	3301-000287	CORE-FERRITE BEAD;AA,3.5x1.0x6.0mm,1500,	
2	L303	3301-000287	CORE-FERRITE BEAD;AA,3.5x1.0x6.0mm,1500,	
2	L207	3301-000287	CORE-FERRITE BEAD;AA,3.5x1.0x6.0mm,1500,	
2	J406	3301-000287	CORE-FERRITE BEAD;AA,3.5x1.0x6.0mm,1500,	
2	L412	3301-000287	CORE-FERRITE BEAD;AA,3.5x1.0x6.0mm,1500,	
2	L407	2901-000297	FILTER-EMI ON BOARD;-,3A,-,-,3.5x5,TP,-	
2	L807	2901-000297	FILTER-EMI ON BOARD;-,3A,-,-,3.5x5,TP,-	
2	L601	2901-000297	FILTER-EMI ON BOARD;-,3A,-,-,3.5x5,TP,-	
2	L609	2901-000297	FILTER-EMI ON BOARD;-,3A,-,-,3.5x5,TP,-	
2	R233	2901-000297	FILTER-EMI ON BOARD;-,3A,-,-,3.5x5,TP,-	
2	L201	2901-000297	FILTER-EMI ON BOARD;-,3A,-,-,3.5x5,TP,-	
2	C233	2901-000297	FILTER-EMI ON BOARD;-,3A,-,-,3.5x5,TP,-	
2	C234	2901-000297	FILTER-EMI ON BOARD;-,3A,-,-,3.5x5,TP,-	
2	C235	2901-000297	FILTER-EMI ON BOARD;-,3A,-,-,3.5x5,TP,-	
2	C236	2901-000297	FILTER-EMI ON BOARD;-,3A,-,-,3.5x5,TP,-	
2	L604	2701-000169	INDUCTOR-AXIAL;3.9uH,10%,2.5x3.4mm	
2	Q201	0501-000389	TR-SMALL SIGNAL;KSC815,NPN,400mW,TO-92,T	
2	Q202	0501-000389	TR-SMALL SIGNAL;KSC815,NPN,400mW,TO-92,T	
2	Q203	0501-000389	TR-SMALL SIGNAL;KSC815,NPN,400mW,TO-92,T	
2	Q901	0501-000389	TR-SMALL SIGNAL;KSC815,NPN,400mW,TO-92,T	
2	Q906	0501-000389	TR-SMALL SIGNAL;KSC815,NPN,400mW,TO-92,T	
2	Q908	0501-000389	TR-SMALL SIGNAL;KSC815,NPN,400mW,TO-92,T	
2	Q701	0501-000389	TR-SMALL SIGNAL;KSC815,NPN,400mW,TO-92,T	
2	Q204	0501-000389	TR-SMALL SIGNAL;KSC815,NPN,400mW,TO-92,T	
2	Q601	0501-000389	TR-SMALL SIGNAL;KSC815,NPN,400mW,TO-92,T	
2	Q907	0501-000389	TR-SMALL SIGNAL;KSC815,NPN,400mW,TO-92,T	
2	R244	2001-000786	R-CARBON;47KOHM,5%,1/8W,AA,TP,1.8X3.2MM	
2	R954	2001-000786	R-CARBON;47KOHM,5%,1/8W,AA,TP,1.8X3.2MM	
2	R215	2001-000522	R-CARBON;22KOHM,5%,1/8W,AA,TP,1.8X3.2MM	
2	R823	2001-000522	R-CARBON;22KOHM,5%,1/8W,AA,TP,1.8X3.2MM	
2	R910	2001-000522	R-CARBON;22KOHM,5%,1/8W,AA,TP,1.8X3.2MM	
2	R216	2001-000429	R-CARBON;1KOHM,5%,1/8W,AA,TP,1.8X3.2MM	
2	R603	2001-000429	R-CARBON;1KOHM,5%,1/8W,AA,TP,1.8X3.2MM	
2	R817	2001-000429	R-CARBON;1KOHM,5%,1/8W,AA,TP,1.8X3.2MM	
2	R924	2001-000429	R-CARBON;1KOHM,5%,1/8W,AA,TP,1.8X3.2MM	
2	R914	2001-000429	R-CARBON;1KOHM,5%,1/8W,AA,TP,1.8X3.2MM	
2	R936	2001-000429	R-CARBON;1KOHM,5%,1/8W,AA,TP,1.8X3.2MM	
2	R252	2001-000429	R-CARBON;1KOHM,5%,1/8W,AA,TP,1.8X3.2MM	
2	R726	2001-000429	R-CARBON;1KOHM,5%,1/8W,AA,TP,1.8X3.2MM	
2	R209	2001-000429	R-CARBON;1KOHM,5%,1/8W,AA,TP,1.8X3.2MM	
2	R254	2001-000429	R-CARBON;1KOHM,5%,1/8W,AA,TP,1.8X3.2MM	

Level	Loc. No.	Code No.	Description ; Specification	Remark
2	R601	2001-000429	R-CARBON;1KOHM,5%,1/8W,AA,TP,1.8X3.2MM	
2	R602	2001-000429	R-CARBON;1KOHM,5%,1/8W,AA,TP,1.8X3.2MM	
2	R902	2001-000429	R-CARBON;1KOHM,5%,1/8W,AA,TP,1.8X3.2MM	
2	R816	2001-000429	R-CARBON;1KOHM,5%,1/8W,AA,TP,1.8X3.2MM	
2	R228	2001-000117	R-CARBON(S);680HM,5%,1/2W,AA,TP,2.4X6.4M	
2	R303	2001-000016	R-CARBON(S);10HM,5%,1/2W,AA,TP,2.4X6.4MM	
2	R828	2008-000266	R-FUSIBLE(S);1ohm,5%,2W,AF,TP,3.9x10mm	
2	R314	2004-001984	R-METAL(S);26.7Kohm,1%,1/2W,AA,TP,2.4x6.	
2	R411	2001-000028	R-CARBON(S);100OHM,5%,1/2W,AA,TP,2.4X6.4	
2	R412	2001-000020	R-CARBON(S);22OHM,5%,1/2W,AA,TP,2.4X6.4M	
2	R422	2001-000020	R-CARBON(S);22OHM,5%,1/2W,AA,TP,2.4X6.4M	
2	R421	2001-001093	R-CARBON(S);2.2KOHM,5%,1/2W,AA,TP,2.4X6.	
2	R432	2001-001093	R-CARBON(S);2.2KOHM,5%,1/2W,AA,TP,2.4X6.	
2	R913	2001-000947	R-CARBON;7.5KOHM,5%,1/8W,AA,TP,1.8X3.2M	
2	R426	2003-000540	R-METAL OXIDE(S);1Kohm,5%,2W,AF,TP,4x12m	
2	R614	2001-000780	R-CARBON;470OHM,5%,1/8W,AA,TP,1.8X3.2MM	
2	R615	2001-000780	R-CARBON;470OHM,5%,1/8W,AA,TP,1.8X3.2MM	
2	R616	2001-000780	R-CARBON;470OHM,5%,1/8W,AA,TP,1.8X3.2MM	
2	R617	2001-000780	R-CARBON;470OHM,5%,1/8W,AA,TP,1.8X3.2MM	
2	R920	2001-000780	R-CARBON;470OHM,5%,1/8W,AA,TP,1.8X3.2MM	
2	R226	2001-000780	R-CARBON;470OHM,5%,1/8W,AA,TP,1.8X3.2MM	
2	R224	2001-000780	R-CARBON;470OHM,5%,1/8W,AA,TP,1.8X3.2MM	
2	R225	2001-000780	R-CARBON;470OHM,5%,1/8W,AA,TP,1.8X3.2MM	
2	R812	2001-000780	R-CARBON;470OHM,5%,1/8W,AA,TP,1.8X3.2MM	
2	R831	2001-000780	R-CARBON;470OHM,5%,1/8W,AA,TP,1.8X3.2MM	
2	R931	2001-000780	R-CARBON;470OHM,5%,1/8W,AA,TP,1.8X3.2MM	
2	R956	2001-000780	R-CARBON;470OHM,5%,1/8W,AA,TP,1.8X3.2MM	
2	R919	2001-000780	R-CARBON;470OHM,5%,1/8W,AA,TP,1.8X3.2MM	
2	R214	2001-000411	R-CARBON;18KOHM,5%,1/8W,AA,TP,1.8X3.2MM	
2	R704	2001-000969	R-CARBON;75OHM,5%,1/8W,AA,TP,1.8X3.2MM	
2	R242	2001-000969	R-CARBON;75OHM,5%,1/8W,AA,TP,1.8X3.2MM	
2	R802	2003-001025	R-METAL OXIDE(S);15Kohm,5%,2W,AF,TP,3.9x	
2	R803	2003-001025	R-METAL OXIDE(S);15Kohm,5%,2W,AF,TP,3.9x	
2	R804	2003-001025	R-METAL OXIDE(S);15Kohm,5%,2W,AF,TP,3.9x	
2	R805	2001-001150	R-CARBON(S);470KOHM,5%,1/2W,AA,TP,2.4X6.	
2	R806	2001-001150	R-CARBON(S);470KOHM,5%,1/2W,AA,TP,2.4X6.	
2	R813	2001-001153	R-CARBON(S);47OHM,5%,1/2W,AA,TP,2.4X6.4M	
2	R832	2001-001153	R-CARBON(S);47OHM,5%,1/2W,AA,TP,2.4X6.4M	
2	R810	2001-001178	R-CARBON(S);680OHM,5%,1/2W,AA,TP,2.4X6.4	
2	R418	2001-001178	R-CARBON(S);680OHM,5%,1/2W,AA,TP,2.4X6.4	
2	R819	2004-001983	R-METAL(S);2.49Kohm,1%,1/2W,AA,TP,2.4x6.	
2	R301	2004-001983	R-METAL(S);2.49Kohm,1%,1/2W,AA,TP,2.4x6.	
2	R820	2001-001096	R-CARBON(S);2.2OHM,5%,1/2W,AA,TP,2.4X6.4	
2	R822	2001-000273	R-CARBON;100KOHM,5%,1/8W,AA,TP,1.8X3.2M	
2	R824	2001-000273	R-CARBON;100KOHM,5%,1/8W,AA,TP,1.8X3.2M	
2	R825	2001-000066	R-CARBON(S);10KOHM,5%,1/2W,AA,TP,2.4X6.4	
2	R901	2001-000734	R-CARBON;4.7KOHM,5%,1/8W,AA,TP,1.8X3.2M	
2	R903	2001-000734	R-CARBON;4.7KOHM,5%,1/8W,AA,TP,1.8X3.2M	
2	R904	2001-000734	R-CARBON;4.7KOHM,5%,1/8W,AA,TP,1.8X3.2M	
2	R905	2001-000734	R-CARBON;4.7KOHM,5%,1/8W,AA,TP,1.8X3.2M	
2	R906	2001-000734	R-CARBON;4.7KOHM,5%,1/8W,AA,TP,1.8X3.2M	
2	R908	2001-000734	R-CARBON;4.7KOHM,5%,1/8W,AA,TP,1.8X3.2M	
2	R921	2001-000734	R-CARBON;4.7KOHM,5%,1/8W,AA,TP,1.8X3.2M	
2	R927	2001-000734	R-CARBON;4.7KOHM,5%,1/8W,AA,TP,1.8X3.2M	
2	R928	2001-000734	R-CARBON;4.7KOHM,5%,1/8W,AA,TP,1.8X3.2M	
2	R937	2001-000734	R-CARBON;4.7KOHM,5%,1/8W,AA,TP,1.8X3.2M	
2	R938	2001-000734	R-CARBON;4.7KOHM,5%,1/8W,AA,TP,1.8X3.2M	
2	R833	2001-000734	R-CARBON;4.7KOHM,5%,1/8W,AA,TP,1.8X3.2M	
2	R724	2001-000734	R-CARBON;4.7KOHM,5%,1/8W,AA,TP,1.8X3.2M	
2	R725	2001-000734	R-CARBON;4.7KOHM,5%,1/8W,AA,TP,1.8X3.2M	
2	R253	2001-000734	R-CARBON;4.7KOHM,5%,1/8W,AA,TP,1.8X3.2M	
2	R248	2001-000003	R-CARBON;330ohm,5%,1/8W,AA,TP,1.8x3.2mm	
2	R249	2001-000003	R-CARBON;330ohm,5%,1/8W,AA,TP,1.8x3.2mm	
2	R250	2001-000003	R-CARBON;330ohm,5%,1/8W,AA,TP,1.8x3.2mm	
2	R911	2001-000003	R-CARBON;330ohm,5%,1/8W,AA,TP,1.8x3.2mm	
2	R922	2001-000924	R-CARBON;680OHM,5%,1/8W,AA,TP,1.8X3.2MM	
2	R923	2001-000924	R-CARBON;680OHM,5%,1/8W,AA,TP,1.8X3.2MM	
2	C833	2401-002619	C-AL;47uF,20%,25V,GP,TP,5x11,5	
2	C229	2401-002619	C-AL;47uF,20%,25V,GP,TP,5x11,5	
2	CN602	3711-002644	CONNECTOR-HEADER;BOX,5P,1R,2.5mm,STRAIGH	
2	CN901	3711-002644	CONNECTOR-HEADER;BOX,5P,1R,2.5mm,STRAIGH	
2	CN903	3711-002642	CONNECTOR-HEADER;BOX,3P,1R,2.5mm,STRAIGH	
2	CW901	2503-000156	C-NETWORK;100pFx4,20%,50V	
2	D203	0404-000156	DIODE-SCHOTTKY;RB441Q,10V,100mA,DO-34,TP	
2	D204	0404-000156	DIODE-SCHOTTKY;RB441Q,10V,100mA,DO-34,TP	
2	D205	0404-000156	DIODE-SCHOTTKY;RB441Q,10V,100mA,DO-34,TP	
2	D206	0404-000156	DIODE-SCHOTTKY;RB441Q,10V,100mA,DO-34,TP	

Level	Loc. No.	Code No.	Description ; Specification	Remark
2	D901	0404-000156	DIODE-SCHOTTKY;RB441Q,10V,100mA,DO-34,TP	
2	D902	0404-000156	DIODE-SCHOTTKY;RB441Q,10V,100mA,DO-34,TP	
2	D903	0404-000156	DIODE-SCHOTTKY;RB441Q,10V,100mA,DO-34,TP	
2	D904	0404-000156	DIODE-SCHOTTKY;RB441Q,10V,100mA,DO-34,TP	
2	DZ803	0403-001167	DIODE-ZENER;MTZJ30D,30V,29.02-30.51V,500	
⚠ 2	FA802S	3601-001086	FUSE-AXIAL LEAD;125V,5A,FAST-ACTING,GLAS	
2	HIC201	AA13-00093A	IC HYBRID;-,DRGB001A,SIP,5P,-,TP	
2	HIC202	AA13-00093A	IC HYBRID;-,DRGB001A,SIP,5P,-,TP	
2	HIC203	AA13-00093A	IC HYBRID;-,DRGB001A,SIP,5P,-,TP	
2	HIC204	AA13-00093A	IC HYBRID;-,DRGB001A,SIP,5P,-,TP	
2	R409	2003-001018	R-METAL OXIDE(S);220ohm,5%,2W,AF,TP,3.9x	
2	R410	2003-001018	R-METAL OXIDE(S);220ohm,5%,2W,AF,TP,3.9x	
2	R413	2008-001018	R-FUSIBLE(S);0.47ohm,10%,2W,AF,TP,3.9x10	
2	R424	2008-001018	R-FUSIBLE(S);0.47ohm,10%,2W,AF,TP,3.9x10	
2	R827	2008-000284	R-FUSIBLE(S);0.10HM,10%,2W,AF,TP,3.9X10M	
2	R829	2008-001029	R-FUSIBLE(S);5.6ohm,5%,2W,AF,TP,3.9x10mm	
2	R835	2003-002181	R-METAL OXIDE(S);68Kohm,5%,2W,AG,TP,3.9x	
2	R836	2003-002181	R-METAL OXIDE(S);68Kohm,5%,2W,AG,TP,3.9x	
2	R433	2003-001042	R-METAL OXIDE(S);5.6Kohm,5%,2W,AF,TP,3.9	
2	R717	2001-000702	R-CARBON;39KOHM,5%,1/8W,AA,TP,1.8X3.2MM	
2	R718	2001-000702	R-CARBON;39KOHM,5%,1/8W,AA,TP,1.8X3.2MM	
2	R105	2001-000702	R-CARBON;39KOHM,5%,1/8W,AA,TP,1.8X3.2MM	
2	X601	2801-003903	CRYSTAL-UNIT;18.432MHz,25ppm,28-AAM,12pF	
2	IC904	1203-001943	IC-VOL. DETECTOR;7025,TO-92,3P,-,PLASTIC	
2	PCB	AA41-00168H	PCB-MAIN;CS29A6,FR-1,1L,H,1.6T,330X245,K	
2	Q802	0501-000369	TR-SMALL SIGNAL;KSC2331-Y,NPN,1000mW,TO-	
2	Q909	0505-000109	FET-SILICON;2N7000,N,60V,200mA,5ohm,400m	
2	Q910	0505-000109	FET-SILICON;2N7000,N,60V,200mA,5ohm,400m	
2	R434	2003-001091	R-METAL OXIDE(S);10ohm,5%,2W,AF,TP,4x12m	
2	R403	2003-001091	R-METAL OXIDE(S);10ohm,5%,2W,AF,TP,4x12m	
2	C113	2202-000127	C-CERAMIC,MLC-AXIAL;10nF,+80-20%,25V,Y5V	
2	C925	2202-000127	C-CERAMIC,MLC-AXIAL;10nF,+80-20%,25V,Y5V	
2	L705	2701-000180	INDUCTOR-AXIAL;33uH,5%,2.5x3.4mm	
2	L706	2701-000180	INDUCTOR-AXIAL;33uH,5%,2.5x3.4mm	
2	L605	2701-000180	INDUCTOR-AXIAL;33uH,5%,2.5x3.4mm	
2	L606	2701-000180	INDUCTOR-AXIAL;33uH,5%,2.5x3.4mm	
2	L607	2701-000180	INDUCTOR-AXIAL;33uH,5%,2.5x3.4mm	
2	L608	2701-000180	INDUCTOR-AXIAL;33uH,5%,2.5x3.4mm	
2	L701	2701-000180	INDUCTOR-AXIAL;33uH,5%,2.5x3.4mm	
2	L702	2701-000180	INDUCTOR-AXIAL;33uH,5%,2.5x3.4mm	
2	R106	2001-000864	R-CARBON;56KOHM,5%,1/8W,AA,TP,1.8X3.2MM	
2	R313	2004-001137	R-METAL;6.8Kohm,1%,1/8W,AA,TP,1.8x3.2m	
2	R710	2001-000938	R-CARBON;68OHM,5%,1/8W,AA,TP,1.8X3.2MM	
2	R709	2001-000938	R-CARBON;68OHM,5%,1/8W,AA,TP,1.8X3.2MM	
2	R241	2001-000938	R-CARBON;68OHM,5%,1/8W,AA,TP,1.8X3.2MM	
2	R811	2004-001408	R-METAL(S);91Kohm,1%,1/2W,AA,TP,2.4x6.4m	
2	R809	2001-000022	R-CARBON(S);33OHM,5%,1/2W,AA,TP,2.4X6.4M	
2	L901	2702-001094	INDUCTOR-RADIAL;10uH,10%,6x4mm	
2	L903	2702-001094	INDUCTOR-RADIAL;10uH,10%,6x4mm	
2	L904	2702-001094	INDUCTOR-RADIAL;10uH,10%,6x4mm	
2	L909	2701-000191	INDUCTOR-AXIAL;47uH,10%,2.5x3.4mm	
2	L908	2701-000191	INDUCTOR-AXIAL;47uH,10%,2.5x3.4mm	
2	R818	2001-001113	R-CARBON(S);270KOHM,5%,1/2W,AA,TP,2.4X6.	
2	CN702	3711-002647	CONNECTOR-HEADER;BOX,8P,1R,2.5mm,STRAIGH	
2	C656	2201-000304	C-CERAMIC,DISC;0.001NF,0.25PF,50V,C0G,TP	
2	C657	2201-000304	C-CERAMIC,DISC;0.001NF,0.25PF,50V,C0G,TP	
2	C306	2301-000342	C-FILM,PEF;2.2nF,5%,50V,TP,7.4x3.9x13mm,	
2	C415	2301-000342	C-FILM,PEF;2.2nF,5%,50V,TP,7.4x3.9x13mm,	
2	C621	2401-002458	C-AL;1000uF,20%,35V,GP,TP,16x25,7.5	
2	C824	2401-003046	C-AL;47uF,20%,50V,WT,TP,6.3x11,2.5	
2	C823	2401-003046	C-AL;47uF,20%,50V,WT,TP,6.3x11,2.5	
2	C115	2202-000121	C-CERAMIC,MLC-AXIAL;100pF,10%,50V,Y5P,TP	
2	C116	2202-000121	C-CERAMIC,MLC-AXIAL;100pF,10%,50V,Y5P,TP	
2	C701	2202-000121	C-CERAMIC,MLC-AXIAL;100pF,10%,50V,Y5P,TP	
2	L209	2701-000168	INDUCTOR-AXIAL;3.3uH,5%,2.5x3.4mm	
2	L210	2701-000168	INDUCTOR-AXIAL;3.3uH,5%,2.5x3.4mm	
2	L212	2701-000168	INDUCTOR-AXIAL;3.3uH,5%,2.5x3.4mm	
2	L801	3301-001223	CORE-FERRITE BEAD;AA,62ohm,3.5x0.8x5mm,-	
2	L806	3301-001223	CORE-FERRITE BEAD;AA,62ohm,3.5x0.8x5mm,-	
2	R945	2001-000449	R-CARBON;2.2KOHM,5%,1/8W,AA,TP,1.8X3.2M	
2	R946	2001-000449	R-CARBON;2.2KOHM,5%,1/8W,AA,TP,1.8X3.2M	
2	R821	2004-001891	R-METAL(S);133Kohm,1%,1/2W,AA,TP,2.5x6.5	
2	R210	2001-000812	R-CARBON;5.6KOHM,5%,1/8W,AA,TP,1.8X3.2M	
2	C835	2401-002289	C-AL;470uF,20%,35V,WT,TP,10x20,5	
2	C840	2401-002212	C-AL;10uF,20%,25V,WT,TP,5x11,5	
2	C827	2401-002212	C-AL;10uF,20%,25V,WT,TP,5x11,5	
2	R417	2004-001397	R-METAL(S);4.7Kohm,1%,1/2W,AA,TP,2.4x6.4	
2	CN502	3711-002646	CONNECTOR-HEADER;BOX,7P,1R,2.5mm,STRAIGH	
2	CN704	3711-002646	CONNECTOR-HEADER;BOX,7P,1R,2.5mm,STRAIGH	
2	R808	2001-001079	R-CARBON(S);15OHM,5%,1/2W,AA,TP,2.4X6.4M	
2	R304	2008-000254	R-FUSIBLE(S);0.68ohm,5%,2W,AF,TP,3.9x10m	
2	R307	2008-000254	R-FUSIBLE(S);0.68ohm,5%,2W,AF,TP,3.9x10m	
2	R425	2008-001011	R-FUSIBLE(S);0.18ohm,10%,2W,AF,TP,3.9x10	
2		HA68-02176A	LABEL;LABEL	
2	R423	2001-001122	R-CARBON(S);3.9KOHM,5%,1/2W,AA,TP,2.4X6.	
2	C654	2201-000611	C-CERAMIC,DISC;0.056NF,5%,50V,C0G,TP,7X3	
2	C425	2301-001259	C-FILM,MPPF;100nF,5%,400V,TP,19x8x16,7.5	
2	C622	2401-001989	C-AL;4.7uF,20%,50V,BP,TP,5x11,5	
2	C625	2401-001989	C-AL;4.7uF,20%,50V,BP,TP,5x11,5	
2	C626	2401-001989	C-AL;4.7uF,20%,50V,BP,TP,5x11,5	
2	C628	2401-001989	C-AL;4.7uF,20%,50V,BP,TP,5x11,5	
2	C104	2401-002463	C-AL;470uF,20%,16V,GP,TP,8x11.5,5	
2	C808	2401-003046	C-AL;47uF,20%,50V,WT,TP,6.3x11,2.5	
2	D301	0402-001105	DIODE-RECTIFIER;ERB43-04SV1,400V,1.0A,-,	
⚠ 2	D803	0402-001105	DIODE-RECTIFIER;ERB43-04SV1,400V,1.0A,-,	
⚠ 2	D816	0402-001105	DIODE-RECTIFIER;ERB43-04SV1,400V,1.0A,-,	
2	DZ602	0403-000720	DIODE-ZENER;MTZJ9.1B,9.1V,8.57-9.01V,500	
2	R207	2001-000221	R-CARBON;1.2KOHM,5%,1/8W,AA,TP,1.8X3.2M	
2	R208	2001-000405	R-CARBON;180OHM,5%,1/8W,AA,TP,1.8X3.2MM	
2	R414	2008-000253	R-FUSIBLE(S);0.47ohm,5%,1W,AF,TP,3.9x10m	
2	HIC401	AA13-00094A	IC HYBRID;-,DDRI001A,SIP,5P,-,TP	
2	R404	2001-003218	R-CARBON(S);0.18ohm,10%,1/2W,AA,TP,2.4x6	
2	C102	2401-001513	C-AL;47uF,20%,16V,WT,TP,5x11,5	
2	C913	2401-000287	C-AL;100uF,20%,16V,WT,TP,6.3x11,5	
2	C915	2401-000287	C-AL;100uF,20%,16V,WT,TP,6.3x11,5	
2	C918	2401-000287	C-AL;100uF,20%,16V,WT,TP,6.3x11,5	
2	C210	2401-000287	C-AL;100uF,20%,16V,WT,TP,6.3x11,5	
2	L102	2701-000159	INDUCTOR-AXIAL;22uH,10%,4.2x9.8mm	
2	R420	2004-004015	R-METAL(S);9.1Kohm,1%,1/2W,AA,TP,2.5x6.5	
2	C106	2401-000611	C-AL;1uF,20%,50V,WT,TP,5x11,5	
2	C303	2201-002103	C-CERAMIC,DISC;0.015NF,5%,500V,C0G,TP,6.	
2	C409	2301-001385	C-FILM,PPF;30nF,5%,630V,TP,20x15.5x10.5,	
2	C411	2301-000445	C-FILM,PEF;4.7nF,5%,50V,TP,5.5x7x3mm,5mm	
2	C412	2301-000148	C-FILM,PEF;10nF,5%,100V,TP,7x3.2x7mm,5mm	
2	L905	2001-000995	R-CARBON;820OHM,5%,1/8W,AA,TP,1.8X3.2MM	
2	R302	2004-004029	R-METAL(S);10Kohm,1%,1/2W,AA,TP,2.5x6.5m	
2	R305	2003-002205	R-METAL OXIDE(S);330ohm,5%,2W,AG,TP,3.9X	
2	R306	2003-002205	R-METAL OXIDE(S);330ohm,5%,2W,AG,TP,3.9X	
2	R415	2001-001099	R-CARBON(S);2.7KOHM,5%,1/2W,AA,TP,2.4X6.	
2	R607	2001-000007	R-CARBON;3KOHM,5%,1/8W,AA,TP,1.8X3.2MM	
2	R608	2001-000007	R-CARBON;3KOHM,5%,1/8W,AA,TP,1.8X3.2MM	
2	R212	2004-000218	R-METAL;10Kohm,1%,1/8W,AA,TP,1.8x3.2mm	
⚠ 2	FA803S	3601-001228	FUSE-AXIAL LEAD;125V,10A,FAST-ACTING,EPO	
2	R401	2003-000586	R-METAL OXIDE(S);22Kohm,5%,2W,AF,TP,4x12	
2	R402	2003-000586	R-METAL OXIDE(S);22Kohm,5%,2W,AF,TP,4x12	
⚠ 2	D408	0402-000493	DIODE-RECTIFIER;1R5GU41,400V,1.5A,DO-15L	
2	R407	2001-001114	R-CARBON(S);2700HM,5%,1/2W,AA,TP,2.4X6.4	
2	C828	2201-000376	C-CERAMIC,DISC;0.22NF,5%,50V,SL,TP,6.3X3	
2	J919	2701-000183	INDUCTOR-AXIAL;39uH,5%,2.5x3.4mm	
2	R405	2008-001013	R-FUSIBLE(S);1.2ohm,5%,2W,AF,TP,3.9x10mm	
2	R826	2003-001035	R-METAL OXIDE(S);27ohm,5%,2W,AF,TP,3.9x1	
2	KEZI	2303-000296	C-FILM,PPF;18nF,0.05,630V,BK,20x16x9.5mm	
2	C410	2301-000213	C-FILM,PEF;220nF,5%,250V,TP,21.5x11,7.5	
2	C427	2401-002267	C-AL;2.2uF,20%,250V,GP,TP,8x11.5,5	
⚠ 2	D413	0402-000537	DIODE-RECTIFIER;RH1A,600V,0.6A,DO-204AC	
2	R436	2003-002008	R-METAL OXIDE(S);18Kohm,5%,2W,AF,TP,3.9x	
2	C203	2401-000480	C-AL;10uF,20%,50V,GP,TP,5x11,5	
2	R944	2001-000613	R-CARBON;3.9KOHM,5%,1/8W,AA,TP,1.8X3.2M	
2	L910	2701-000215	INDUCTOR-AXIAL;8.2uH,10%,2.5x3.4mm	
2	C926	2202-000154	C-CERAMIC,MLC-AXIAL;150pF,10%,50V,Y5P,TP	
2	L208	2701-000147	INDUCTOR-AXIAL;2.2uH,5%,2.4x3.4mm	
2	C246	2202-000210	C-CERAMIC,MLC-AXIAL;270pF,10%,50V,Y5P,TP	
2	C248	2202-000210	C-CERAMIC,MLC-AXIAL;270pF,10%,50V,Y5P,TP	
2	C247	2202-000849	C-CERAMIC,MLC-AXIAL;18pF,5%,50V,CH,TP,3.	
⚠ 2	RX801S	2002-001010	R-COMPOSITION;1.8Mohm,5%,1/2W,AA,TP,3.7x	
⚠ 2	FP801S	3601-000297	FUSE-CARTRIDGE;250V,5A,TIME-LAG,GLASS,5.	
2	F801A	3602-000114	FUSE-HOLDER;-,-,30mohm	
2	F801B	3602-000114	FUSE-HOLDER;-,-,30mohm	
2	RH28	2008-001113	R-FUSIBLE(S);0.22ohm,10%,2W,AG,TP,3.9x12	
⚠ 2	RR430S	2001-001088	R-CARBON(S);1KOHM,5%,1/2W,AA,TP,2.4X6.4M	
2	R429	2001-001112	R-CARBON(S);24KOHM,5%,1/2W,AA,TP,2.4X6.4	
2	R428	2001-001191	R-CARBON(S);820KOHM,5%,1/2W,AA,TP,2.4X6.	

Level	Loc. No.	Code No.	Description ; Specification	Remark
2	R315	2004-002022	R-METAL(S);51Kohm,1%,1/2W,AA,TP,2.4x6.4m	
2	IC901	AA09-00221A	IC MICOM;SIM806HEW2-A042,SIM806HEW2-A042	
2	IC601	1204-001661	IC-SOUND PROCESSOR;MSP3411G-A2,DIP,52P,-	
⚠ 2	T401	AA26-50001S	TRANS-HORIZ.DRIVE;-,-,-,6.0mH,-,-,44uH,-	
⚠ 2	TU01S	AA40-00079A	TUNER;TCPW3001PD16A(S),PAL,181CH,38.	
2		AA98-00245A	ASSY SUB PART;S51A,PCB MAIN(OPT)	
3		0202-000008	SOLDER-WIRE;S63S-W3.0,S63S,D3,63Sn/37Pb,	
3		0202-000187	SOLDER-WIRE FLUX;-,RS60S,D1.2,63Sn/37Pb	
3		0202-001046	FLUX;CF-110VH-2A,-,-,-,-	
3		0204-001095	THINNER;#4520,-,-,-	
⚠ 2	T801S	AA26-00046B	TRANS SWITCHING;CODE-NO,CW6844N8X/XEF,-,	
⚠ 2	IC804	HA96-00243C	ASSY-H/S;-,REGULATOR,AA62-00045A,KA7806	
3		1203-000284	IC-POSI.FIXED REG.;7806,TO-220,3P,-,PLAS	
3		6003-000334	SCREW-TAPTITE;RH,+,2S,M3,L6,ZPC(YEL),SWR	
3		AA62-00065A	HEAT SINK-PS;DP,-,-,-,AA62-00045A,-,-,-,	
3		0205-000129	GREASE-SILICON;SC102,JAPAN	
2	L408	AA27-00031A	COIL HORIZ. WIDTH;-,140UH,AR 8X20,0.8MM,	
⚠ 2	LX801S	AA29-00015A	FILTER LINE NOISE;WS32W8,28-20MH 1.5A,+-	
2	L405	AA27-00057A	COIL HORIZ. WIDTH;-,10mH,YL-9N 15x27.5 C	
⚠ 2	IC803	1203-001697	IC-VOLTAGE REGULATOR;78R08,TO-220,4P,-,P	
2	Q404	HA96-00437A	ASSY-H/S;ASSY-H/S;AA62-00076A,IRF620	
3		0505-000156	FET-SILICON;IRF620,N,200V,5A,0.8ohm,50W,	
3		6003-000334	SCREW-TAPTITE;RH,+,2S,M3,L6,ZPC(YEL),SWR	
3		HA62-00076A	HEAT SINK;AL,100Hz,T1.0,10,40	
2	Q402	0505-001116	FET-SILICON;BUZ73A,N,200V,22A,0.6ohm,40W	
⚠ 2	CY802S	2201-002002	C-CERAMIC,DISC;4.7nF,20%,400V,Y5U,TP,16x	
2	C407	2301-001338	C-FILM,MPE-PPF;0.68nF,5%,1.6kV,TP,28x7x1	
2	C405	2306-000330	C-FILM,MPPF;7.7nF,3%,1.6KV,TP,28.5x18.5x	
2	C426	2301-001185	C-FILM,MPPF;620nF,5%,400V,TP,14.5x26x24,	
2	IC903	1203-001944	IC-POSI.FIXED REG.;78RM33,TO-220,3P,-,PL	
2	IC202	1203-001944	IC-POSI.FIXED REG.;78RM33,TO-220,3P,-,PL	
2	C806	2401-003031	C-AL;470uF,20%,450V,GP,BK,35x45mm,1	
2	C820	2401-003076	C-AL;3300uF,20%,50V,WP,BK,18x35.5mm	
2	R807	2006-001083	R-CEMENT;120ohm,5%,5W,CJ,TP,14x10x27mm	
2	C423	2306-001017	C-FILM,MPPF;680nF,5%,400V,TP,26x14.5x24m	
2	C406	2303-001015	C-FILM,PPF;5.5nF,5%,1.6kV,TP,29x9.5x17,2	
2	L808	AA27-10002L	COIL CHOKE;-,24uH,K,-,2A,-,24UH-K,10x10m	
2	L402	AA27-10004F	COIL CHOKE;-,56uH,K,-,2.5A,BK,-,DR12x15,	
⚠ 2	T444S	AA26-00122A	TRANS FBT;1372.7021A,CT29D4,1.22MH,135V,	
⚠ 2	IC201S	HA98-00134B	ASSY-SIPADOSS MODULE;DP,KS3A,100HZ,SDA94	
3		AA95-00989A	ASSY ETC-CHROMA BODY;DP,-,KS3A,-,-,100HZ	
4	P1	3711-004782	CONNECTOR-HEADER;NOWALL,32P,1R,1.778MM,S	
4	P2	3711-004782	CONNECTOR-HEADER;NOWALL,32P,1R,1.778MM,S	
4	PCB	AA41-00411A	PCB-SIPADOS BODY;CS29A5,FR-4,2L,A,1.6T,1	
3	IC3	1204-001909	IC-VIDEO PROCESS;DDP3310B-F6,PLCC,68P,-,	
3	IC1	1204-001789	IC-VIDEO PROCESS;VPC3230D-B3,QFP,80P,787	
3	IC2	1204-001858	IC-PICTURE PROCESS;SDA9401,QFP,64P,-,PLA	
3	JP1	2007-000070	R-CHIP;0ohm,5%,1/16W,DA,TP,1608	
3	R17	2007-000070	R-CHIP;0ohm,5%,1/16W,DA,TP,1608	
3	R19	2007-000070	R-CHIP;0ohm,5%,1/16W,DA,TP,1608	
3	R7	2007-000070	R-CHIP;0ohm,5%,1/16W,DA,TP,1608	
3	L1	2007-000070	R-CHIP;0ohm,5%,1/16W,DA,TP,1608	
3	R10	2007-000084	R-CHIP;4.7Kohm,5%,1/16W,DA,TP,1608	
3	R1	2007-000090	R-CHIP;10KOHM,5%,1/16W,DA,TP,1608	
3	R2	2007-000090	R-CHIP;10KOHM,5%,1/16W,DA,TP,1608	
3	R3	2007-000090	R-CHIP;10KOHM,5%,1/16W,DA,TP,1608	
3	R4	2007-000090	R-CHIP;10KOHM,5%,1/16W,DA,TP,1608	
3	R5	2007-000090	R-CHIP;10KOHM,5%,1/16W,DA,TP,1608	
3	R13	2007-001166	R-CHIP;75OHM,5%,1/10W,DA,TP,2012	
3	R14	2007-001166	R-CHIP;75OHM,5%,1/10W,DA,TP,2012	
3	R15	2007-001166	R-CHIP;75OHM,5%,1/10W,DA,TP,2012	
3	R6	2007-001167	R-CHIP;75ohm,5%,1/16W,DA,TP,1608	
3	R9	2007-001167	R-CHIP;75ohm,5%,1/16W,DA,TP,1608	
3	CD3	2203-000041	C-CERAMIC,CHIP;0.01nF,0.25pF,50V,NP0,TP,	
3	CD4	2203-000041	C-CERAMIC,CHIP;0.01nF,0.25pF,50V,NP0,TP,	
3	C21	2203-000181	C-CERAMIC,CHIP;100nF,+80-20%,25V,Y5V,TP,	
3	C39	2203-000181	C-CERAMIC,CHIP;100nF,+80-20%,25V,Y5V,TP,	
3	C42	2203-000181	C-CERAMIC,CHIP;100nF,+80-20%,25V,Y5V,TP,	
3	C43	2203-000181	C-CERAMIC,CHIP;100nF,+80-20%,25V,Y5V,TP,	
3	C44	2203-000181	C-CERAMIC,CHIP;100nF,+80-20%,25V,Y5V,TP,	
3	C51	2203-000181	C-CERAMIC,CHIP;100nF,+80-20%,25V,Y5V,TP,	
3	C52	2203-000181	C-CERAMIC,CHIP;100nF,+80-20%,25V,Y5V,TP,	
3	C53	2203-000181	C-CERAMIC,CHIP;100nF,+80-20%,25V,Y5V,TP,	
3	C54	2203-000181	C-CERAMIC,CHIP;100nF,+80-20%,25V,Y5V,TP,	
3	C55	2203-000181	C-CERAMIC,CHIP;100nF,+80-20%,25V,Y5V,TP,	
3	C56	2203-000181	C-CERAMIC,CHIP;100nF,+80-20%,25V,Y5V,TP,	
3	C57	2203-000181	C-CERAMIC,CHIP;100nF,+80-20%,25V,Y5V,TP,	
3	C27	2203-000236	C-CERAMIC,CHIP;0.1nF,5%,50V,NP0,TP,1608	
3	C33	2203-000236	C-CERAMIC,CHIP;0.1nF,5%,50V,NP0,TP,1608	
3	C37	2203-000236	C-CERAMIC,CHIP;0.1nF,5%,50V,NP0,TP,1608	
3	C16	2203-000257	C-CERAMIC,CHIP;10nF,10%,50V,X7R,TP,1608	
3	C1	2203-000491	C-CERAMIC,CHIP;2.2nF,10%,50V,X7R,TP,1608	
3	C13	2203-000491	C-CERAMIC,CHIP;2.2nF,10%,50V,X7R,TP,1608	
3	C17	2203-000491	C-CERAMIC,CHIP;2.2nF,10%,50V,X7R,TP,1608	
3	C18	2203-000491	C-CERAMIC,CHIP;2.2nF,10%,50V,X7R,TP,1608	
3	C2	2203-000491	C-CERAMIC,CHIP;2.2nF,10%,50V,X7R,TP,1608	
3	C24	2203-000491	C-CERAMIC,CHIP;2.2nF,10%,50V,X7R,TP,1608	
3	C25	2203-000491	C-CERAMIC,CHIP;2.2nF,10%,50V,X7R,TP,1608	
3	C26	2203-000491	C-CERAMIC,CHIP;2.2nF,10%,50V,X7R,TP,1608	
3	C5	2203-000491	C-CERAMIC,CHIP;2.2nF,10%,50V,X7R,TP,1608	
3	C7	2203-000491	C-CERAMIC,CHIP;2.2nF,10%,50V,X7R,TP,1608	
3	C8	2203-000491	C-CERAMIC,CHIP;2.2nF,10%,50V,X7R,TP,1608	
3	C9	2203-000491	C-CERAMIC,CHIP;2.2nF,10%,50V,X7R,TP,1608	
3	C20	2203-000552	C-CERAMIC,CHIP;0.02nF,5%,50V,NP0,TP,1608	
3	C6	2203-000659	C-CERAMIC,CHIP;0.27nF,5%,50V,NP0,TP,1608	
3	C23	2203-000975	C-CERAMIC,CHIP;47nF,10%,25V,X7R,TP,1608,	
3	C3	2203-000975	C-CERAMIC,CHIP;47nF,10%,25V,X7R,TP,1608,	
3	C11	2203-001052	C-CERAMIC,CHIP;0.56nF,10%,50V,X7R,TP,160	
3	C14	2203-001052	C-CERAMIC,CHIP;0.56nF,10%,50V,X7R,TP,160	
3	C19	2203-001052	C-CERAMIC,CHIP;0.56nF,10%,50V,X7R,TP,160	
3	C4	2203-001052	C-CERAMIC,CHIP;0.56nF,10%,50V,X7R,TP,160	
3	C22	2203-001256	C-CERAMIC,CHIP;0.008nF,0.25pF,50V,NP0,TP	
3	C38	2203-001603	C-CERAMIC,CHIP;220nF,10%,16V,X7R,TP,2012	
3	C28	2203-002494	C-CERAMIC,CHIP;470nF,10%,16V,X7R,TP,2012	
3	C32	2203-002494	C-CERAMIC,CHIP;470nF,10%,16V,X7R,TP,2012	
3	C34	2203-002494	C-CERAMIC,CHIP;470nF,10%,16V,X7R,TP,2012	
3	C36	2203-002494	C-CERAMIC,CHIP;470nF,10%,16V,X7R,TP,2012	
3	CE1	2401-000480	C-AL;10uF,20%,50V,GP,TP,5x11,5	
3	CE2	2401-000480	C-AL;10uF,20%,50V,GP,TP,5x11,5	
3	CE4	2401-000480	C-AL;10uF,20%,50V,GP,TP,5x11,5	
3	CE5	2401-000480	C-AL;10uF,20%,50V,GP,TP,5x11,5	
3	CE3	2401-001026	C-AL;3.3UF,20%,50V,GP,TP,5X11,5	
3	L2	2702-001092	INDUCTOR-RADIAL;2.2uH,10%,6x4mm	
3	X2	2801-003432	CRYSTAL-UNIT;20.25MHZ,30PPM,28-AAM,13PF,	
3	L3	3301-001324	CORE-FERRITE BEAD;AB,15OHM,2X1.25X0.9MM,	
3	L4	3301-001324	CORE-FERRITE BEAD;AB,15OHM,2X1.25X0.9MM,	
3	CN64	3711-004778	CONNECTOR-HEADER;NOWALL,64P,2R,2MM,ANGLE	
3	PCB	AA41-00475A	PCB-SIPADOS TOP;CS29A5,FR-4,4L,A,1.6T,18	
2	L403	AA27-00090A	COIL LINEARITY;-,3.9uH,DR15x18,11mm,18x4	
2	CN801	3711-004721	CONNECTOR-HEADER;3WALL,2P,1R,12.5mm,STRA	
2	CN802	3711-004720	CONNECTOR-HEADER;3WALL,2P,1R,12.5mm,STRA	
2		AA95-01553A	ASSY ETC-PCB SVHS BOARD;,ALL WITH SVHS,K	
3	ICS01	1001-001114	IC-VIDEO SWITCH;TEA6425,VIDEO SWITCH ,DI	
3	CNS01	3711-002704	CONNECTOR-HEADER;NOWALL,6P,1R,2.5mm,ANGL	
3	CNS02	3711-002706	CONNECTOR-HEADER;NOWALL,8P,1R,2.5mm,ANGL	
3		HA99-500031	ASSY-PCB,VIDEO-S/W(ACI);50Hz,32W8,KS3A,F	
4	CS01	2305-000412	C-FILM,MPEF;470nF,5%,63V,TP,-,5mm	
4	CS03	2305-000412	C-FILM,MPEF;470nF,5%,63V,TP,-,5mm	
4	CS04	2305-000412	C-FILM,MPEF;470nF,5%,63V,TP,-,5mm	
4	CS05	2305-000412	C-FILM,MPEF;470nF,5%,63V,TP,-,5mm	
4	CS06	2305-000412	C-FILM,MPEF;470nF,5%,63V,TP,-,5mm	
4	CS02	2305-000412	C-FILM,MPEF;470nF,5%,63V,TP,-,5mm	
4	CS07	2401-002009	C-AL;100uF,20%,16V,GP,TP,6.3x7,5	
4	JS01	3812-000219	WIRE-NO SHEATH CU;TCWA,300V,52mm(TAPING)	
4	JS02	3812-000219	WIRE-NO SHEATH CU;TCWA,300V,52mm(TAPING)	
4	JS03	3812-000219	WIRE-NO SHEATH CU;TCWA,300V,52mm(TAPING)	
4	JS04	3812-000219	WIRE-NO SHEATH CU;TCWA,300V,52mm(TAPING)	
4	RS08	3812-000219	WIRE-NO SHEATH CU;TCWA,300V,52mm(TAPING)	
4	RS09	3812-000219	WIRE-NO SHEATH CU;TCWA,300V,52mm(TAPING)	
4	QS01	0501-000389	TR-SMALL SIGNAL;KSC815,NPN,400mW,TO-92,T	
4	QS02	0501-000389	TR-SMALL SIGNAL;KSC815,NPN,400mW,TO-92,T	
4	QS03	0501-000389	TR-SMALL SIGNAL;KSC815,NPN,400mW,TO-92,T	
4	RS01	2001-000281	R-CARBON;100OHM,5%,1/8W,AA,TP,1.8X3.2MM	
4	RS03	2001-000429	R-CARBON;1KOHM,5%,1/8W,AA,TP,1.8X3.2MM	
4	RS05	2001-000429	R-CARBON;1KOHM,5%,1/8W,AA,TP,1.8X3.2MM	
4	RS07	2001-000429	R-CARBON;1KOHM,5%,1/8W,AA,TP,1.8X3.2MM	
4	RS10	2001-000429	R-CARBON;1KOHM,5%,1/8W,AA,TP,1.8X3.2MM	
4	RS11	2001-000429	R-CARBON;1KOHM,5%,1/8W,AA,TP,1.8X3.2MM	
4	RS02	2001-000734	R-CARBON;4.7KOHM,5%,1/8W,AA,TP,1.8X3.2M	
4	RS04	2001-000734	R-CARBON;4.7KOHM,5%,1/8W,AA,TP,1.8X3.2M	
4	RS06	2001-000734	R-CARBON;4.7KOHM,5%,1/8W,AA,TP,1.8X3.2M	
4	LS01	2701-000114	INDUCTOR-AXIAL;10uH,10%,2.5x3.4mm	
4	PCB	AA41-00153E	PCB-VIDEO SWITCH;CS29A6,FR-1,1L,E,1.6T,2	
4	CS08	2305-000665	C-FILM,MPEF;100nF,5%,63V,TP,7.5x4.0x5.0m	

Level	Loc. No.	Code No.	Description ; Specification	Remark
4	DZS01	0403-000508	DIODE-ZENER;MTZJ5.6B,5.6V,5.45-5.73V,500	
4	DZS02	0403-000508	DIODE-ZENER;MTZJ5.6B,5.6V,5.45-5.73V,500	
4	RS12	2001-000969	R-CARBON;750HM,5%,1/8W,AA,TP,1.8X3.2MM	
4	RS13	2001-000969	R-CARBON;750HM,5%,1/8W,AA,TP,1.8X3.2MM	
3		HA98-600012	ASSY-SUB,PART;PCB-WIDE,S51A,WIDE	
4		0202-000008	SOLDER-WIRE;S63S-W3.0,S63S,D3,63Sn/37Pb,	
4		0202-000187	SOLDER-WIRE FLUX;-,RS60S,D1.2,63Sn/37Pb	
4		0202-001046	FLUX;CF-110VH-2A,-,-,-,-	
4		0204-001095	THINNER;#4520,-,-,-	
2	CN701A	AA39-00306A	LEAD CONNECTOR-ASSY;KS3A,UL2547#26,UL/CS	
2	LH01	AA26-90002C	TRANS-DUMMY;-,-,-,-,-,-,-,-,-,-,-,EER2	
2	LH02	AA27-40003L	COIL HORIZ. WIDTH;-,1.0mH,DR14x20,2UEW0.	
2	C420	2306-000188	C-FILM,MPPF;330nF,5%,400V,TP,26x19.5x11,	
2		AA39-20010B	LEAD CONNECTOR-ASSY;,1P,YFH800-01,S,500,	
2	BOT	AA39-20536G	LEAD CONNECTOR ASSY;,1P,F,F,60MM,1617#22	

ASSY PCB CRT

1		AA95-01538A	ASSY PCB CRT;,KS3A,32,W6-W7,100HZ	
2		AA63-10002A	BAND-TIE;NYLON66 V2,L100,NTR	
2	CN501A	3711-002641	CONNECTOR-HEADER;BOX,10P,1R,2.54mm,STRAI	
2	CN501A	AA39-00225A	LEAD CONNECTOR-ASSY;,10P,67096-010,S,600	
2	CN502A	3711-002646	CONNECTOR-HEADER;BOX,7P,1R,2.5mm,STRAIGH	
2	CN502E	AA39-20029K	LEAD CONNECTOR-ASSY;,7P,67096-007,S,400,	
2	CNF01	3711-002642	CONNECTOR-HEADER;BOX,3P,1R,2.5mm,STRAIGH	
2	CNG01	3711-002643	CONNECTOR-HEADER;BOX,4P,1R,2.5mm,STRAIGH	
2	IC501	HA96-50151B	ASSY-H/S;-,AMP,AA61-10060A,TDA6111Q,-	
2	IC502	HA96-50151B	ASSY-H/S;-,AMP,AA61-10060A,TDA6111Q,-	
2	IC503	HA96-50151B	ASSY-H/S;-,AMP,AA61-10060A,TDA6111Q,-	
3		1201-001131	IC-VIDEO AMP;6111,SIP,9P,-,SINGLE,-,PLAS	
3		6001-000057	SCREW-MACHINE;RH,+,M3,L6,ZPC(BLK),SWRCH1	
3		6021-000154	NUT-HEXAGON;2C,M3,ZPC(YEL),SM20C	
3		AA61-10060A	BRACKET-TR;W3220,CUS-1 1/2H,T0.5,-,-,-,-	
2	ICG01	1201-000191	IC-OP AMP;4558,DIP,8P,300MIL,DUAL,20V/mV	
2	QG03	0502-001007	TR-POWER;KSC2073-H2,NPN,25W,TO-220,ST,6	
2	VA999	3704-001111	SOCKET-CRT;8P,15.24PI,35.5PI,NI,-	
2		HA68-02176A	LABEL;LABEL	
2	C502	2305-000704	C-FILM,MPEF;100nF,5%,250V,TP,16.5x10.3x5	
2	C505	2305-000704	C-FILM,MPEF;100nF,5%,250V,TP,16.5x10.3x5	
2	C508	2305-000704	C-FILM,MPEF;100nF,5%,250V,TP,16.5x10.3x5	
2	CF07	2305-000704	C-FILM,MPEF;100nF,5%,250V,TP,16.5x10.3x5	
2	C503	2201-000599	C-CERAMIC,DISC;0.56nF,10%,500V,Y5P,TP,5.	
2	C506	2201-000599	C-CERAMIC,DISC;0.56nF,10%,500V,Y5P,TP,5.	
2	C509	2201-000599	C-CERAMIC,DISC;0.56nF,10%,500V,Y5P,TP,5.	
2	C511	2401-001232	C-AL;4.7uF,20%,250V,GP,TP,10x12.5,5	
2	C512	2401-000914	C-AL;22uF,20%,16V,GP,TP,5x11,5	
2	C515	2401-000914	C-AL;22uF,20%,16V,GP,TP,5x11,5	
2	C526	2401-000914	C-AL;22uF,20%,16V,GP,TP,5x11,5	
2	C514	2401-000430	C-AL;10uF,20%,250V,GP,TP,10x16mm,5m	
2	C518	2301-000224	C-FILM,PEF;22nF,5%,50V,TP,7.4x3.9x13mm,5	
2	C519	2301-000224	C-FILM,PEF;22nF,5%,50V,TP,7.4x3.9x13mm,5	
2	C520	2301-000224	C-FILM,PEF;22nF,5%,50V,TP,7.4x3.9x13mm,5	
2	C521	2301-000224	C-FILM,PEF;22nF,5%,50V,TP,7.4x3.9x13mm,5	
2	C522	2301-000224	C-FILM,PEF;22nF,5%,50V,TP,7.4x3.9x13mm,5	
2	C523	2301-000224	C-FILM,PEF;22nF,5%,50V,TP,7.4x3.9x13mm,5	
2	CF01	2201-000180	C-CERAMIC,DISC;10NF,10%,50V,Y5V,TP,7X3MM	
2	CF02	2301-000192	C-FILM,PEF;1nF,5%,50V,TP,5.3x10mm,5mm	
2	C516	2301-000192	C-FILM,PEF;1nF,5%,50V,TP,5.3x10mm,5mm	
2	CF03	2201-000376	C-CERAMIC,DISC;0.22NF,5%,50V,SL,TP,6.3X3	
2	CF04	2201-000653	C-CERAMIC,DISC;0.068nF,5%,50V,SL,TP,5x3,	
2	CF05	2301-000261	C-FILM,PEF;4.7nF,5%,100V,TP,10.5x12.5x6.	
2	CF06	2201-000516	C-CERAMIC,DISC;4.7nF,+100-0%,500V,Y5U,TP	
2	CF08	2201-000604	C-CERAMIC,DISC;0.056nF,+100-0%,500V,SL,T	
2	CF10	2401-001840	C-AL;100uF,20%,16V,GP,TP,6.3x11,5	
2	CF12	2401-001840	C-AL;100uF,20%,16V,GP,TP,6.3x11,5	
2	CF14	2401-000832	C-AL;220uF,20%,25V,GP,TP,8x11.5,5	
2	CG01	2401-000832	C-AL;220uF,20%,25V,GP,TP,8x11.5,5	
2	CG04	2401-000832	C-AL;220uF,20%,25V,GP,TP,8x11.5,5	
2	CG02	2305-000149	C-FILM,MPEF;100nF,5%,100V,TP,12x12.5x6.5	
2	CG03	2401-000493	C-AL;10uF,20%,50V,LZ,TP,5x11mm,5mm	
2	D502	0402-000132	DIODE-RECTIFIER;1N4004,400V,1A,DO-41,TP	
2	D507	0402-001105	DIODE-RECTIFIER;ERB43-04SV1,400V,1.0A,-,	
2	D508	0402-001105	DIODE-RECTIFIER;ERB43-04SV1,400V,1.0A,-,	
2	D509	0402-001105	DIODE-RECTIFIER;ERB43-04SV1,400V,1.0A,-,	
2	D510	0402-001105	DIODE-RECTIFIER;ERB43-04SV1,400V,1.0A,-,	
2	D511	0402-001105	DIODE-RECTIFIER;ERB43-04SV1,400V,1.0A,-,	
2	D512	0402-001105	DIODE-RECTIFIER;ERB43-04SV1,400V,1.0A,-,	
2	DF02	0402-001105	DIODE-RECTIFIER;ERB43-04SV1,400V,1.0A,-,	
2	DF03	0402-001105	DIODE-RECTIFIER;ERB43-04SV1,400V,1.0A,-,	
2	DF01	0401-000005	DIODE-SWITCHING;1N4148,100V,200mA,DO-35,	
2	DF04	0401-000005	DIODE-SWITCHING;1N4148,100V,200mA,DO-35,	
2	DG01	0401-000005	DIODE-SWITCHING;1N4148,100V,200mA,DO-35,	
2	DZ503	0403-001211	DIODE-ZENER;MTZJ12B,11.44-12.03V,500MW,D	
2	KEZI	0403-001211	DIODE-ZENER;MTZJ12B,11.44-12.03V,500MW,D	
2	DZF01	0403-001039	DIODE-ZENER;MA2560,56V,52-60V,1W,DO-41,T	
2	DZF02	0403-001039	DIODE-ZENER;MA2560,56V,52-60V,1W,DO-41,T	
2	EL83	AA60-40011B	K EYELET;ID2.2,OD3.2,BSP	
2	EL84	AA60-40011B	K EYELET;ID2.2,OD3.2,BSP	
2	EL85	AA60-40011B	K EYELET;ID2.2,OD3.2,BSP	
2	EL86	AA60-40011B	K EYELET;ID2.2,OD3.2,BSP	
2	EL87	AA60-40011B	K EYELET;ID2.2,OD3.2,BSP	
2	EL88	AA60-40011B	K EYELET;ID2.2,OD3.2,BSP	
2	EL89	AA60-40011B	K EYELET;ID2.2,OD3.2,BSP	
2	EL91	AA60-40011B	K EYELET;ID2.2,OD3.2,BSP	
2	EL92	AA60-40011B	K EYELET;ID2.2,OD3.2,BSP	
2	EL93	AA60-40011B	K EYELET;ID2.2,OD3.2,BSP	
2	EL94	AA60-40011B	K EYELET;ID2.2,OD3.2,BSP	
2	GT504	AA60-40014A	PIN-GT,ASSY;AUTO	
2	GT505	AA60-40014A	PIN-GT,ASSY;AUTO	
2	GT507	AA60-40014A	PIN-GT,ASSY;AUTO	
2	GT508	AA60-40014A	PIN-GT,ASSY;AUTO	
2	J501	3812-000219	WIRE-NO SHEATH CU;TCWA,300V,52mm(TAPING)	
2	J503	3812-000219	WIRE-NO SHEATH CU;TCWA,300V,52mm(TAPING)	
2	J505	3812-000219	WIRE-NO SHEATH CU;TCWA,300V,52mm(TAPING)	
2	J506	3812-000219	WIRE-NO SHEATH CU;TCWA,300V,52mm(TAPING)	
2	J507	3812-000219	WIRE-NO SHEATH CU;TCWA,300V,52mm(TAPING)	
2	J508	3812-000219	WIRE-NO SHEATH CU;TCWA,300V,52mm(TAPING)	
2	J509	3812-000219	WIRE-NO SHEATH CU;TCWA,300V,52mm(TAPING)	
2	J510	3812-000219	WIRE-NO SHEATH CU;TCWA,300V,52mm(TAPING)	
2	J511	3812-000219	WIRE-NO SHEATH CU;TCWA,300V,52mm(TAPING)	
2	JF01	3812-000219	WIRE-NO SHEATH CU;TCWA,300V,52mm(TAPING)	
2	JF02	3812-000219	WIRE-NO SHEATH CU;TCWA,300V,52mm(TAPING)	
2	JF03	3812-000219	WIRE-NO SHEATH CU;TCWA,300V,52mm(TAPING)	
2	JF04	3812-000219	WIRE-NO SHEATH CU;TCWA,300V,52mm(TAPING)	
2	JF05	3812-000219	WIRE-NO SHEATH CU;TCWA,300V,52mm(TAPING)	
2	JG01	3812-000219	WIRE-NO SHEATH CU;TCWA,300V,52mm(TAPING)	
2	J512	3812-000219	WIRE-NO SHEATH CU;TCWA,300V,52mm(TAPING)	
2	J513	3812-000219	WIRE-NO SHEATH CU;TCWA,300V,52mm(TAPING)	
2	J514	3812-000219	WIRE-NO SHEATH CU;TCWA,300V,52mm(TAPING)	
2	J515	3812-000219	WIRE-NO SHEATH CU;TCWA,300V,52mm(TAPING)	
2	J516	3812-000219	WIRE-NO SHEATH CU;TCWA,300V,52mm(TAPING)	
2	J517	3812-000219	WIRE-NO SHEATH CU;TCWA,300V,52mm(TAPING)	
2	J518	3812-000219	WIRE-NO SHEATH CU;TCWA,300V,52mm(TAPING)	
2	J519	3812-000219	WIRE-NO SHEATH CU;TCWA,300V,52mm(TAPING)	
2	J520	3812-000219	WIRE-NO SHEATH CU;TCWA,300V,52mm(TAPING)	
2	J524	3812-000219	WIRE-NO SHEATH CU;TCWA,300V,52mm(TAPING)	
2	J526	3812-000219	WIRE-NO SHEATH CU;TCWA,300V,52mm(TAPING)	
2	J527	3812-000219	WIRE-NO SHEATH CU;TCWA,300V,52mm(TAPING)	
2	J528	3812-000219	WIRE-NO SHEATH CU;TCWA,300V,52mm(TAPING)	
2	JF06	3812-000219	WIRE-NO SHEATH CU;TCWA,300V,52mm(TAPING)	
2	JF07	3812-000219	WIRE-NO SHEATH CU;TCWA,300V,52mm(TAPING)	
2	J529	3812-000219	WIRE-NO SHEATH CU;TCWA,300V,52mm(TAPING)	
2	J530	3812-000219	WIRE-NO SHEATH CU;TCWA,300V,52mm(TAPING)	
2	J531	3812-000219	WIRE-NO SHEATH CU;TCWA,300V,52mm(TAPING)	
2	R504	3812-000219	WIRE-NO SHEATH CU;TCWA,300V,52mm(TAPING)	
2	R509	3812-000219	WIRE-NO SHEATH CU;TCWA,300V,52mm(TAPING)	
2	R539	3812-000219	WIRE-NO SHEATH CU;TCWA,300V,52mm(TAPING)	
2	J522	3812-000219	WIRE-NO SHEATH CU;TCWA,300V,52mm(TAPING)	
2	LF02	2701-000112	INDUCTOR-AXIAL;100uH,10%,3x7mm	
2	LF01	3301-000287	CORE-FERRITE BEAD;AA,3.5x1.0x6.0mm,1500,	
2	L505	3301-000287	CORE-FERRITE BEAD;AA,3.5x1.0x6.0mm,1500,	
2	L506	3301-000287	CORE-FERRITE BEAD;AA,3.5x1.0x6.0mm,1500,	
2	LF03	3301-000287	CORE-FERRITE BEAD;AA,3.5x1.0x6.0mm,1500,	
2	PCB	AA41-00210D	PCB-CRT;CS29A6,FR-1,1L,D,1.6T,330x245,KS	
2	Q502	0501-000283	TR-SMALL SIGNAL;KSA539,PNP,400mW,TO-92,T	
2	QG01	0501-000283	TR-SMALL SIGNAL;KSA539,PNP,400mW,TO-92,T	
2	Q503	0501-000283	TR-SMALL SIGNAL;KSA539,PNP,400mW,TO-92,T	
2	Q504	0501-000283	TR-SMALL SIGNAL;KSA539,PNP,400mW,TO-92,T	
2	QF01	0501-000389	TR-SMALL SIGNAL;KSC815,NPN,400mW,TO-92,T	
2	QF02	0501-000389	TR-SMALL SIGNAL;KSC815,NPN,400mW,TO-92,T	

Level	Loc. No.	Code No.	Description ; Specification	Remark
2	QF03	0501-000369	TR-SMALL SIGNAL;KSC2331-Y,NPN,1000mW,TO-	
2	RF10	2001-000241	R-CARBON;1.5KOHM,5%,1/8W,AA,TP,1.8X3.2M	
2	RF11	2001-000241	R-CARBON;1.5KOHM,5%,1/8W,AA,TP,1.8X3.2M	
2	R505	2002-001017	R-COMPOSITION;1Kohm,10%,1/2W,AA,TP,3.7x9	
2	R510	2002-001017	R-COMPOSITION;1Kohm,10%,1/2W,AA,TP,3.7x9	
2	R515	2002-001017	R-COMPOSITION;1Kohm,10%,1/2W,AA,TP,3.7x9	
2	R517	2001-001062	R-CARBON(S);10MOHM,5%,1/2W,AA,TP,2.4X6.4	
2	RF18	2003-000458	R-METAL OXIDE(S);100ohm,5%,2W,AF,TP,4x12	
2	R519	2002-001009	R-COMPOSITION;2.7Kohm,10%,1/2W,AA,TP,3.7	
2	R501	2001-000429	R-CARBON;1KOHM,5%,1/8W,AA,TP,1.8X3.2MM	
2	R506	2001-000429	R-CARBON;1KOHM,5%,1/8W,AA,TP,1.8X3.2MM	
2	R511	2001-000429	R-CARBON;1KOHM,5%,1/8W,AA,TP,1.8X3.2MM	
2	RF02	2001-000734	R-CARBON;4.7KOHM,5%,1/8W,AA,TP,1.8X3.2M	
2	RF03	2001-000362	R-CARBON;150OHM,5%,1/8W,AA,TP,1.8X3.2MM	
2	RF04	2001-000449	R-CARBON;2.2KOHM,5%,1/8W,AA,TP,1.8X3.2M	
2	R522	2001-000449	R-CARBON;2.2KOHM,5%,1/8W,AA,TP,1.8X3.2M	
2	RF05	2001-000522	R-CARBON;22KOHM,5%,1/8W,AA,TP,1.8X3.2MM	
2	RF06	2001-000989	R-CARBON;820KOHM,5%,1/8W,AA,TP,1.8X3.2M	
2	RF07	2004-001989	R-METAL;620ohm,5%,1/8W,AA,TP,1.8x3.2mm	
2	RF08	2001-000313	R-CARBON;11KOHM,5%,1/8W,AA,TP,1.8X3.2MM	
2	RF09	2001-000221	R-CARBON;1.2KOHM,5%,1/8W,AA,TP,1.8X3.2M	
2	RF12	2001-000221	R-CARBON;1.2KOHM,5%,1/8W,AA,TP,1.8X3.2M	
2	RF13	2001-001179	R-CARBON(S);68KOHM,5%,1/2W,AA,TP,2.4X6.4	
2	RF16	2001-001179	R-CARBON(S);68KOHM,5%,1/2W,AA,TP,2.4X6.4	
2	RF14	2001-001071	R-CARBON(S);12KOHM,5%,1/2W,AA,TP,2.4X6.4	
2	RF15	2001-001100	R-CARBON(S);2.7OHM,5%,1/2W,AA,TP,2.4X6.4	
2	RF17	2001-001100	R-CARBON(S);2.7OHM,5%,1/2W,AA,TP,2.4X6.4	
2	RG06	2001-001100	R-CARBON(S);2.7OHM,5%,1/2W,AA,TP,2.4X6.4	
2	RG07	2001-001100	R-CARBON(S);2.7OHM,5%,1/2W,AA,TP,2.4X6.4	
2	RF19	2003-001023	R-METAL OXIDE(S);120ohm,5%,2W,AF,TP,3.9x	
2	RF20	2003-002214	R-METAL OXIDE(S);680ohm,5%,2W,AG,TP,3.9x	
2	RF21	2003-002214	R-METAL OXIDE(S);680ohm,5%,2W,AG,TP,3.9x	
2	RF22	2003-002214	R-METAL OXIDE(S);680ohm,5%,2W,AG,TP,3.9x	
2	RF23	2003-000746	R-METAL OXIDE(S);56ohm,5%,2W,AF,TP,4x12m	
2	RF24	2003-000746	R-METAL OXIDE(S);56ohm,5%,2W,AF,TP,4x12m	
2	RF25	2003-002009	R-METAL OXIDE(S);390ohm,5%,2W,AF,TP,3.9x	
2	RG01	2004-004015	R-METAL(S);9.1Kohm,1%,1/2W,AA,TP,2.5x6.5	
2	RG02	2004-002022	R-METAL(S);51Kohm,1%,1/2W,AA,TP,2.4x6.4m	
2	RG04	2004-002022	R-METAL(S);51Kohm,1%,1/2W,AA,TP,2.4x6.4m	
2	RG03	2001-001121	R-CARBON(S);3.6KOHM,5%,1/2W,AA,TP,2.4X6.	
2	RG05	2001-001163	R-CARBON(S);560OHM,5%,1/2W,AA,TP,2.4X6.4	
2	RG08	2001-001163	R-CARBON(S);560OHM,5%,1/2W,AA,TP,2.4X6.4	
2	L503	2901-000297	FILTER-EMI ON BOARD;-,3A,-,-,3.5x5,TP,-	
2	L504	2901-000297	FILTER-EMI ON BOARD;-,3A,-,-,3.5x5,TP,-	
2	LF04	2901-000297	FILTER-EMI ON BOARD;-,3A,-,-,3.5x5,TP,-	
2	LF05	2901-000297	FILTER-EMI ON BOARD;-,3A,-,-,3.5x5,TP,-	
2	R502	2001-001093	R-CARBON(S);2.2KOHM,5%,1/2W,AA,TP,2.4X6.	
2	R507	2001-001093	R-CARBON(S);2.2KOHM,5%,1/2W,AA,TP,2.4X6.	
2	R512	2001-001093	R-CARBON(S);2.2KOHM,5%,1/2W,AA,TP,2.4X6.	
2	R503	2001-000085	R-CARBON(S);100KOHM,5%,1/2W,AA,TP,2.4X6.	
2	R508	2001-000085	R-CARBON(S);100KOHM,5%,1/2W,AA,TP,2.4X6.	
2	R513	2001-000085	R-CARBON(S);100KOHM,5%,1/2W,AA,TP,2.4X6.	
2	R526	2004-000500	R-METAL;2.7Kohm,1%,1/8W,AA,TP,1.8x3.2m	
2	R527	2004-000433	R-METAL;1Kohm,1%,1/8W,AA,TP,1.8x3.2mm	
2	R518	2003-002171	R-METAL OXIDE(S);150ohm,5%,2W,AG,TP,3.9x	
2	R542	2001-000832	R-CARBON;510OHM,5%,1/8W,AA,TP,1.8X3.2MM	
2	R543	2001-000832	R-CARBON;510OHM,5%,1/8W,AA,TP,1.8X3.2MM	
2	R544	2001-000832	R-CARBON;510OHM,5%,1/8W,AA,TP,1.8X3.2MM	
2	R546	2001-000832	R-CARBON;510OHM,5%,1/8W,AA,TP,1.8X3.2MM	
2	L501	2701-000178	INDUCTOR-AXIAL;33uH,10%,3x7mm	
2	R521	2001-000660	R-CARBON;33KOHM,5%,1/8W,AA,TP,1.8X3.2MM	
2	DZG501	0403-001328	DIODE-ZENER;MTZJ22A,20.15-21.20V,500mW,D	
2	L507	2701-000215	INDUCTOR-AXIAL;8.2uH,10%,2.5x3.4mm	
2	SG501	AA27-00084A	COIL;S-23,-,-,-,-,-,-,S-23,5000Mohm	
2	SG502	AA27-00084A	COIL;S-23,-,-,-,-,-,-,S-23,5000Mohm	
2	SG503	AA27-00084A	COIL;S-23,-,-,-,-,-,-,S-23,5000Mohm	
2	SG504	AA27-00084A	COIL;S-23,-,-,-,-,-,-,S-23,5000Mohm	
2	SG505	AA27-00084A	COIL;S-23,-,-,-,-,-,-,S-23,5000Mohm	
2	R548	2001-001153	R-CARBON(S);47OHM,5%,1/2W,AA,TP,2.4X6.4M	
2	C527	2301-000188	C-FILM,PEF;1nF,5%,100V,TP,10.5x12.5x6.5,	
2		HA98-00054A	ASSY SUB PART;ASSY SUB PART;KS3A,PCB,CRT	
3		0202-000008	SOLDER-WIRE;S63S-W3.0,S63S,D3,63Sn/37Pb,	
3		0202-000187	SOLDER-WIRE FLUX;-,RS60S,D1.2,63Sn/37Pb	
3		0204-001095	THINNER;#4520,-,-,-	
3		0202-001046	FLUX;CF-110VH-2A,-,-,-,-	
2	QF04	HA96-50149A	ASSY-H/S;-,AA62-30013A,2SC2344,-	
3		0502-000153	TR-POWER;2SC2344-D,NPN,1.2W,TO-220,-,60	
3	SCR09	6003-000334	SCREW-TAPTITE;RH,+,2S,M3,L6,ZPC(YEL),SWR	
3	H/S09	AA62-30013A	HEAT SINK-ES;-,A6063 EXTR,-,-,45(21) T02	
2	QF05	HA96-50149B	ASSY-H/S;-,TR,AA62-30013A,2SA1011,-	
3	QV10	0502-000131	TR-POWER;2SA1011-D,PNP,1.2W,TO-220,-,60	
3	SCR10	6003-000334	SCREW-TAPTITE;RH,+,2S,M3,L6,ZPC(YEL),SWR	
3	H/S10	AA62-30013A	HEAT SINK-ES;-,A6063 EXTR,-,-,45(21) T02	
2	C510	2401-001525	C-AL;47uF,20%,250V,GP,BK,16x25mm,7.	
2	R523	2008-000267	R-FUSIBLE(S);2.4ohm,5%,2W,AA,TP,3.9x10mm	
2	CF11	2401-000927	C-AL;22uF,20%,250V,GP,TP,13x20,5	
2	JA501	3722-001503	JACK-PIN;1P,1PI,NI,RED,SCR-JACK	
2	CNF01	AA39-20033C	LEAD CONNECTOR-ASSY;,3(2)P,67096-003,S,2	
2	QG02	0502-000244	TR-POWER;KSA940,PNP,1.5W,TO-220,-,40-14	
2	C513	2201-000723	C-CERAMIC,DISC;4.7nF,20%,3KV,Y5U,TP,16x5	
2	C532	2306-000188	C-FILM,MPPF;330nF,5%,400V,TP,26x19.5x11,	
2	GT506	AA39-20010D	LEAD CONNECTOR-ASSY;,1P,YFH800-01,S,400,	

ASSY PCB CONTROL

Level	Loc. No.	Code No.	Description ; Specification	Remark
1		AA95-01528A	ASSY PCB CONTROL;,KS3A,XXW7-C9,100HZ	
2	LDY01	0601-000198	LED;ROUND,RED/GRN,5.0mm,630/565nm	
2	JH701	3722-001061	JACK-PHONE;1P,3.6PI,AG,BLK,N	
2	CNY02	AA39-20005A	LEAD CONNECTOR-ASSY;,3P,YBNH025-03,67096	
2	CNY01	AA39-20069C	LEAD CONNECTOR-ASSY;,5P,YBNH025-05,67096	
2	CN703	AA39-20069C	LEAD CONNECTOR-ASSY;,5P,YBNH025-05,67096	
2	CN701	AA39-20068E	LEAD CONNECTOR-ASSY;,8P,YBNH025-08,67096	
2	CN704	AA39-20499B	LEAD CONNECTOR-ASSY;,4P,YBNH025-04,SMP02	
2	RMY01	AA59-60003J	MODULE REMOCON;-,ORC-06H2,38KHz,940nm,ME	
⚠ 2	SW811S	3403-001107	SWITCH-PUSH;250V,5A,DPST,-,KDC-A04	
2	GUIDE	AA61-50032A	GUIDE-LED;6201,ABS,-,-,-,BLK,HB	
2		6001-000057	SCREW-MACHINE;RH,+,M3,L6,ZPC(BLK),SWRCH1	
2	CY01	2401-002144	C-AL;47uF,20%,16V,GP,TP,5x11,5	
2	C701	2202-000121	C-CERAMIC,MLC-AXIAL;100pF,10%,50V,Y5P,TP	
2	C702	2202-000121	C-CERAMIC,MLC-AXIAL;100pF,10%,50V,Y5P,TP	
2	C707	2202-000121	C-CERAMIC,MLC-AXIAL;100pF,10%,50V,Y5P,TP	
2	C708	2202-000121	C-CERAMIC,MLC-AXIAL;100pF,10%,50V,Y5P,TP	
2	C705	2401-002009	C-AL;100uF,20%,16V,GP,TP,6.3x7,5	
2	C706	2401-002009	C-AL;100uF,20%,16V,GP,TP,6.3x7,5	
2	DZY01	0403-000508	DIODE-ZENER;MTZJ5.6B,5.6V,5.45-5.73V,500	
2	DZY02	0403-000508	DIODE-ZENER;MTZJ5.6B,5.6V,5.45-5.73V,500	
2	DZY03	0403-000508	DIODE-ZENER;MTZJ5.6B,5.6V,5.45-5.73V,500	
2	L701	2701-000114	INDUCTOR-AXIAL;10uH,10%,2.5x3.4mm	
2	L702	2701-000114	INDUCTOR-AXIAL;10uH,10%,2.5x3.4mm	
2	L703	2701-000114	INDUCTOR-AXIAL;10uH,10%,2.5x3.4mm	
2	L704	2701-000114	INDUCTOR-AXIAL;10uH,10%,2.5x3.4mm	
2	L709	2701-000114	INDUCTOR-AXIAL;10uH,10%,2.5x3.4mm	
2	LY01	2701-000114	INDUCTOR-AXIAL;10uH,10%,2.5x3.4mm	
2	RY02	2001-000577	R-CARBON;2KOHM,5%,1/8W,AA,TP,1.8X3.2MM	
2	RY03	2001-000007	R-CARBON;3KOHM,5%,1/8W,AA,TP,1.8X3.2MM	
2	RY04	2001-000878	R-CARBON;6.2KOHM,5%,1/8W,AA,TP,1.8X3.2M	
2	RY01	2001-000020	R-CARBON(S);22OHM,5%,1/2W,AA,TP,2.4X6.4M	
2	EL01	AA60-40011A	K EYELET;ID2.0,OD2.8,BST	
2	EL02	AA60-40011A	K EYELET;ID2.0,OD2.8,BST	
2	EL03	AA60-40011A	K EYELET;ID2.0,OD2.8,BST	
2	EL04	AA60-40011A	K EYELET;ID2.0,OD2.8,BST	
2	GTY05	AA60-40014A	PIN-GT,ASSY;AUTO	
2	GTY06	AA60-40014A	PIN-GT,ASSY;AUTO	
2	GTY07	AA60-40014A	PIN-GT,ASSY;AUTO	
2	GTY08	AA60-40014A	PIN-GT,ASSY;AUTO	
2	GTY09	AA60-40014A	PIN-GT,ASSY;AUTO	
2	GTY10	AA60-40014A	PIN-GT,ASSY;AUTO	
2	PCB	AA41-00395B	PCB-CONTROL+POWER S/W;CW28C9,CEM-1,1L,B,	
2	R701	2001-000281	R-CARBON;100OHM,5%,1/8W,AA,TP,1.8X3.2MM	
2	R702	2001-000281	R-CARBON;100OHM,5%,1/8W,AA,TP,1.8X3.2MM	
2	RY05	2001-000009	R-CARBON;20KOHM,5%,1/8W,AA,TP,1.8X3.2MM	
2	J701	3812-000219	WIRE-NO SHEATH CU;TCWA,300V,52mm(TAPING)	
2	L707	3301-000287	CORE-FERRITE BEAD;AA,3.5x1.0x6.0mm,1500,	
2	L708	3301-000287	CORE-FERRITE BEAD;AA,3.5x1.0x6.0mm,1500,	
2	C703	2202-000231	C-CERAMIC,MLC-AXIAL;330pF,10%,50V,Y5P,TP	
2	C704	2202-000231	C-CERAMIC,MLC-AXIAL;330pF,10%,50V,Y5P,TP	
2	L705	2701-000168	INDUCTOR-AXIAL;3.3uH,5%,2.5x3.4mm	
2	L706	2701-000168	INDUCTOR-AXIAL;3.3uH,5%,2.5x3.4mm	
2	SWY02	3404-000282	SWITCH-TACT;12Vdc,50mA,120gf,6x6x5mm,SPS	
2	SWY03	3404-000282	SWITCH-TACT;12Vdc,50mA,120gf,6x6x5mm,SPS	
2	SWY04	3404-000282	SWITCH-TACT;12Vdc,50mA,120gf,6x6x5mm,SPS	

Level	Loc. No.	Code No.	Description ; Specification	Remark
2	SWY05	3404-000282	SWITCH-TACT;12Vdc,50mA,120gf,6x6x5mm,SPS	
2	SWY06	3404-000282	SWITCH-TACT;12Vdc,50mA,120gf,6x6x5mm,SPS	
2		AA63-10002A	BAND-TIE;NYLON66 V2,L100,NTR	
2	GT801-	AA39-20041B	LEAD CONNECTOR-ASSY;,2P,YFH800-02,S,300,	
2	JA701C	3722-001369	JACK-PIN;1P,3.4MM,AU,RED,-	
2	JA701B	3722-001368	JACK-PIN;1P,3.4MM,AU,WHT,-	
2	JA701A	3722-001367	JACK-PIN;1P,3.4MM,AU,YEL,-	
2	CN702	AA39-20070F	LEAD CONNECTOR-ASSY;,7P,YBNH025-07,67096	
2	JS701	3722-000544	JACK-VHS;4P,11.5mm,AG,BLK,N	

ASSY-CRT

1		HA94-01800A	ASSY-CRT;W76EGX023X522,+360MG,32,ITC,T	
⚠ 2		AA03-00122A	CRT COLOR;W76EGX023X522,+380mG,0.285mH,1	
2		AA39-20518A	LEAD CONNECTOR-ASSY;,6(4)P,YFH806-06,350	
2		AA27-00019A	COIL DEGAUSSING;-,32,14.5ohm,65T,L3800,	
2		AA63-10002A	BAND-TIE;NYLON66 V2,L100,NTR	
2		AA98-00031A	ASSY TBC WIRE(P);DP,32inch,AA98-70013C,3	

ASSYPCB-PFC

1		HA94-05782D	ASSYPCB-PFC;32W7,100HZ,5782B	
2	EYH38	AA60-40011A	K EYELET;ID2.0,OD2.8,BST	
2	EYH39	AA60-40011A	K EYELET;ID2.0,OD2.8,BST	
2	EYH40	AA60-40011A	K EYELET;ID2.0,OD2.8,BST	
2	EYH41	AA60-40011A	K EYELET;ID2.0,OD2.8,BST	
2	EYH42	AA60-40011A	K EYELET;ID2.0,OD2.8,BST	
2	EYH43	AA60-40011A	K EYELET;ID2.0,OD2.8,BST	
2	EYH44	AA60-40011A	K EYELET;ID2.0,OD2.8,BST	
2	EYH45	AA60-40011A	K EYELET;ID2.0,OD2.8,BST	
2	EYH46	AA60-40011A	K EYELET;ID2.0,OD2.8,BST	
2	EYH47	AA60-40011A	K EYELET;ID2.0,OD2.8,BST	
2	EYH48	AA60-40011A	K EYELET;ID2.0,OD2.8,BST	
2	EYH49	AA60-40011A	K EYELET;ID2.0,OD2.8,BST	
2	EYH50	AA60-40011A	K EYELET;ID2.0,OD2.8,BST	
2	EYH51	AA60-40011A	K EYELET;ID2.0,OD2.8,BST	
2	EYH52	AA60-40011A	K EYELET;ID2.0,OD2.8,BST	
2	EYH53	AA60-40011A	K EYELET;ID2.0,OD2.8,BST	
2	EYH54	AA60-40011A	K EYELET;ID2.0,OD2.8,BST	
2	EYH55	AA60-40011A	K EYELET;ID2.0,OD2.8,BST	
2	EYH56	AA60-40011A	K EYELET;ID2.0,OD2.8,BST	
2	EYH57	AA60-40011A	K EYELET;ID2.0,OD2.8,BST	
2	EYH36	AA60-40011A	K EYELET;ID2.0,OD2.8,BST	
2	EYH37	AA60-40011A	K EYELET;ID2.0,OD2.8,BST	
2	EYH30	AA60-40011A	K EYELET;ID2.0,OD2.8,BST	
2	EYH31	AA60-40011A	K EYELET;ID2.0,OD2.8,BST	
2	EYH28	AA60-40011A	K EYELET;ID2.0,OD2.8,BST	
2	EYH29	AA60-40011A	K EYELET;ID2.0,OD2.8,BST	
2	PCB	AA41-00421A	PCB-PFC;CS29A5,CEM-1,1L,A,1.6T,245X245,K	
2	LP801S	AA27-00121A	COIL CHOKE;CODE_NO,SP43J5HP,15mH,-0%,+5%	
2	LP802S	AA27-00121A	COIL CHOKE;CODE_NO,SP43J5HP,15mH,-0%,+5%	
2		HA98-600020	ASSY-SUB,PART;KS4A,PFC PCB	
3		0202-000008	SOLDER-WIRE;S63S-W3.0,S63S,D3,63Sn/37Pb,	
3		0202-000187	SOLDER-WIRE FLUX;-,RS60S,D1.2,63Sn/37Pb	
3		0202-001046	FLUX;CF-110VH-2A,-,-,-,-	
3		0204-001095	THINNER;#4520,-,-,-	
2	CN804	3711-004721	CONNECTOR-HEADER;3WALL,2P,1R,12.5mm,STRA	
2	CN804	AA39-00236A	LEAD CONNECTOR-ASSY;,3(2)P,YHL500-03A BL	
2	TOP	3711-004720	CONNECTOR-HEADER;3WALL,2P,1R,12.5mm,STRA	
2	TOP	AA39-00235A	LEAD CONNECTOR-ASSY;,3(2)P,YHL500-03A BL	
2	LX804S	AA29-00015A	FILTER LINE NOISE;WS32W8,28-20MH 1.5A,+-	
2	CX804S	2306-000318	C-FILM,MPPF;220nF,20%,250V,TP,-,22.5mm	
2		HA61-00552B	HOLDER-PCB;29K3,HIPS,-,-,-,BLK,V0	
2		6003-001023	SCREW-TAPTITE;RWH,+,B,M3,L10,ZPC(YEL),SW	

Level	Loc. No.	Code No.	Description ; Specification	Remark

ASSY CABINET FRONT

1		HA91-00884Q	ASSY CABINET FRONT;,32W7,F100HZ,SILVER,C	
2		AA61-60003J	SPRING ETC-CS;-,SUS304,-,-,OD6,N7,OD6,-,	
2		AA64-02463A	WINDOW REMOCON-LED;28C9,V0,VIOLET	
3		HA83-00010A	LP-RESIN;,OROGLAS,VM-100 ZHN 2	
2		AA64-70117B	BADGE-BRAND;-,AL,-,-,L65,R2000,SILVER,SS	
2		AA61-30001A	LATCH-DOOR;-,-,-,-,-,-,-,KIFUCO LA701	
2		AA65-30105A	CLAMPER CORE-WIRE;ALL MODEL,NYLON 66,V2,	
2		AA64-01564B	INLAY-CONTROL;28C9,PS SHEET,T0.3,-,-,-,K	
2	KC+CF	6002-000515	SCREW-TAPPING;RH,+,2,M4,L15,ZPC(WHT),SWR	
2	IND+CF	6002-000515	SCREW-TAPPING;RH,+,2,M4,L15,ZPC(WHT),SWR	
2		AA64-02480A	KNOB CONTROL;32W7,HIPS,HB,BLK	
3		HA83-00006A	LP-RESIN HIPS;,BASF495F,NTR,HB	
3		HA83-00007A	LP-RESIN;,M BATCH,WILSON 902-BK-60,BLK	
2		AA64-02508A	KNOB POWER;32W7,HIPS,HB,SV-012P-II,GRY	
3		HA83-00040A	LP-MARKING PAINT;,METALLIC SILVER,SV-012	
3		HA83-00006A	LP-RESIN HIPS;,BASF495F,NTR,HB	
3		HA83-00012A	LP-RESIN;,M BATCH,WILSON 6053-GY-60,GRY	
2		AA64-02445D	CABINET-FRONT;32W7,VL-1823,SV-012P-II,CO	
3		HA83-00040A	LP-MARKING PAINT;,METALLIC SILVER,SV-012	
3		AA81-00106A	A/S-MARKING PAINT;,P432U,DARK GREY,TPC	
3		AA81-00096A	RESIN-A;VL-1823,G5433,A	
2		AA64-02587E	DOOR CONTROL;28C9,HIPS,SV-012P-II,FULL,S	
3		HA83-00040A	LP-MARKING PAINT;,METALLIC SILVER,SV-012	
3		HA83-00021A	LP-MARKING PAINT;,WHITE,TPC180	
3		HA83-00006A	LP-RESIN HIPS;,BASF495F,NTR,HB	
3		HA83-00011A	LP-RESIN;,M BATCH,WILSON 6007-GY-60,GRY	
2		HA83-00049A	LP-ADHESIVE-HM;12MM,NTR	
2		AA61-40113A	STOPPER-PCB;501H,HIPS,-,-,HB,NTR,-	
2		0203-001290	TAPE-OPP MASKING;ANT 100C,T0.073,W30,L50	

ASSY-CABINET(COM)

1		AA90-01099E	ASSY-CABINET(COM);VL-1823,32W7,KS3A	
2		HA64-02453B	CABINET BACK;32W7,VL-1823,GRY	
3		AA81-00096A	RESIN-A;VL-1823,G5433,A	
2		AA65-30113A	CLAMPER CORE-D,COIL;-,NYLON 66,V2,-,BLK,	
2		AA65-30008A	CLAMPER CORE-CORD;-,PE,HB,-,BLK,-	
2	CRT+CF	AA60-10050V	SCREW-ASSY;-,SWRCH18A,M6,L30,HH,+,WC,-,Z	
2	CB+CF	6003-001025	SCREW-TAPTITE;RH,+,B,M4,L20,ZPC(BLK),SWR	
2		AA65-30009A	CLAMPER CORE-FBT;-,ABS,V0,-,BLK,-	
2		AA63-10002A	BAND-TIE;NYLON66 V2,L100,NTR	
2	SPK+CF	AA60-10050A	SCREW-ASSY;-,SWRCH18A,M4,L25,RH,+,WP,-,Z	
2		AA64-00894L	INLAY-BACK;21K2,PS SHEET,T0.3,BLK,KS1B 2	
2	CB+SCR	6002-000515	SCREW-TAPPING;RH,+,2,M4,L15,ZPC(WHT),SWR	
2		HA68-02179A	LABEL-RATING;58MM,53MM,WHITE	
2		AA65-30018A	CLAMPER CORE-WIRE;DONG-A,NYLON-66,-,-,-,	
2	qms	HA83-00052A	LP-TAPE-INK;,WIDTH 55 MM	
2	rating	HA83-00052A	LP-TAPE-INK;,WIDTH 55 MM	
2		AA65-30007A	CLAMPER CORE-D,COIL;-,NYLON-66,V0,-,NTR,	
2		HA68-02177B	LABEL-POS;ALL,30MM,65MM,WHITE,AA68-02177	

REMOCON

1		AA59-00116B	REMOCON;-,TM57,37,D3/D4,L/GRAY,S/S,GRA	

ASSY ACCESSORY

1		AA94-05823A	ASSY ACCESSORY;50HZ,D,FLAT,100HZ,KS3A,XE	
2		4301-000121	BATTERY-MN;1.5V,-,AAA,10.5x44.5m,HOLDER	
2		HA69-00276A	BAG VINYL;HDPE,T0.025,L400,W240,-,W/O LO	
2		HA83-00047A	LP-TAPEACETATE;T0.1MM,W20MM,L200MM	
2		HA68-02124A	LABEL;A/P120(G),70,69,WHITE,XECCO	
2		HA68-00971A	LABEL-BACK,DOLBY;A/P100(G),SILVER-BLACK	
2		HA68-00336B	CARD-WARRANTY;A/P100(G),A5,NEW VERSION,I	

Level	Loc. No.	Code No.	Description ; Specification	Remark
			ASSY POWER CORD	
⚠ 1		AA96-01127B	ASSY POWER CORD;DP,AA39-10001M,CP2,H/C40	
2		AA39-10001M	CBF POWER CORD;-,KJP-140,KLCE-2F,2.4m,HO	
2		AA61-20284A	HOLDER;P-CORD,PP,-,-,-,BLK,VO,KE-002	
			ASSY HOLDER SPK	
1		AA91-00150B	ASSY HOLDER SPK;DP,-,8OHM/15W,-,AA91-001	
			ASSY PACKING	
1		AA90-01141A	ASSY PACKING;32W7	
2		HA69-00956A	PACKING-CASE;32W7,KS3A,CB D-5,YEL,	
2		HA69-00895A	CUSHION-SET;CUSHION SET;32W7	
3		HA83-00058A	LP-RESIN-EPS;,CHEIL SF-301V,WHT	
2		AA60-40006A	PIN-STAPLE;AUTO,33X17.8X2.4,H18,33X17.8X	
2		AA69-00744F	BAG-SHEET;-,HDPE PE FOAM,T0.015,W1400,H1	
2		HA68-02178A	LABEL-BOX;250MM,89MM,WHITE	
2		HA83-00057A	LP-TAPE-CELLULOSE;,HA02-030011,T0,046,W7	
2		HA83-00046A	LP-TAPE INK;,WIDTH 105 MM	

MEMO